BRECO®, BRECOFLEX® timing belts

Update on January 2013







Innovation is our drive - this principle marks BRECO Antriebstechnik Breher GmbH & Co., manufacturer of BRECO® and BRECOFLEX[®] timing belts as the most innovative producer in the field of polyurethane timing belt technology worldwide. The basis for a high-quality and reliable product is provided by wear resistant polyurethane for the belt body and high

The name BRECO became the synonym for polyurethane timing belts resulting from years of experience in the field of thermoplastic polyurethane, the development of BRECO® and BRECOFLEX® manufacturing processes and their further development. The BRECO® and BRECOFLEX® timing belts, the pulleys designed to match them perfectly, and other components supplied by BRECO reflect the breadth of experience gathered over decades by countless people who have used the products. We maintain a consistently high level of quality through our exclusive use of high-quality materials and by

One strong point is the development and production of special belts for various application fields. The large number of belt coatings and the most varied shape of flights open up an extremely broad application field for BRECO® and BRECOFLEX® timing belts. We stock a broad range of belt and tension cord materials to cater for applications in very cold

In simple applications too, BRECO[®] timing belts offer all the advantages and quality expected of a high-end branded product. Safety, durability, accuracy and availability are some of the benefits which ultimately have a positive impact on costs.



Page

General information

BRECO®, BRECOFLEX® timing belts	. 6
Timing belt types	. 7
Available versions	10
Available materials	12
The E steel cord tension member	13
Curved teeth timing belt BAT / BATK	14

BRECOFLEX[®] timing belts

BRECOFLEX [®] manufacturing process	
AT high performance timing belts - endless	
AT3. 20 AT5, AT5-DL, AT5-DR, AT5-T. 22 AT10, AT10-DL, AT10-DR, AT10-T. 24 ATS15, ATS15-DL 20 AT20, AT20-T, AT20-DL 24	2 4 6
ATP high performance timing belts - endless	
ATP10, ATP10-DL	
Self-guiding timing belts - endless	
BAT10	4
BAT15	-
BATK10	
BATK15	
SFAT10	
SFAT15	-
ATK5K6	
ATK10K6, ATK10K6-DL, ATK10K6-DR	
ТК5К6	
TK10K6	
TK10K13	6
T Standard timing belts - endless	
T5, T5-DL, T5-DR	8
T10, T10-DL, T10-DR, T10-T	
T20, T20-DL, T20-DR, T20-T	2
Imperial timing belts - endless	
XL64	4
L	-
H, H-DL, H-DR, H-T	
XH	0

BRECO[®] timing belts

BRECO [®] manufacturing process
AT high performance timing belts - Open length / joined
AT3

4

BF

ECO® timing belts Page	
AT20, AT20-T	
Self-guiding timing belts - Open length / joined	
BAT10. 90 BAT15. 92 BATK10 94 BATK15 96 SFAT10. 98 SFAT20 100 ATK5K6 102 ATK10K6. 104 ATK20K13 108 TK5K6 110 TK5K6 110 TK5K6 110 TK5K6 110 TK5K6 110 TK5K6 110 TK10K13, TK10K13-T 114	
ТК1/2"К13, ТК1/2"К13-Т	
T Standard timing belts - Open length / joined 118 T2,5 118 T5, T5-DL, T5-DR, T5-T 120 T10, T10-DL, T10-DR, T10-T 122 T20, T20-DL, T20-T 124	
Imperial timing belts - Open length / joined 126 T1/5" 128 T1/2", T1/2"-T 130 T7/8" 132 BRECO® timing belt lock AT10 DC / T10 DC 134	
ppendix	
Belt guidance, tooth gap shapes.138Angular drives139Safty factors140Tolerances141Pre-tension force142Bases of calculation144List of formulae145Calculation example power transmission146Calculation example transport technology148	
Information about linear technology 150 Construction and properties 150 Construction features 151 Coars design 152 List of formulae, definitions 153 Ordering information 160 Calculation online 161 Index 162	

5

Α

Belt guidance, tooth gap shapes
Angular drives
Safty factors
Tolerances
Pre-tension force
Bases of calculation
List of formulae
Calculation example power transmission
Calculation example transport technology
Information about linear technology
Construction and properties
Construction features
Construction features
Construction features

BRECO[®], BRECOFLEX[®] timing belts



Properties

Mechanical

- Positive fit, synchronous run
- · Constant length, no post-elongation
- Low noise
- Wear resistant
- Low-maintenance
- Highly flexible
- Positional and angular accuracy
- Can be crossed (see chapter "Angular drives")
- Fatigue resistant, low extension steel cord tension members
- Beltspeed up to 80 ms-1
- Small build sizes
- Favourable power-to-weight ratio
- Low pre-tension
- Low bearing load
- Permits large centre distances
- Permits large transmission ratios
- High degree of efficiency, max. 98 %

Chemical:

- Hydrolysis resistant
- Resistant to aging
- Temperature resistant from -30° to +80°C
- (see information in the text "Construction")
- Tropical climate resistant
- Resistant against simple oils, fats and petrol
- Resistant to some acids and lyes

For special areas of use we can produce all types of timing belts in materials, whose properties make it possible, to use belts in following areas:

- Foodstuff sector (TPUFD)
- Low temperature range from -30°C to +5°C (TPUKF)
- High temperaure range from +20°C to +110°C (TPUWB)
- Use in low aggressive environment (TPUAU)

As alternative to the standard steel cord tension members, tension members in stainless steel and aramide are available. In the case of strong bending stress resp. tension load, timing belts with high flexible tension members (E) resp. with reinforced tension members could be produced.

For further information about the resistance of polyurethane timing belts and available belt materials as well as alternativly tension member materials please contact our distribution partner.

AT high capacity profile

Further development of the T profile resulted in the AT profile. This type of belt is characterised by the larger tooth shear strength resulting from the larger tooth volume and the stronger tension members. Further advantages:

- Favourable tooth mesh
- Strengthened tension members for constant pitch
- Improved performance up to 50 % as compared to the T profile
- Precise transmission of movement in conjunction with synchronous pulleys with reduced or zero backlash
- Reduction of meshing impacts or shocks

AT in DL version

The DL timing belt (the belt is double-sided) is applied in the power transmission and transport technology. Multiple-shaft drives with different rotational directions can be realised with this timing belt. Full loadability on both tooth sides.

Curved teeth

As a logical consequence of the demand for reducing running noise, a profile was developed which does without the conventional polygon effect. In addition to smooth running, the profile has, in comparison to the AT, a larger tooth face and is self-guiding in the preferred running direction.

Preferred use:

- Special demands regarding smooth running properties and transmission precision
- Tight assembly dimensions
- Transport and transmission tasks

Curved teeth with guiding track

The BATK has ensued from the BAT. The timing belt is selftracking in both running directions due to the integrated guiding track. Preferred use:

- Special demands regarding smooth running properties and transmission precision
- Applications in the field of the linear and power transmission technology
- Tight assembly dimensions

Construction

BRECO®, BRECOFLEX® timing belts are manufactured of wear resistant polyurethane and high tensile steel cord tension members. Both high quality materials combined form the basis for dimensionally stable and high resistance polyurethane timing belts. Polyurethane timing belts have a very high span rigidity. No post-elongation of the tension members is to be expected in continuous operation. Only under extreme load and after a short run-in time, the pre-tension of the belts might slightly reduce by the tension members settling, making a once-only re-tensioning of the timing belt unavoidable.

The timing belts are temperature resistant with ambient temperatures from -30°C to +80°C. Applications close to the limit temperatures (<-10°C and >50°C), however, might require adapted dimensioning. For specific temperature ranges various belt materials are available. Please contact our distribution partner for this type of application.

The production methods according to which BRECO®, BRECOFLEX[®] timing belts are produced, allow keeping within tight tolerances which guarantee a uniform load distribution during power transmission. These polyure thane timing belts are suitable for the transmission of high torques as well as the precise positioning and transport of various goods.



Timing belt types



ATP high capacity profile

Further increased performance, noise reduction and extension of the belts useful life led to the development of the ATP timing belt. The basic concept of the ATP profile provides the division of the trapezoidal tooth into two individual and load bearing teeth. Performance increase up to 60 %, running noise reduced by up to 10 db(A) and an increased longevity by:

- Tooth surface area increased by 70 %
- Uniform load/tension distribution
- Improved power dispersion
- Reduced polygon effect
- Small construction width
- Optimised tooth mesh

ATN

The ATN timing belt is especially designed for the application in the transport technology. The flight fastening system in the belt tooth permits fast fitting and replacement of the flights individually manufactured for the conveying application concerned.

ATN with V-groove

The ATN timing belt is especially designed for the application in the transport technology and applied where no flanges on the pulleys and other guiding elements are possible for constructional reasons.

Self-tracking belts

Self-tracking belts are a combined construction of synchronous belts and V-belts with straight running characteristics. The performance range is that of the standard T or AT profiles minus the non toothed belt width. Preferred use:

- Where large lateral forces apply
- Running on synchronous pulleys without flanges

(Also available in TK-version)

Standard profile

The timing belt with a trapezoidal profile according to DIN 7721 is regarded as the classical standard timing belt. Preferred use:

- For standard drive tasks
- For high bending stress

(Also available in **DL-version**)

Imperial profile

Imperial pitches according to DIN/ISO 5296 are available in the following sizes:

- XL = 5,000 mm
- L = 9,000 mm
- H = 12,000 mm
- XH = 22,000 mm

Preferred use:

• Applications in imperial units





SFAT

Offset teeth

AT performance profile with two toothed tracks with a belt designed as SFAT. These toothed tracks are offset by half a tooth pitch in relation to each other. In combination with the accompanying synchronous pulleys, the SFAT is self-guiding. No flanges are required. Preferred use:

- Running on synchronous pulleys without flanges
- Where low noise is of the essence (reduced polygon effect)



Available versions

Available versions





Version DL



The standard version of the BRECO[®] and BRECOFLEX[®] timing belt is a combined construction of the two materials: wear resistant polyurethane and high tensile steel cord tension members. The standard version is universal applicable for all tasks in the drive and conveying technology. **Ordering code: without**

Available for all pitches

Standard version, double-sided

The standard version of the double-sided BRECO[®] and BRECOFLEX[®] timing belts is a combined construction of the two materials: wear resistant polyurethane and high tensile steel cord tension members. Full loadability on both tooth sides. The standard version of the DL timing belts are universal applicable for all tasks in the drive and conveying technology. **Ordering code: DL**

Available for:

AT5-DL only BRECOFLEX[®], AT10-DL only BRECOFLEX[®], T5-DL, T10-DL, T20-DL, H-DL only BRECOFLEX[®], ATK10K6-DL only BRECOFLEX[®], AT20DL only BRECOFLEX[®]

Standard version with reinforced belt back

The timing belt in version DR has in comparison with the standard version a thicker belt back. Ordering code: DR

Available belt types see product range



Version DR

Version T

Standard version with transport coating

The timing belt in version T has in comparison with the standard version a transport coating, thickness 1.5 mm (T5, AT5) resp. 2 mm (T10, T20, AT10 AT20, Imperial timing belts), which is extruded on the belt back. The timing belt in version T is universal applicable for all tasks in the conveying technology. Ordering code: version T

Available belt types see product range

Nylon tooth facing

The belt base corresponds the standard version. An additional nylon tooth facing causes a lower friction coefficient, lightens the tooth mesh in the pulley and reduces noise. Transport belts on bed plates running easier and are wear resistant. Ordering code: PAZ

Available for all pitches but T2,5

Nylon facing on the back of the belt

The belt base corresponds the standard version. An additional nylon tooth facing causes a lower friction coefficient. Application area in the conveying technology: e.g. for accumulation conveyor (back of the belt runs easier and is wear resistant). **Ordering code: PAR**

Ordering code: PAZ-PAR (both sides coated)

Available for all pitches, only BRECO M and V, but AT3 and T2,5

Nylon facing on double-sided belts

The belt base corresponds the double-sided standard version. An additional nylon tooth facing causes a lower friction coefficient, lightens the tooth mesh in the pulley and reduces noise. Transport belts on bed plates running easier and are wear resistant.

Ordering code: PAZ (coating only possible on inner side)

Available for

AT5-DL only BRECOFLEX®, AT10-DL only BRECOFLEX®, T5-DL, T10-DL, T20-DL, T1/2"-DL only BRECOFLEX®



Materials fo	Materials for the standard application area						
Name of material	Selectable tension member	Timing belt types	Color	Hardness	Temperature range		
TPUST1	 steel cord stainless steel cord 	all standard types, not for BRECOFLEX [®] belts up to 720 mm	white	92 Shore A	0°C up to +80°C		
TPUST2	 steel cord stainless steel cord cord 	all standard types, not for BRECOFLEX [®] belts up to 720 mm	transparent	85 Shore A	+5°C up to +50°C		
TPUST3	 steel cord stainless steel cord 	BRECOFLEX [®] belts up to 720 mm	transparent	92 Shore A	0°C up to +80°C		

Approved m	Approved materials by contact with food						
Name of material	Selectable tension member	Timing belt types	Color	Hardness	Temperature range		
TPUFD1	 temperature range 	all standard types	transparent	92 Shore A	0°C up to +80°C		

Materials fo	Materials for the use in areas with low aggressive environment					
Name of material	Selectable tension member	Timing belt types	Color	Hardness	Temperature range	
TPUAU1	 stainless steel cord 	all standard types, not for BRECOFLEX [®] belts up to 720 mm	transparent	92 Shore A	0°C up to +50°C	

Materials for the use in areas with high ambient temperature					
Name of material	Selectable tension member	Timing belt types	Color	Hardness	Temperature range
TPUWB1	 steel cord stainless steel cord 	all standard types, not for BRECOFLEX [®] belts up to 720 mm	white	94 Shore A	+20°C up to +110°C

Materia	Materials for the use in areas with low ambient temperature						
Name mater		Selectable tension member	Timing belt types	Color	Hardness	Temperature range	
TPUKI	F1	 steel cord stainless steel cord 	all standard types, not for BRECOFLEX [®] belts up to 720 mm	transparent	85 Shore A	-25°C up to +5°C	

Materials with electrically discharge properties					
Name of material	Selectable tension member	Timing belt types	Color	Hardness	Temperature range
TPUAS1	 steel cord stainless steel cord 	all standard types, not for BRECOFLEX [®] belts up to 720 mm	grey-transparent	92 Shore A	0°C up to +80°C

For further information about the resistance of polyurethane timing belts and available belt materials as well as alternativly tension member materials please contact our distribution partner.

12

Highly flexible tension inserts - the E steel cord tension member

The thinner the single wire, the more flexible the overall Application informations: For intended application under tension member! This interrelation led us to develop BRECO® extreme conditions please contact our technical department and BRECOFLEX® timing belts with E tension members. for advise.

In the E tension member the tension member cross-section is Steel cord tension members (Example): distributed to a lot more thin individual wires and, therefore, the bending fatigues are markedly lower in the individual wires. The advantage of the E tension members is a higher flexibility.

This is especially important, when smaller mounting dimensions for pulleys and tension rollers are required. The minimum number of teeth and/or minimum diameter of The thinner the individual wire the more flexible the the pulleys can be fallen below up to 30% compared with whole timing belt. standard tension members.

Timing belts with E tension members are recommended for multi-shaft drive with frequent bends.

Summary:

- Thinner individual wires in the steel cord
- Higher dynamic capabilities
- Extremely high bonding and bending fatigue strength
- Smaller pulley and tension roller diameter
- No correction of the synchronising pulleys are necessary • For deliverable types refer to delivery programme





Notes:

- AT3 (standard), ATL5 (standard)
- Belt lengths respectively to the delivery range
- Synchronising pulleys respectively to the delivery range
- Calculation analog to the standard tension member



The special characteristics

- Increased tooth load resulting from the tooth curve
- Clearly reduced running noise due to a time elongated tooth mesh
- Higher power transmission precision and lower vibration tendency due to a reduced polygon effect
- The BAT is self-guiding in the preferred running direction, no flanges are required
- The BATK is self-guiding in both running directions due to the integrated guiding track making flanges obsolete
- Length constant belts due to the application of high tensile steel cord tension members





14

Timing belt guide of the BAT timing belt

The BRECO[®] and BRECOFLEX[®] timing belts with curved teeth have only one preferred running direction. In this direction the convex side of the tooth curve points in running direction of the drive. When observing this running direction the teeth laterally guide the belt also with large span lengths for which reason flanges are not required.

Even if the pulleys, tension and return rollers as well as their axes are perfectly aligned, we recommend a minimum span length of 5 times the belt width (see graphic) between the elements. This results in reduced lateral forces and the respective friction.

If tension and return rollers running on the teeth have a distance to their upstream pulley or roller exceeding 5 times the belt width (b), these rollers should be designed with teeth. If these elements are running on the back of the belt without teeth, flanges must be used (see graphic). Both measures lead to a better belt guidance and result in a high running performance.

BATK timing belts

For the BATK timing belt guidance by flanges is not required due to the teeth design. A wandering-off effect from the pulleys is excluded due to the guiding track.

Application fields

The BRECO® and BRECOFLEX® timing belts type **BAT** are suitable for all areas of the power transmission and transport technology, where high transmission precision, low variation tendency, smooth running and only one running direction are required. The BAT timing belt is self-guiding in its preferred running direction, thus, no guiding elements are required.

The **BATK** timing belt is mainly designed for application in the linear and power transmission technology.

BAT / BATK timing belts

"New profile shapes result in improved performance features", this comment often describes the development possibilities of polyurethane timing belts. The curved tooth based on the proven AT profile forms the basis for the new BRECO® and BRECOFLEX[®] timing belts with curved teeth. The unique curved teeth guarantee notably improved transmission and running properties. On the one hand the BAT tooth has an increased load bearing capacity, on the other hand it does not abruptly run into the pulley gap but perfectly timed. Both features combined lead to an increased performance, clearly reduced running noise as well as a higher transmission precision and a lower vibration tendency. The belt centers itself on the pulleys in the stated preferred running direction due to the curved shape of the tooth which produces the self-guiding effect.

The **BATK** timing belt has ensued from the **BAT** timing belt. Compared to the BAT the BATK is provided with a guiding track resulting in a timing belt self-guiding in both running directions.

The curved teeth timing belt BAT/BATK









BRECOFLEX® timing belts

BRECOFLEX: The BRECOFLEX[®] timing belt is manufactured in endless lengths without tension member interruption. The tension member is spirally coiled. BRECOFLEX® timing belts are universal applicable for all tasks in the drive technology up to 10000 min⁻¹.

Application areas

Endless timing belts for power transmissions

All drives designed for a high performance should preferably be produced as BRECOFLEX[®] timing belts with a full length steel cord tension member. They can be subjected to both permanent operation or for a start-brake characteristic. They operate in a rotational speed range of up to 10000 min⁻¹.

Endless timing belts are available in preferred catalog lengths. Our production range also permits the supply of intermediate lengths up to a maximum endless length of 20000 mm.

StandardPlus - BRECOFLEX[®] timing belts with improved properties

The new generation of BRECOFLEX® timing belts was special developed for high precision positioning applications. The use of the bifilar winding reduces the tendency of the belt to run off. The special way of winding prevents the formation of lateral forces resulting from the tensioned tension members inside the belt, which cause the timing belt to run off. In this manner, the friction forces in the drive are considerably reduced which leads to improve positioning properties.

Additional the new BRECOFLEX® timing belts achieve a notably improved pitch stability. The deviation of the tooth spaces could be further minimized.

With the new generation of BRECOFLEX[®] timing belts, the user is offered standard products which unite outstanding properties, such as high power transmission, high rigidity, optimized running behaviour and high precision.

17

BRECOFLEX[®] manufacturing process





Materials

BRECO® and BRECOFLEX® timing belts are manufactured according to standard in the material with the designation TPUST1 and steel cord tension members. Other materials e.g. for low or high temperature or for contact with food are possible. Likewise high flexible tension members (E) and tension members in stainless-steel are available. Our distribution partner advises you regarding our possibilities.

AT3	
Power transmission	≤ 5 kW
Rotational speed	approx. 20000 min ⁻¹
Peripheral speed	approx. 80 ms ⁻¹
Synchronous pulley	from z=15
Applications (example)	small power drives, handling technology

ATS15	
Power transmission	≤ 160 kW
Rotational speed	approx. 8000 min ⁻¹
Peripheral speed	approx. 48 ms ⁻¹
Synchronous pulley	from z=25
Applications (example)	power drives, paper-making machines, high-bay storage, lifting equipment

AT20, SFAT20		T10, L, H		
Power transmission possible beyond 200 kW		Power transmission	≤ 30 kW	
Rotational speed	approx. 6500 min ⁻¹	Rotational speed	approx. 10000 min ⁻¹	
Peripheral speed	approx. 40 ms ⁻¹	Peripheral speed	approx. 60 ms ⁻¹	
Synchronous pulley	from z=18	Synchronous pulley	from z=12	
Applications (example)	heavy-duty drives, textile machinery, printing machinery, machine tools	Applications (example)	machine tools, Main and subsidiary drives, textile machines, printing machinery	

AT5	
Power transmission	≤ 15 kW
Rotational speed	approx. 10000 min ⁻¹
Peripheral speed	approx. 80 ms ⁻¹
Synchronous pulley	from z=15
Applications (example)	machine tools, pumps, textile machinery

BAT15, BATK15	
Power transmission	≤ 140 kW
Rotational speed	approx. 8000 min ⁻¹
Peripheral speed	approx. 48 ms ⁻¹
Synchronous pulley	from z=20
Applications (example)	power drives, pumps, sanding machinery

T5, XL		T20, XH		
Power transmission ≤ 5 kW		Power transmission	up to approx. 100 kW	
Rotational speed	approx. 10000 min ⁻¹	Rotational speed	approx. 6500 min ⁻¹	
Peripheral speed	approx. 80 ms ⁻¹	Peripheral speed	approx. 40 ms ⁻¹	
Synchronous pulley	from z=10	Synchronous pulley	from z=15	
Applications (example)	office machinery, do-lt- yourself units, positioning and regulating drives	Applications (example)	heavy construction machinery, paper machinery pumps, compressors, textile machinery	

AT10, BAT10, BATK10, SFAT10, ATK10K6					
Power transmission	≤ 70 kW				
Rotational speed	ca. 10000 min ⁻¹				
Peripheral speed	ca. 60 ms ⁻¹				
Synchronous pulley	ab z=15				
Applications (example)	construction machines, pumps, paper-making machines, compressors, textile machines, roller- table drives				

ATP10	
Power transmission	≤ 100 kW
Rotational speed	approx. 10000 min ⁻¹
Peripheral speed	approx. 60 ms ⁻¹
Synchronous pulley	from z=15
Applications (example)	sanding machinery, power drives, machine tools

Remark:

Special timing belt designs allow the rpm and peripheral speed parameters to be increased.

SFAT15	
Power transmission	≤ 135 kW
Rotational speed	approx. 8000 min ⁻¹
Peripheral speed	approx. 48 ms ⁻¹
Synchronous pulley	from z=20
Applications (example)	construction machines, pumps, paper-making machines, compressors

ATP15	
Power transmission	possible beyond 200 kW
Rotational speed	approx. 10000 min-1
Peripheral speed	approx. 50 ms-1
Synchronous pulley	from z=20
Applications (example)	power drives, Machine tools

18

1	α
	9

Review of product and performance

BRECOFLEX® AT3 Tooth shear strength (specific belt tooth load bearing)							
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	38,50	1,839	0,000	2000	24,76	1,183	2,477
20	38,10	1,820	0,038	2200	24,17	1,155	2,660
40	37,72	1,802	0,075	2400	23,63	1,129	2,837
60	37,36	1,785	0,112	2600	23,12	1,105	3,007
80	37,02	1,768	0,148	2800	22,65	1,082	3,172
100	36,69	1,753	0,184	3000	22,21	1,061	3,332
200	35,24	1,683	0,353	3200	21,79	1,041	3,488
300	34,03	1,626	0,511	3400	21,39	1,022	3,638
400	33,00	1,577	0,660	3600	21,02	1,004	3,785
500	32,10	1,533	0,803	3800	20,66	0,987	3,927
600	31,30	1,495	0,939	4000	20,32	0,971	4,066
700	30,58	1,461	1,071	4500	19,54	0,933	4,398
800	29,92	1,429	1,197	5000	18,83	0,899	4,709
900	29,32	1,401	1,320	5500	18,18	0,869	5,003
1000	28,76	1,374	1,439	6000	17,59	0,840	5,280
1100	28,25	1,349	1,554	6500	17,05	0,814	5,542
1200	27,77	1,326	1,667	7000	16,54	0,790	5,791
1300	27,31	1,305	1,776	7500	16,06	0,767	6,026
1400	26,89	1,285	1,883	8000	15,62	0,746	6,250
1500	26,49	1,265	1,988	8500	15,20	0,726	6,462
1600	26,11	1,247	2,090	9000	14,80	0,707	6,664
1700	25,75	1,230	2,190	9500	14,43	0,689	6,855
1800	25,41	1,214	2,287	10000	14,07	0,672	7,037
1900	25,08	1,198	2,383		_	*	
		1	1	1			

BRECOFLEX® A	ГЗ	Admissible tensile force of the belt F _{adm} / Belt weight					
Belt width		b [mm]	6	10	16	25	32
E / Steel tension member		F _{adm [N]}	190	380	645	1100	1400
Stainless steel tension member (E)		F _{adm [N]}	165	335	565	970	1230
Belt weight	Standard	[kg/m]	0,014	0,023	0,037	0,058	0,074
	DL	[kg/m]	-	-	-	-	-
	DR	[kg/m]	-	-	-	-	-
	т	[kg/m]	-	-	-	-	-

BRECOFLEX® AT3	Flexibility (minimum number of teeth / minimum diameter)													
			Steel te	nsion	memb	er	E steel te	ension	meml	ber	Stainless stee	l tensic	on mem	ber (E)
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	-	-	-	-	15	-	-	-	20	-	-	-
d _{min}	flexure	d _{min} [mm]	-	-	-	-	20	-	-	-	30	-	-	-
Z _{min}	With contra-	Z _{min}	-	-	-	-	20	-	-	-	30	-	-	-
d _{min}	flexure	d _{min} [mm]	-	-	-	-	20	-	-	-	40	-	-	-

21



	Belt widths b [mm] (in-between belt widths on request)										
6	10	16	25	32							

BFX AT3	Available length and versions
Standard lengths	-
Any number of teeth available from	720 mm up to 1701 mm
StandardPlus version	720 mm up to 1701 mm
Minimum purchase amount	1 sleeve (b=100 mm)
Standard material	TPUST1 ¹⁾
Steel tension member	-
E tension member (Standard)	х
Stainless steel tension member	0
PAZ	х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

x available, minimum purchase amount 1 sleeve

o minimum purchase amount on request

- not available









- x available, standard lengths from 720 mm (see table) without minimum purchase amount
- o minimum purchase amount on request
- not available
- further materials on request
 only inner side can be coated

	idths b [r ween be	-	s on requ	est)		
10	16	25	32	50	75	100

BFX AT5		vailable lengths and versions				
Standard lengths	see table on the right					
Minimum purchase amount	up to 660 mm	1 sleeve (b= 100 mm)				
Any number of teeth available from	720 mm up to 15000 mm					
Intermediate lengths	from 720 mm o					
Version StandardPlus	720 mm up t	o 15000 mm				
Over 15000 mm	on re	on request				
Standard material	up to 660 mm	TPUST3				
Standard material	from 720 mm	TPUST1 ¹⁾				
Steel tension member (Standard)	×	[
E tension member	c)				
Stainless steel tension member (E)	c)				
PAZ	x	[
DL / DL-PAZ	from 900 mm	O ²⁾				
DR / DR-PAZ	from 900 mm	0				
T / T-PAZ	c)				

Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
225	45	1005	201	3000	600
255	51	1020	204	3150	630
280	56	1075	215	3350	670
305	61	1100	220	3550	710
340	68	1215	243	3750	750
390	78	1380	276	4000	800
420	84	1400	280	4250	850
455	91	1500	300	4500	900
500	100	1600	320	4750	950
545	109	1700	340	5000	1000
610	122	1800	360	5300	1060
660	132	1900	380	5600	1120
720	144	2000	400	6000	1200
780	156	2120	424	6300	1260
840	168	2240	448	6700	1340
855	171	2360	472	7100	1420
875	175	2500	500	7500	1500
960	192	2650	530		
990	198	2800	560		

BRECOFLEX®	AT5	Tooth sh	near strength (s	pecific belt too	th load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	42,00	3,344	0,000	2000	26,05	2,074	4,344
20	41,52	3,306	0,069	2200	25,38	2,020	4,654
40	41,07	3,270	0,137	2400	24,75	1,971	4,953
60	40,64	3,236	0,203	2600	24,18	1,925	5,241
80	40,23	3,203	0,268	2800	23,64	1,882	5,518
100	39,85	3,172	0,332	3000	23,13	1,842	5,785
200	38,14	3,037	0,636	3200	22,65	1,804	6,044
300	36,73	2,925	0,919	3400	22,20	1,768	6,294
400	35,53	2,829	1,185	3600	21,78	1,734	6,536
500	34,48	2,745	1,437	3800	21,37	1,701	6,770
600	33,55	2,672	1,678	4000	20,98	1,671	6,997
700	32,72	2,605	1,910	4500	20,09	1,599	7,537
800	31,96	2,545	2,132	5000	19,28	1,535	8,038
900	31,27	2,490	2,346	5500	18,55	1,477	8,506
1000	30,63	2,439	2,554	6000	17,88	1,423	8,942
1100	30,04	2,392	2,755	6500	17,26	1,374	9,351
1200	29,49	2,348	2,950	7000	16,68	1,328	9,733
1300	28,97	2,307	3,140	7500	16,14	1,285	10,090
1400	28,48	2,268	3,325	8000	15,63	1,245	10,425
1500	28,02	2,231	3,505	8500	15,15	1,207	10,739
1600	27,59	2,197	3,680	9000	14,70	1,171	11,033
1700	27,18	2,164	3,852	9500	14,28	1,137	11,307
1800	26,78	2,132	4,019	10000	13,87	1,104	11,564
1900	26,41	2,103	4,183			1	

BRECOFLEX® AT	15	Admiss	sible tensile force of the belt F _{adm} / Belt weight									
Belt width		b [mm]	10	16	25	32	50	75	100			
E / Steel tension member		F _{adm} [N]	700	1260	2030	2660	4200	6370	8610			
Stainless steel tension member (E)		F _{adm} [N]	455	820	1320	1730	2730	4140	5597			
	Standard	[kg/m]	0,031	0,052	0,085	0,105	0,164	0,241	0,328			
Dalturaisht	DL	[kg/m]	0,040	0,064	0,101	0,130	0,204	0,307	0,410			
Belt weight	DR	[kg/m]	0,045	0,073	0,115	0,148	0,231	0,348	0,464			
	Т	[kg/m]	0,053	0,084	0,132	0,169	0,264	0,396	0,528			

BRECOFLEX [®] AT5		Flexibil	ity (minim	um n	umbe	r of t	eeth / min	imun	n diar	neter	·)			
			Steel tei	Steel tension member E tension member				Stainless steel tension member (E)						
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	15	25	25	25	12	20	25	25	22	-	-	25
d _{min}	flexure	d _{min} [mm]	25	60	60	60	18	20	60	60	35	-	-	60
Z _{min}	With	Z _{min}	25	25	25	25	20	20	25	25	30	-	-	30
d _{min}	contra- flexure	d _{min} [mm]	60	60	60	60	50	50	60	60	60	-	-	60







- x available, standard lengths from 720 mm (see table) without minimum purchase amount
- o minimum purchase amount on request
- not available
- 1) 150 mm belt width available from 1500 mm up to 15000 mm
- further materials on request
 only inner side can be coated

25	32	50	75	1	00	150 ¹⁾	
B	FX AT1)	Availa	ble le versi		s and	
Standard l	engths		see ta	ble o	n the	right	
Minimum	purchase a	mount	up to 700 mm 1 sleeve (b= 100 mm				
Any numb available f			720 mm up to 22000 mm				
Under 150	0 mm			b _{max} =	100		
Intermedia	ate lengths		from 720 mm			0	
StandardP	lus version	720 mm	n up t	o 220	00 mm		
Over 2200	0 mm	(on ree	quest			
Standard r	natorial		up to 700 i	mm	Т	PUST3	
Stanuaru i	liateriai		from 700 r	nm	TF	PUST1 ²⁾	
Steel tensic	n member	(Standard)		х	1		
E tension r	nember			C)		
Stainless st	eel tension	member		c)		
PAZ		х					
DL / DL-PA	Z b	_{max} =100	from 900 mm o ³⁾		O ³⁾		
DR / DR-PA	Z b	_{max} =100	from 900 m	nm		0	
T / T-PAZ	b	_{max} =100	from 1080	mm		0	

Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
400	40	1010	101	3000	300
500	50	1080	108	3150	315
530	53	1150	115	3350	335
560	56	1210	121	3550	355
610	61	1240	124	3750	375
630	63	1250	125	4000	400
660	66	1320	132	4250	425
700	70	1400	140	4500	450
720	72	1500	150	4750	475
780	78	1600	160	5000	500
800	80	1700	170	5300	530
810	81	1800	180	5600	560
840	84	1900	190	6000	600
850	85	2000	200	6300	630
880	88	2120	212	6700	670
890	89	2240	224	7100	710
920	92	2360	236	7500	750
960	96	2500	250	8000	800
970	97	2650	265	9000	900
980	98	2800	280		

BRECOFLEX® /	AT10	Tooth sh	near strength (s	pecific belt too	oth load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min-1]	[N/cm]	[Ncm/cm]	[W/cm]	n [min-1]	[N/cm]	[Ncm/cm]	[W/cm]
0	87,50	13,933	0,000	2000	48,01	7,644	16,009
20	86,22	13,729	0,288	2200	46,41	7,391	17,025
40	85,01	13,537	0,567	2400	44,94	7,156	17,985
60	83,88	13,357	0,839	2600	43,58	6,939	18,892
80	82,81	13,187	1,105	2800	42,30	6,736	19,751
100	81,80	13,026	1,364	3000	41,11	6,546	20,565
200	77,43	12,329	2,582	3200	39,99	6,368	21,337
300	73,87	11,763	3,695	3400	38,93	6,199	22,069
400	70,88	11,286	4,727	3600	37,93	6,039	22,765
500	68,29	10,874	5,693	3800	36,97	5,887	23,426
600	66,02	10,512	6,604	4000	36,06	5,743	24,053
700	63,98	10,189	7,468	4500	33,97	5,409	25,486
800	62,15	9,896	8,290	5000	32,08	5,108	26,744
900	60,47	9,630	9,075	5500	30,36	4,835	27,844
1000	58,94	9,385	9,827	6000	28,79	4,584	28,800
1100	57,51	9,158	10,549	6500	27,33	4,352	29,623
1200	56,19	8,947	11,243	7000	25,98	4,137	30,326
1300	54,95	8,750	11,912	7500	24,72	3,936	30,915
1400	53,79	8,565	12,557	8000	23,54	3,748	31,398
1500	52,70	8,391	13,180	8500	22,43	3,571	31,783
1600	51,66	8,226	13,782	9000	21,37	3,403	32,074
1700	50,68	8,070	14,365	9500	20,38	3,245	32,278
1800	49,75	7,921	14,930	10000	19,43	3,094	32,398
1900	48,86	7,780	15,478				

BRECOFLEX® A	X [®] AT10 Admissible tensile force of the belt F _{adm} / Belt weight							
Belt width		b [mm]	25	32	50	75	100	150
E / Steel tension member		F _{adm} [N]	3500	4750	7750	12000	16000	24500
Stainless steel tension member		F _{adm} [N]	2520	3420	5580	8640	11520	17640
	Standard	[kg/m]	0,138	0,180	0,290	0,436	0,581	0,839
Deltaurisht	DL	[kg/m]	0,184	0,233	0,375	0,566	0,755	-
Belt weight DR		[kg/m]	0,213	0,275	0,433	0,653	0,871	-
	т	[kg/m]	0,198	0,256	0,404	0,609	0,812	-

BRECOFLEX® AT10	Flexibility (minimum number of teeth / minimum diameter)													
			Steel	tensio	n mem	ber	E te	ension	membe	er	Stainless	steel te	nsion n	hembe
			Stan- dard	DL	DR	т	Stan- dard	DL	DR	т	Stan- dard	DL	DR	т
Z _{min}	Without	Z _{min}	15	25	25	25	12	20	-	-	25	40	-	-
d _{min}	contra- flexure	d _{min} [mm]	50	80	80	80	50	80	-	-	80	120	-	-
Z _{min}	With contra-	Z _{min}	25	25	25	25	20	20	-	-	40	40	-	-
d _{min}	flexure	d _{min} [mm]	120	120	120	120	80	80	-	-	120	120	-	-

Standard	Double-sided
50° m NN 15	50° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °
ATS15	ATS15-DL

Belt width (in-betwee	s b [mm] en belt widt	hs on reque	st)	
25	32	50	75	100

BFX ATS15	Available length and versions
Standard lengths	-
Any number of teeth available from	1500 mm up to 22000 mm
StandardPlus version	1500 mm up to 22000 mm
Over 22000 mm	on request
Minimum purchase amount	1 sleeve (b=100mm)
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	0
PAZ	х
DL / DL-PAZ ²⁾	O ²⁾
DR / DR-PAZ	-
T / T-PAZ	-

x available, minimum purchase amount 1 sleeve

available, minimum parchase amount on request
not available
further materials on request
only inner side can be coated

BRECOFLEX®	ATS15	Tooth sh	near strength (s	pecific belt too	th load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	168,00	40,127	0,000	1600	92,93	22,196	37,187
20	165,24	39,469	0,827	1700	90,90	21,712	38,649
40	162,67	38,854	1,627	1800	88,97	21,251	40,055
60	160,26	38,278	2,405	1900	87,14	20,813	41,407
80	157,98	37,734	3,161	2000	85,38	20,394	42,709
100	155,83	37,221	3,898	2200	82,09	19,608	45,171
200	146,57	35,010	7,332	2400	79,06	18,884	47,458
300	139,10	33,224	10,437	2600	76,25	18,213	49,584
400	132,83	31,726	13,288	2800	73,63	17,586	51,561
500	127,43	30,436	15,935	3000	71,17	16,999	53,399
600	122,68	29,304	18,411	3200	68,86	16,447	55,109
700	118,46	28,294	20,739	3400	66,67	15,925	56,697
800	114,64	27,383	22,939	3600	64,61	15,432	58,171
900	111,17	26,553	25,024	3800	62,64	14,963	59,538
1000	107,98	25,792	27,007	4000	60,78	14,516	60,802
1100	105,03	25,087	28,897	4500	56,46	13,486	63,547
1200	102,29	24,433	30,701	5000	52,58	12,558	65,751
1300	99,73	23,821	32,427	5500	49,05	11,715	67,468
1400	97,33	23,247	34,080	6000	45,81	10,942	68,743
1500	95,07	22,707	35,665	6500	42,82	10,227	69,611

BRECOFLEX® A	TS15	Admissi	Admissible tensile force of the belt F_{adm} / Belt weight								
Belt width		b [mm]	25	32	50	75	100				
E / Steel tension n	nember	F _{adm} [N]	6150	7995	12915	19680	26445				
Stainless steel tension member		F _{adm} [N]	4900	6370	10290	15680	21070				
	Standard	[kg/m]	0,219	0,280	0,438	0,656	0,875				
Dalturaiaht	DL	[kg/m]	0,294	0,377	0,589	0,883	1,178				
Belt weight	DR	[kg/m]	-	-	-	-	-				
	Т	[kg/m]	-	-	-	-	-				

BRECOFLEX® ATS15		Flexibility (minimum number of teeth / minimum diameter)												
			Steel	tensior	n mem	ber	E te	ension	membe	er	Stainless	steel te	nsion m	nembe
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	т
Z _{min}	Without contra-	Z _{min}	25	40	-	-	-	-	-	-	30	60	-	-
d _{min}	flexure	d _{min} [mm]	120	250	-	-	-	-	-	-	180	300	-	-
z _{min}	With contra-	Z _{min}	40	40	-	-	-	-	-	-	60	60	-	-
d _{min}	flexure	d _{min} [mm]	250	250	-	-	-	-	-	-	300	300	-	-





AT20-DL

Reinforced back of the belt
АТ20-Т

Belt widths b [mm] (in-between belt widths on request)									
32	32 50 75 100 150 ¹⁾								

BFX AT20	Available lengths and versions				
Standard lengths	see table on the right				
Any number of teeth available from	1100 mm up to 22000 mm				
Under 1100 mm	-				
Intermediate lengths	from 1100 mm o				
StandardPlus version	1500 mm up to 22000 mm				
Over 22000 mm	on request				
Standard material	TPUST1 ²⁾				
Steel tension member (Standard)	x				
E tension member	0				
Stainless steel tension member	o				
PAZ	x				
DL / DL-PAZ b _{max} =100	O ³⁾				
DR / DR-PAZ b _{max} =100	-				
T / T-PAZ b _{max} =100	0				

Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1500	75	2800	140	5300	265
1600	80	3000	150	5600	280
1700	85	3160	158	6000	300
1800	90	3360	168	6300	315
1900	95	3560	178	6700	335
2000	100	3760	188	7100	355
2120	106	4000	200	7500	375
2240	112	4260	213	8000	400
2360	118	4500	225	8500	425
2500	125	4760	238	9000	450
2660	133	5000	250		

x available, standard lengths (see table) without minimum purchase

o minimum purchase amount on request

- not available
 150 mm belt width available from 1500 mm up to 15000 mm
 2) further materials on request
 3) only inner side can be coated

BRECOFLEX®	AT20	Tooth sh	near strength (s	pecific belt too	th load bearing)	
R.p.m.	F_{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	175,00	55,732	0,000	1600	88,26	28,110	47,095
20	171,73	54,692	1,145	1700	85,96	27,374	48,729
40	168,69	53,724	2,250	1800	83,76	26,676	50,279
60	165,85	52,818	3,318	1900	81,67	26,010	51,748
80	163,17	51,966	4,353	2000	79,68	25,375	53,142
100	160,66	51,164	5,357	2200	75,94	24,185	55,713
200	149,85	47,723	9,994	2400	72,49	23,087	58,021
300	141,18	44,961	14,124	2600	69,30	22,070	60,085
400	133,94	42,655	17,866	2800	66,32	21,121	61,925
500	127,72	40,674	21,295	3000	63,53	20,232	63,556
600	122,27	38,939	24,464	3200	60,90	19,396	64,992
700	117,42	37,395	27,410	3400	58,43	18,607	66,245
800	113,05	36,004	30,160	3600	56,08	17,860	67,327
900	109,08	34,738	32,737	3800	53,85	17,151	68,245
1000	105,43	33,577	35,159	4000	51,73	16,476	69,010
1100	102,07	32,505	37,440	4500	46,84	14,918	70,294
1200	98,94	31,509	39,592	5000	42,44	13,516	70,764
1300	96,02	30,579	41,626	5500	38,44	12,241	70,498
1400	93,28	29,707	43,549	6000	34,77	11,072	69,565
1500	90,70	28,885	45,370	6500	31,38	9,994	68,020

BRECOFLEX® A	T20	Admiss	ible tensile forc	e of the belt F_{ad}	" / Belt weight		
Belt width		b [mm]	32	50	75	100	150
E / Steel tension	E / Steel tension member		6000	10000	15600	21200	32400
Stainless steel ter	nsion member	F _{adm} [N]	4800	8000	12480	16960	25920
	Standard	[kg/m]	0,307	0,480	0,720	0,960	1,423
Bala state	DL	[kg/m]	0,365	0,570	0,855	1,140	-
Belt weight DR		[kg/m]	-	-	-	-	-
	Т	[kg/m]	0,372	0,588	0,888	1,187	-

BRECOFLEX® AT20		Flexibility (minimum number of teeth / minimum diameter)												
			Steel	tensior	n mem	ber	E te	ension	membe	er	Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	т
Z _{min}	Without contra-	Z _{min}	18	25	-	25	15	-	-	-	32	60	-	32
d _{min}	flexure	d _{min} [mm]	120	180	-	120	100	-	-	-	200	380	-	200
Z _{min}	With contra-	Z _{min}	25	25	-	25	22	-	-	-	40	40	-	60
d _{min}	flexure	d _{min} [mm]	180	180	-	180	150	-	-	-	300	300	-	380



	ths b [mm /een belt v		request)		
16	25	32	50	75	100

BFX ATP10	Available lengths and versions					
Standard lengths	see table on the right					
Any number of teeth available from	1100 mm up ⁻	to 12000 mm				
Intermediate lengths	from 1100 mm	о				
StandardPlus version	1100 mm up	to 12000 mm				
Over 12000 mm	on request					
Standard material	TPUS	ST1 ¹⁾				
Steel tension member (Standard)	×	¢				
E tension member	c)				
Stainless steel tension member	-	-				
DL	0					
DR / DR-PAZ	-	-				
T / T-PAZ	-	-				

Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1500	150	2650	265	4500	450
1600	160	2800	280	4750	475
1700	170	3000	300	5000	500
1900	190	3150	315	5300	530
2000	200	3350	335	5600	560
2120	212	3550	355	6000	600
2240	224	3750	375	6300	630
2360	236	4000	400		
2500	250	4250	425		

BRECOFLEX®	ATP10	Tooth sh	near strength (s	pecific belt too	th load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	95,500	15,199	0,000	1900	53,323	8,487	16,884
20	94,098	14,976	0,314	2000	52,396	8,339	17,464
40	92,785	14,767	0,619	2200	50,656	8,062	18,572
60	91,551	14,571	0,915	2400	49,052	7,807	19,619
80	90,385	14,385	1,205	2600	47,562	7,570	20,609
100	89,282	14,210	1,488	2800	46,173	7,349	21,546
150	86,756	13,808	2,169	2880	45,642	7,264	21,907
200	84,505	13,449	2,817	3000	44,871	7,141	22,434
300	80,642	12,835	4,032	3200	43,645	6,946	23,276
400	77,357	12,312	5,157	3400	42,488	6,762	24,075
500	74,535	11,863	6,211	3600	41,393	6,588	24,834
600	72,052	11,467	7,205	3800	40,352	6,422	25,554
700	69,834	11,114	8,147	4000	39,361	6,264	26,239
730	69,212	11,015	8,420	4500	37,073	5,900	27,803
800	67,831	10,796	9,043	5000	35,012	5,572	29,175
900	66,004	10,505	9,900	5500	33,138	5,274	30,374
1000	64,325	10,238	10,720	6000	31,419	5,000	31,417
1100	62,772	9,990	11,507	6500	29,832	4,748	32,316
1200	61,328	9,761	12,265	7000	28,358	4,513	33,082
1300	59,977	9,546	12,994	7500	26,981	4,294	33,724
1400	58,709	9,344	13,698	8000	25,691	4,089	34,252
1460	57,984	9,228	14,108	8500	24,475	3,895	34,670
1500	57,514	9,154	14,377	9000	23,328	3,713	34,989
1600	56,348	8,968	15,025	9500	22,240	3,540	35,211
1700	55,313	8,803	15,671	10000	21,207	3,375	35,342
1800	54,294	8,641	16,287			1	ı <u> </u>

BRECOFLEX® A	TP10	Admiss	Admissible tensile force of the belt F_{adm} / Belt weight									
Belt width		b [mm]	16	25	32	50	75	100				
E / Steel tension m	nember	F _{adm} [N]	2000	3500	4750	7750	12000	16000				
Stainless steel ten	sion member	F _{adm} [N]	-	-	-	-	-	-				
Daltaurialat	Standard		0,096	0,150	0,192	0,300	0,450	0,600				
Belt weight	DL	[kg/m]	0,097	0,154	0,200	0,316	0,477	0,636				

BRECOFLEX® ATP10		Flexibility (minimum number of teeth / minimum diameter)												
			Steel	tensior	n mem	ber	E te	ension	membe	er	Stainless	steel te	nsion m	nembei
			Stan- dard	DL	DR	т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т
Z _{min}	Without	Z _{min}	15	25	-	-	12	20	-	-	-	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	50	80	-	-	50	60	-	-	-	-	-	-
Z _{min}	With contra-	Z _{min}	25	25	-	-	20	20	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	120	120	-	-	80	100	-	-	-	-	-	-

x available, standard lengths (see table) without minimum purchase

o minimum purchase amount on request not available1) further materials on request



	ths b [mm veen belt v		request)		
25	32	50	75	100	150

BFX /	ATP15	Available lengths and versions					
Standard lengt	hs	see table o	n the right				
Any number of available from	teeth	1500 mm up ⁻	to 12000 mm				
Intermediate le	engths	from 1500 mm	0				
StandardPlus v	ersion	1500 mm up ⁻	to 12000 mm				
Over 12000 mn	า	on re	quest				
Standard mate	rial	TPUST1 ¹⁾					
Steel tension m (Standard)	nember	×	(
E tension mem	ber	c)				
Stainless steel t member	ension	-					
DL	b _{max} = 100	c)				
DR / DR-PAZ							
T / T-PAZ		-					

Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1740	116	2805	187	4500	300
1965	131	3000	200	4875	325
2100	140	3225	215	5250	350
2250	150	3450	230	5625	375
2385	159	3675	245	6000	400
2520	168	3900	260		
2670	178	4125	275		

RECOFLEX®	ATP15	Tooth sh	near strength (s	pecific belt too	th load bearing)		
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M_{spec}	P _{spec}	
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	
0	143,325	34,216	0,000	1900	73,494	17,545	34,910	
20	140,945	33,648	0,705	2000	71,980	17,184	35,990	
40	138,722	33,117	1,387	2200	69,141	16,506	38,027	
60	136,637	32,620	2,050	2400	66,523	15,881	39,914	
80	134,674	32,151	2,693	2600	64,094	15,301	41,661	
100	132,818	31,708	3,320	2800	61,828	14,760	43,280	
150	128,584	30,697	4,822	3000	59,706	14,254	44,779	
200	124,832	29,799	6,241	3200	57,709	13,777	46,167	
300	118,367	28,258	8,877	3400	55,824	13,327	47,451	
400	112,952	26,965	11,295	3600	54,040	12,901	48,636	
500	108,288	25,852	13,536 15,629	13,536	3800	52,345	12,496	49,727
600	104,193	24,874		4000	50,731	12,111	50,731	
700	100,542	24,003	17,595	4500	47,006	11,222	52,881	
800	97,249	23,216	19,450	5000	43,652	10,421	54,565	
900	94,249	22,500	21,206	5500	40,602	9,693	55,828	
1000	91,495	21,843	22,874	6000	37,806	9,026	56,709	
1100	88,949	21,235	24,461	6500	35,225	8,409	57,240	
1200	86,583	20,670	25,975	7000	32,827	7,837	57,447	
1300	84,372	20,142	27,421	7500	30,589	7,303	57,354	
1400	82,297	19,647	28,804	8000	28,490	6,802	56,980	
1500	80,343	19,180	30,128	8500	26,515	6,330	56,344	
1600	78,495	18,739	31,398	9000	24,649	5,884	55,460	
1700	76,745	18,321	32,616	9500	22,881	5,462	54,342	
1800	75,080	17,924	33,786	10000	21,201	5,061	53,003	

BRECOFLEX® AT	TP15	Admissib	le tensile fo	rce of the bel	t F _{adm} / Belt	weight		
Belt width		b [mm]	25	32	50	75	100	150
E / Steel tension m	ember	F _{adm} [N]	4950	6750	11250	17550	23850	36450
Stainless steel tens	sion member	F _{adm} [N]	-	-	-	-	-	-
Deltandakt	Standard	[kg/m]	0,200	0,256	0,400	0,600	0,800	1,200
Belt weight	DL	[kg/m]	0,210	0,272	0,432	0,654	0,876	-

BRECOFLEX® ATP15		Flexibil	ity (mini	mum	BRECOFLEX® ATP15 Flexibility (minimum number of teeth / minimum diameter)												
			Steel	tensior	n mem	ber	E tension member				Stainless	Stainless steel tension member					
			Stan- dard	DL	DR	т	Stan- dard	DL	DR	т	Stan- dard	DL	DR	т			
Z _{min}	Without	Z _{min}	20	25	-	-	18	20	-	-	-	-	-	-			
d _{min}	contra- flexure	d _{min} [mm]	100	120	-	-	80	100	-	-	-	-	-	-			
Z _{min}	With contra-	Z _{min}	30	30	-	-	25	25	-	-	-	-	-	-			
d _{min}	flexure	d _{min} [mm]	160	160	-	-	120	140	-	-	-	-	-	-			

x available, standard lengths (see table) without available, standard lengths (see table) w minimum purchase
 minimum purchase amount on request
 not available



Belt widths b	[mm]		
32	50	75	100

BFX BAT10	Available lengths and versions
Standard lengths	see table on the right
Any number of teeth	b= 50 mm: from 720 mm
available from	1100 mm up to 22000 mm
Intermediate lengths	from 1100 mm ¹⁾ o
StandardPlus version	1100 mm up to 22000 mm ¹⁾
Over 22000 mm	on request
Standard material	TPUST1 ²⁾
Steel tension member (Standard)	x
E tension member	0
Stainless steel tension member	o
PAZ	x
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	

Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1100	110	1700	170	4000	400
1150	115	1800	180	4500	450
1210	121	1900	190	5000	500
1240	124	2000	200	5600	560
1250	125	2240	224	6000	600
1320	132	2500	250	6700	670
1400	140	2800	280	7100	710
1500	150	3000	300	7500	750
1600	160	3550	355		

RECOFLEX®	BAT10	Tooth sh	near strength (s	pecific belt too	th load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P_{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	92,75	14,769	0,000	2000	50,89	8,103	16,970
20	91,39	14,552	0,305	2200	49,20	7,834	18,047
40	90,11	14,349	0,601	2400	47,64	7,586	19,064
60	88,91	14,158	0,890	2600	46,19	7,356	20,026
80	87,78	13,978	1,171	2800	44,84	7,141	20,936
100	86,71	13,807	1,446	3000	43,58	6,939	21,799
200	82,07	13,069	2,737	3200	42,39	6,750	22,617
300	78,30	12,469	3,917	3400	41,26	6,571	23,394
400	75,13	11,963	5,011	3600	40,20	6,401	24,131
500	72,39	11,527	6,035	3800	39,19	6,240	24,831
600	69,98	11,143	7,001	4000	38,23	6,087	25,496
700	67,82	10,800	7,916	4500	36,01	5,733	27,016
800	65,88	10,490	8,787	5000	34,00	5,415	28,349
900	64,10	10,208	9,620	5500	32,18	5,125	29,514
1000	62,47	9,948	10,417	6000	30,51	4,859	30,528
1100	60,96	9,708	11,182	6500	28,97	4,614	31,401
1200	59,56	9,484	11,917	7000	27,54	4,386	32,145
1300	58,25	9,275	12,626	7500	26,20	4,173	32,770
1400	57,02	9,079	13,310	8000	24,95	3,973	33,282
1500	55,86	8,895	13,971	8500	23,77	3,785	33,690
1600	54,76	8,720	14,609	9000	22,66	3,608	33,999
1700	53,72	8,554	15,227	9500	21,60	3,439	34,214
1800	52,73	8,397	15,826	10000	20,60	3,280	34,342
1900	51,79	8,246	16,407				

BRECOFLEX [®] BA	AT10	Admiss	Admissible tensile force of the belt F _{adm} / Belt weight							
Belt width		b [mm]	32	50	75	100				
E / Steel tension member		F _{adm} [N]	4750	7750	12000	16000				
Stainless steel tens	ion member	F _{adm} [N]	3420	5580	8640	11520				
	Standard	[kg/m]	0,180	0,290	0,436	0,581				
Deltandarkt	DL	[kg/m]	-	-	-	-				
Belt weight	DR	[kg/m]	-	-	-	-				
	Т	[kg/m]	-	-	-	-				

BRECOFLEX® BAT10		Flexibil	ity (mini	mum	numb	er of t	teeth / n	ninim	um dia	mete	r)				
			Steel	tensio	n mem	ber	E te	ension	membe	er	Stainless	Stainless steel tension member			
			Stan- dard	DL	DR	т	Stan- dard	DL	DR	т	Stan- dard	DL	DR	т	
Z _{min}	Without contra-	Z _{min}	20	-	-	-	18	-	-	-	25	-	-	-	
d _{min}	flexure	d _{min} [mm]	60	-	-	-	50	-	-	-	80	-	-	-	
Z _{min}	With contra-	Z _{min}	25	-	-	-	20	-	-	-	40	-	-	-	
d _{min}	flexure	d _{min} [mm]	120	-	-	-	80	-	-	-	130	-	-	-	

x available, standard lengths (see table) without minimum purchase

o minimum purchase amount on request
- not available
1) b= 50 mm: from 720 mm

2) further materials on request

n [min ⁻¹] [N/cm] [N	BRECOFLEX®	BAT15	Tooth sł	near strength (s	pecific belt too	th load bearing)	
20 137,70 32,891 0,689 1700 75,75 18,093 32,1 40 135,56 32,379 1,356 1800 74,14 17,709 33,1 60 133,55 31,898 2,004 1900 72,61 17,344 34,4 80 131,65 31,445 2,634 2000 71,15 16,995 35,5 100 129,86 31,018 3,248 2200 68,41 16,340 37,0 200 122,15 29,175 6,110 2400 65,89 15,737 39,9 300 115,92 27,687 8,697 2600 63,54 15,177 41,1 400 110,69 26,439 11,074 2800 61,36 14,655 42,4 500 106,19 25,364 13,279 3000 59,31 14,166 44,4 600 102,24 24,420 15,342 3200 57,38 13,271 47,5 800<			-		-			P _{spec} [W/cm]
A0 135,56 32,379 1,356 1800 74,14 17,709 33,3 60 133,55 31,898 2,004 1900 72,61 17,344 34,4 80 131,65 31,445 2,634 2000 71,15 16,995 35,5 100 129,86 31,018 3,248 2200 68,41 16,340 37,0 200 122,15 29,175 6,110 2400 65,89 15,737 39,9 300 115,92 27,687 8,697 2600 63,54 15,177 41,1 400 110,69 26,439 11,074 2800 61,36 14,655 42,9 500 106,19 25,364 13,279 3000 59,31 14,166 44,9 600 102,24 24,420 15,342 3200 57,38 13,271 47,5 800 95,54 22,819 19,116 3600 53,84 12,860 48,4 900	0	140,00	33,439	0,000	1600	77,44	18,497	30,989
60 133,55 31,898 2,004 1900 72,61 17,344 34,1 80 131,65 31,445 2,634 2000 71,15 16,995 35,5 100 129,86 31,018 3,248 2200 68,41 16,340 37,0 200 122,15 29,175 6,110 2400 65,89 15,737 39,9 300 115,92 27,687 8,697 2600 63,54 15,177 41,2 400 110,69 26,439 11,074 2800 61,36 14,655 42,2 500 106,19 25,364 13,279 3000 59,31 14,166 44,9 600 102,24 24,420 15,342 3200 57,38 13,705 45,5 700 98,71 23,578 17,282 3400 55,56 13,271 47,2 800 95,54 22,128 20,853 3800 52,20 12,469 49,0 10	20	137,70	32,891	0,689	1700	75,75	18,093	32,207
No. No. <td>40</td> <td>135,56</td> <td>32,379</td> <td>1,356</td> <td>1800</td> <td>74,14</td> <td>17,709</td> <td>33,379</td>	40	135,56	32,379	1,356	1800	74,14	17,709	33,379
100 129,86 31,018 3,248 2200 68,41 16,340 37,4 200 122,15 29,175 6,110 2400 65,89 15,737 39,4 300 115,92 27,687 8,697 2600 63,54 15,177 41,7 400 110,69 26,439 11,074 2800 61,36 14,655 42,9 500 106,19 25,364 13,279 3000 59,31 14,166 44,9 600 102,24 24,420 15,342 3200 57,38 13,705 45,9 700 98,71 23,578 17,282 3400 55,56 13,271 47,7 800 95,54 22,819 19,116 3600 53,84 12,860 48,4 900 92,64 22,128 20,853 3800 52,20 12,469 49,0 1000 89,98 21,493 22,506 4000 50,65 12,097 50,0 <td< td=""><td>60</td><td>133,55</td><td>31,898</td><td>2,004</td><td>1900</td><td>72,61</td><td>17,344</td><td>34,506</td></td<>	60	133,55	31,898	2,004	1900	72,61	17,344	34,506
200 122,15 29,175 6,110 2400 65,89 15,737 39,1 300 115,92 27,687 8,697 2600 63,54 15,177 41,3 400 110,69 26,439 11,074 2800 61,36 14,655 42,4 500 106,19 25,364 13,279 3000 59,31 14,166 44,4 600 102,24 24,420 15,342 3200 57,38 13,705 45,5 700 98,71 23,578 17,282 3400 55,56 13,271 47,7 800 95,54 22,128 20,853 3800 52,20 12,469 49,0 1000 89,98 21,493 22,506 4000 50,65 12,097 50,0 1100 87,53 20,906 24,080 4500 47,05 11,238 52,4 1200 85,24 20,361 25,584 5000 43,82 10,4655 54,7	80	131,65	31,445	2,634	2000	71,15	16,995	35,591
300 115,92 27,687 8,697 2600 63,54 15,177 41,7 400 110,69 26,439 11,074 2800 61,36 14,655 42,4 500 106,19 25,364 13,279 3000 59,31 14,166 44,4 600 102,24 24,420 15,342 3200 57,38 13,705 45,5 700 98,71 23,578 17,282 3400 55,56 13,271 47,7 800 95,54 22,819 19,116 3600 53,84 12,860 48,4 900 92,64 22,128 20,853 3800 52,20 12,469 49,0 1000 89,98 21,493 22,506 4000 50,65 12,097 50,0 1100 87,53 20,906 24,080 4500 47,05 11,238 52,5 1200 85,24 20,361 25,584 5000 43,82 10,465 54,7 <	100	129,86	31,018	3,248	2200	68,41	16,340	37,643
400 110,69 26,439 11,074 2800 61,36 14,655 42,4 500 106,19 25,364 13,279 3000 59,31 14,166 44,9 600 102,24 24,420 15,342 3200 57,38 13,705 45,9 700 98,71 23,578 17,282 3400 55,56 13,271 47,7 800 95,54 22,819 19,116 3600 53,84 12,860 48,4 900 92,64 22,128 20,853 3800 52,20 12,469 49,0 1000 89,98 21,493 22,506 4000 50,65 12,097 50,0 1100 87,53 20,906 24,080 4500 47,05 11,238 52,0 1200 85,24 20,361 25,584 5000 43,82 10,465 54,7 1300 83,11 19,873 28,400 6000 38,17 9,118 57,8	200	122,15	29,175	6,110	2400	65,89	15,737	39,548
500 106,19 25,364 13,279 3000 59,31 14,166 44,5 600 102,24 24,420 15,342 3200 57,38 13,705 45,5 700 98,71 23,578 17,282 3400 55,56 13,271 47,3 800 95,54 22,819 19,116 3600 53,84 12,860 48,4 900 92,64 22,128 20,853 3800 52,20 12,469 49,0 1000 89,98 21,493 22,506 4000 50,65 12,097 50,0 1100 87,53 20,906 24,080 4500 47,05 11,238 52,5 1200 85,24 20,361 25,584 5000 43,82 10,465 54,3 1300 83,11 19,851 27,022 5500 40,87 9,762 56,3 1400 81,11 19,373 28,400 6000 38,17 9,118 57,4	300	115,92	27,687	8,697	2600	63,54	15,177	41,320
600 102,24 24,420 15,342 3200 57,38 13,705 45,9 700 98,71 23,578 17,282 3400 55,56 13,271 47,7 800 95,54 22,819 19,116 3600 53,84 12,860 48,4 900 92,64 22,128 20,853 3800 52,20 12,469 49,0 1000 89,98 21,493 22,506 4000 50,65 12,097 50,0 1100 87,53 20,906 24,080 4500 47,05 11,238 52,9 1200 85,24 20,361 25,584 5000 43,82 10,465 54,7 1300 83,11 19,851 27,022 5500 40,87 9,762 56,7 1400 81,11 19,373 28,400 6000 38,17 9,118 57,7	400	110,69	26,439	11,074	2800	61,36	14,655	42,967
700 98,71 23,578 17,282 3400 55,56 13,271 47,3 800 95,54 22,819 19,116 3600 53,84 12,860 48,4 900 92,64 22,128 20,853 3800 52,20 12,469 49,0 1000 89,98 21,493 22,506 4000 50,65 12,097 50,0 1100 87,53 20,906 24,080 4500 47,05 11,238 52,0 1200 85,24 20,361 25,584 5000 43,82 10,465 54,7 1300 83,11 19,851 27,022 5500 40,87 9,762 56,7 1400 81,11 19,373 28,400 6000 38,17 9,118 57,8	500	106,19	25,364	13,279	3000	59,31	14,166	44,500
800 95,54 22,819 19,116 3600 53,84 12,860 48,4 900 92,64 22,128 20,853 3800 52,20 12,469 49,6 1000 89,98 21,493 22,506 4000 50,65 12,097 50,6 1100 87,53 20,906 24,080 4500 47,05 11,238 52,9 1200 85,24 20,361 25,584 5000 43,82 10,465 54,7 1300 83,11 19,851 27,022 5500 40,87 9,762 56,7 1400 81,11 19,373 28,400 6000 38,17 9,118 57,57	600	102,24	24,420	15,342	3200	57,38	13,705	45,924
900 92,64 22,128 20,853 3800 52,20 12,469 49,6 1000 89,98 21,493 22,506 4000 50,65 12,097 50,6 1100 87,53 20,906 24,080 4500 47,05 11,238 52,5 1200 85,24 20,361 25,584 5000 43,82 10,465 54,7 1300 83,11 19,851 27,022 5500 40,87 9,762 56,7 1400 81,11 19,373 28,400 6000 38,17 9,118 57,7	700	98,71	23,578	17,282	3400	55,56	13,271	47,248
1000 89,98 21,493 22,506 4000 50,65 12,097 50,65 1100 87,53 20,906 24,080 4500 47,05 11,238 52,5 1200 85,24 20,361 25,584 5000 43,82 10,465 54,7 1300 83,11 19,851 27,022 5500 40,87 9,762 56,7 1400 81,11 19,373 28,400 6000 38,17 9,118 57,8	800	95,54	22,819	19,116	3600	53,84	12,860	48,476
1100 87,53 20,906 24,080 4500 47,05 11,238 52,4 1200 85,24 20,361 25,584 5000 43,82 10,465 54,7 1300 83,11 19,851 27,022 5500 40,87 9,762 56,7 1400 81,11 19,373 28,400 6000 38,17 9,118 57,7	900	92,64	22,128	20,853	3800	52,20	12,469	49,615
1200 85,24 20,361 25,584 5000 43,82 10,465 54,7 1300 83,11 19,851 27,022 5500 40,87 9,762 56,7 1400 81,11 19,373 28,400 6000 38,17 9,118 57,7	1000	89,98	21,493	22,506	4000	50,65	12,097	50,668
1300 83,11 19,851 27,022 5500 40,87 9,762 56,7 1400 81,11 19,373 28,400 6000 38,17 9,118 57,7	1100	87,53	20,906	24,080	4500	47,05	11,238	52,956
1400 81,11 19,373 28,400 6000 38,17 9,118 57,2	1200	85,24	20,361	25,584	5000	43,82	10,465	54,793
	1300	83,11	19,851	27,022	5500	40,87	9,762	56,224
1500 79,22 18,922 29,721 6500 35,68 8,523 58,0	1400	81,11	19,373	28,400	6000	38,17	9,118	57,286
	1500	79,22	18,922	29,721	6500	35,68	8,523	58,009

BRECOFLEX® B	AT15	Admissi	ble tensile force of the be	elt F _{adm} / Belt weight	
Belt width		b [mm]	50	75	100
E / Steel tension n	nember	F _{adm} [N]	10400	16000	21600
Stainless steel tension member		F _{adm} [N]	8300	12800	17300
	Standard	[kg/m]	0,420	0,629	0,836
	DL	[kg/m]	-	-	-
Belt weight	DR	[kg/m]	-	-	-
	Т	[kg/m]	-	-	-

BRECOFLEX [®] BAT15	BRECOFLEX® BAT15 Flexibility (minimum number of teeth / minimum diameter)													
			Steel	tensior	memb	ber	E te	nsion	membe	r	Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	т
Z _{min}	Without	Z _{min}	20	-	-	-	15	-	-	-	25	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	100	-	-	-	70	-	-	-	120	-	-	-
Z _{min}	With contra-	Z _{min}	30	-	-	-	25	-	-	-	35	-	-	-
d _{min}	flexure	d _{min} [mm]	150	-	-	-	120	-	-	-	180	-	-	-



Belt widths b [mm]	
50	75	100

BFX BAT15	Available lengths and versions
Standard lengths	see table on the right
Any number of teeth available from	1500 mm up to 21990 mm
Intermediate lengths	from 1500 mm o
StandardPlus version	1500 mm up to 21990 mm
Over 21990 mm	on request
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	x
E tension member	0
Stainless steel tension member	o
PAZ	x
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

Standar	d lengths	[mm] / Nu	mber of to	eeth		
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth	
1500	100	2790	186	5595	373	
1590	106	3000	200	6000	400	
1710	114	3495	233	6300	420	
1800	120	3750	250	6705	447	
1905	127	4005	267	7095	473	
1995	133	4500	300	7500	500	
2250	150	4995	333			
2505	167	5295	353			

x available, standard lengths (see table) without minimum purchase

o minimum purchase amount on request - not available





Belt widths b [mm]							
32	50	75	100				

BFX BATK10	Available lengths and versions
Standard lengths	see table on the right
Any number of teeth available from	1100 mm up to 22000 mm
Intermediate lengths	from 1100 mm o
StandardPlus version	1100 mm up to 22000 mm
Over 22000 mm	on request
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	x
E tension member	0
Stainless steel tension member	0
PAZ	x
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1100	110	1700	170	4000	400
1150	115	1800	180	4500	450
1210	121	1900	190	5000	500
1240	124	2000	200	5600	560
1250	125	2240	224	6000	600
1320	132	2500	250	6700	670
1400	140	2800	280	7100	710
1500	150	3000	300	7500	750
1600	160	3550	355		

RECOFLEX®	BATK10	Tooth sh	iear strength (s	pecific belt too	th load bearing	1)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	92,75	14,769	0,000	2000	50,89	8,103	16,970
20	91,39	14,552	0,305	2200	49,20	7,834	18,047
40	90,11	14,349	0,601	2400	47,64	7,586	19,064
60	88,91	14,158	0,890	2600	46,19	7,356	20,026
80	87,78	13,978	1,171	2800	44,84	7,141	20,936
100	86,71	13,807	1,446	3000	43,58	6,939	21,799
200	82,07	13,069	2,737	3200	42,39	6,750	22,617
300	78,30	12,469	3,917	3400	41,26	6,571	23,394
400	75,13	11,963	5,011	3600	40,20	6,401	24,131
500	72,39	11,527	6,035	3800	39,19	6,240	24,831
600	69,98	11,143	7,001	4000	38,23	6,087	25,496
700	67,82	10,800	7,916	4500	36,01	5,733	27,016
800	65,88	10,490	8,787	5000	34,00	5,415	28,349
900	64,10	10,208	9,620	5500	32,18	5,125	29,514
1000	62,47	9,948	10,417	6000	30,51	4,859	30,528
1100	60,96	9,708	11,182	6500	28,97	4,614	31,401
1200	59,56	9,484	11,917	7000	27,54	4,386	32,145
1300	58,25	9,275	12,626	7500	26,20	4,173	32,770
1400	57,02	9,079	13,310	8000	24,95	3,973	33,282
1500	55,86	8,895	13,971	8500	23,77	3,785	33,690
1600	54,76	8,720	14,609	9000	22,66	3,608	33,999
1700	53,72	8,554	15,227	9500	21,60	3,439	34,214
1800	52,73	8,397	15,826	10000	20,60	3,280	34,342
1900	51,79	8,246	16,407			1	

BRECOFLEX® BA	ATK10	Admissib	sible tensile force of the belt F _{adm} / Belt weight							
Belt width b [mm]		b [mm]	32	50	75	100				
E / Steel tension m	Steel tension member		4750	750 7750 12000		16000				
Stainless steel tension member		F _{adm} [N]	3420	5580	8640	11520				
	Standard			0,300	0,450	0,600				
Deltariatet	DL	[kg/m]	-	-	-	-				
Belt weight	DR	[kg/m]	-	-	-	-				
	Т	[kg/m]	-	-	-	-				

BRECOFLEX® BATK1	BRECOFLEX [®] BATK10 Flexibil				ity (minimum number of teeth / minimum diameter)									
			Steel	tensior	n mem	ber	E te	E tension member Stainless st			steel te	teel tension member		
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	т	Stan- dard	DL	DR	т
z _{min} d _{min}	Without	Z _{min}	20	-	-	-	18	-	-	-	25	-	-	-
	contra- flexure	d _{min} [mm]	60	-	-	-	50	-	-	-	80	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	20	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	120	-	-	-	80	-	-	-	130	-	-	-

x available, standard lengths (see table) without minimum purchase

o minimum purchase amount on request

- not available

BRECOFLEX®	BATK15	Tooth sh	near strength (s	pecific belt too	th load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	140,00	33,439	0,000	1600	77,44	18,497	30,989
20	137,70	32,891	0,689	1700	75,75	18,093	32,207
40	135,56	32,379	1,356	1800	74,14	17,709	33,379
60	133,55	31,898	2,004	1900	72,61	17,344	34,506
80	131,65	31,445	2,634	2000	71,15	16,995	35,591
100	129,86	31,018	3,248	2200	68,41	16,340	37,643
200	122,15	29,175	6,110	2400	65,89	15,737	39,548
300	115,92	27,687	8,697	2600	63,54	15,177	41,320
400	110,69	26,439	11,074	2800	61,36	14,655	42,967
500	106,19	25,364	13,279	13,279 3000	59,31	14,166	44,500
600	102,24	24,420	15,342	3200	57,38	13,705	45,924
700	98,71	23,578	17,282	3400	55,56	13,271	47,248
800	95,54	22,819	19,116	3600	53,84	12,860	48,476
900	92,64	22,128	20,853	3800	52,20	12,469	49,615
1000	89,98	21,493	22,506	4000	50,65	12,097	50,668
1100	87,53	20,906	24,080	4500	47,05	11,238	52,956
1200	85,24	20,361	25,584	5000	43,82	10,465	54,793
1300	83,11	19,851	27,022	5500	40,87	9,762	56,224
1400	81,11	19,373	28,400	6000	38,17	9,118	57,286
1500	79,22	18,922	29,721	6500	35,68	8,523	58,009

BRECOFLEX® B	ATK15	Admissik	missible tensile force of the belt F_{adm} / Belt weight							
Belt width	Belt width b [mn		50	75	100					
E / Steel tension m	nember	F _{adm} [N]	10400	0 16000 2160						
Stainless steel tens			8300	12800	17300					
	Standard	[kg/m]	0,420	0,629	0,836					
Deltansisht	DL	b [mm] hber F _{adm} [N] n member F _{adm} [N] Standard [kg/m]	-	-	-					
Belt weight	DR	[kg/m]	-	-	-					
	т	[kg/m]	-	-	-					

BRECOFLEX® BATK1	BRECOFLEX® BATK15 Flexibil			ity (minimum number of teeth / minimum diameter)										
				tensio	n meml	ber	E te	ension	membe	er	Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	т
Z _{min}	Without contra-	Z _{min}	20	-	-	-	15	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	100	-	-	-	70	-	-	-	120	-	-	-
Z _{min}	With contra-	Z _{min}	30	-	-	-	25	-	-	-	35	-	-	-
d _{min}	flexure	d _{min} [mm]	150	-	-	-	120	-	-	-	180	-	-	-

41



Belt widths b [mm	1]	
50	75	100

BFX BATK15	Available lengths and versions						
Standard lengths	see table on the right						
Any number of teeth available from	1500 mm up to 21990 mm						
Intermediate lengths	from 1500 mm o						
StandardPlus version	1500 mm up to 21990 mm						
Over 21990 mm	on request						
Standard material	TPUST1 ¹⁾						
Steel tension member (Standard)	x						
E tension member	0						
Stainless steel tension member	o						
PAZ	х						
DL / DL-PAZ	-						
DR / DR-PAZ	-						
T / T-PAZ	-						

Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1500	100	2790	186	5595	373
1590	106	3000	200	6000	400
1710	114	3495	233	6300	420
1800	120	3750	250	6705	447
1905	127	4005	267	7095	473
1995	133	4500	300	7500	500
2250	150	4995	333		
2505	167	5295	353		

x available, standard lengths (see table) without minimum purchase

o minimum purchase amount on request - not available



Belt widths b [mm	1	
50	75	100

BFX SFAT10	Available lengths and versions
Standard lengths	see table on the right
Any number of teeth available from	1100 mm up to 22000 mm
Intermediate lengths	from 1100 mm o
StandardPlus version	1100 mm up to 22000 mm
Over 22000 mm	on request
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	x
E tension member	0
Stainless steel tension member	o
PAZ	x
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1100	110	1900	190	4500	450
1200	120	2000	200	5000	500
1300	130	2240	224	5600	560
1400	140	2500	250	6000	600
1500	150	2800	280	6700	670
1600	160	3000	300	7100	710
1700	170	3550	355	7500	750
1800	180	4000	400		

R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	spec [W/cm]
0	87,50	13,933	0,000	2000	48,01	7,644	16,009
20	86,22	13,729	0,288	2200	46,41	7,391	17,025
40	85,01	13,537	0,567	2400	44,94	7,156	17,985
60	83,88	13,357	0,839	2600	43,58	6,939	18,892
80	82,81	13,187	1,105	2800	42,30	6,736	19,751
100	81,80	13,026	1,364	3000	41,11	6,546	20,565
200	77,43	12,329	2,582	3200	39,99	6,368	21,337
300	73,87	11,763	3,695	3400	38,93	6,199	22,069
400	70,88	11,286	4,727	3600	37,93	6,039	22,765
500	68,29	10,874	5,693	3800	36,97	5,887	23,426
600	66,02	10,512	6,604	4000	36,06	5,743	24,053
700	63,98	10,189	7,468	4500	33,97	5,409	25,486
800	62,15	9,896	8,290	5000	32,08	5,108	26,744
900	60,47	9,630	9,075	5500	30,36	4,835	27,844
1000	58,94	9,385	9,827	6000	28,79	4,584	28,800
1100	57,51	9,158	10,549	6500	27,33	4,352	29,623
1200	56,19	8,947	11,243	7000	25,98	4,137	30,326
1300	54,95	8,750	11,912	7500	24,72	3,936	30,915
1400	53,79	8,565	12,557	8000	23,54	3,748	31,398
1500	52,70	8,391	13,180	8500	22,43	3,571	31,783
1600	51,66	8,226	13,782	9000	21,37	3,403	32,074
1700	50,68	8,070	14,365	9500	20,38	3,245	32,278
1800	49,75	7,921	14,930	10000	19,43	3,094	32,398
1900	48,86	7,780	15,478		1	1	

BRECOFLEX® S	FAT10	Admissi	ible tensile force of the belt F _{adm} / Belt weight						
Belt width b [mm]		50	75	100					
E / Steel tension member F_{adm} [N		F _{adm} [N]	7750	12000	16000				
Stainless steel tension member		F _{adm} [N]	5580	8640	11520				
	Standard	[kg/m]	0,290	0,436	0,581				
Deltaurialet	DL [kg/m]		-	-	-				
Belt weight	DR	[kg/m]	-	-	-				
	т	[kg/m]	-	-	-				

BRECOFLEX® SFAT10	ity (mini	mum	numb	er of t	teeth / n	ninim	um dia	mete	r)					
			Steel tension member			E te	nsion	membe		Stainless	steel te	nsion n	nembe	
			Stan- dard	DL	DR	т	Stan- dard	DL	DR	т	Stan- dard	DL	DR	т
	Without contra-	Z _{min}	15	-	-	-	12	-	-	-	25	-	-	-
	flexure	d _{min} [mm]	50	-	-	-	50	-	-	-	80	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	20	-	-	-	40	-	-	-
	flexure	d _{min} [mm]	120	-	-	-	80	-	-	-	130	-	-	-

x available, standard lengths (see table) without minimum purchase
 o minimum purchase amount on request

- not available

BRECOFLEX	® SFAT15	Tooth sh	near strength (s	specific belt tooth load bearing)							
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}				
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]				
0	133,00	31,768	0,000	2000	67,59	16,145	33,812				
20	130,82	31,246	0,654	2200	64,99	15,523	35,761				
40	128,78	30,760	1,288	2400	62,59	14,950	37,571				
60	126,87	30,303	1,904	2600	60,36	14,418	39,254				
80	125,07	29,873	2,502	2800	58,29	13,922	40,819				
100	123,37	29,467	3,086	3000	56,34	13,457	42,275				
200	116,04	27,716	5,804	3200	54,51	13,020	43,628				
300	110,12	26,302	8,263	3400	52,78	12,607	44,885				
400	105,15	25,117	10,520	3600	51,15	12,217	46,052				
500	100,88	24,095	12,615	3800	49,59	11,846	47,134				
600	97,13	23,199	14,575	4000	48,11	11,492	48,135				
700	93,78	22,399	16,418	4500	44,70	10,676	50,308				
800	90,76	21,678	18,160	5000	41,62	9,942	52,053				
900	88,01	21,021	19,811	5500	38,83	9,274	53,412				
1000	85,48	20,418	21,380	6000	36,27	8,662	54,421				
1100	83,15	19,861	22,876	6500	33,90	8,097	55,109				
1200	80,98	19,343	24,305	7000	31,70	7,572	55,500				
1300	78,95	18,858	25,671	7500	29,65	7,082	55,615				
1400	77,05	18,404	26,980	8000	27,72	6,622	55,473				
1500	75,26	17,976	28,235	8500	25,91	6,190	55,090				
1600	73,57	17,572	29,440	9000	24,20	5,781	54,480				
1700	71,96	17,188	30,597	9500	22,58	5,394	53,656				
1800	70,44	16,824	31,710	10000	21,04	5,026	52,629				
1900	68,98	16,477	32,781								
		1	1	1							

BRECOFLEX® S	FAT15	Admissil	sible tensile force of the belt F _{adm} / Belt weight						
Belt width	Belt width b [mm]		50	75	100				
E / Steel tension member F_{adm} [N		F _{adm} [N]	10000	15600	21200				
Stainless steel tension member		F _{adm} [N]	8000	12480	16960				
	Standard	[kg/m]	0,440	0,660	0,875				
Deltaurisht	DL	[kg/m]	-	-	-				
Belt weight	DR	[kg/m]	-	-	-				
	т	[kg/m]	-	-	-				

BRECOFLEX® SFAT1	Flexibili	ity (mini	mum	numb	er of t	teeth / n	ninim	um dia	mete	r)				
		Steel	tensio	n mem	ber	E te	ension	membe	er	Stainless	steel te	nsion m	nember	
			Stan- dard	DL	DR	т	Stan- dard	DL	DR	т	Stan- dard	DL	DR	Т
	Without contra-	Z _{min}	20	-	-	-	15	-	-	-	25	-	-	-
	flexure	d _{min} [mm]	100	-	-	-	70	-	-	-	120	-	-	-
z _{min} d _{min}	With	Z _{min}	25	-	-	-	25	-	-	-	35	-	-	-
	contra- flexure	d _{min} [mm]	150	-	-	-	120	-	-	-	180	-	-	-



Belt widths b [mm]					
50	75	100			

BFX SFAT15	Available lengths and versions				
Standard lengths	see table on	the right			
Any number of teeth available from	1500 mm up to	o 21990 mm			
Intermediate lengths	from 1500 mm	0			
StandardPlus version	1500 mm up to	o 21990 mm			
Over 21990 mm	on request				
Standard material	TPUST1 ¹⁾				
Steel tension member (Standard)	x				
E tension member	0				
Stainless steel tension member	o				
PAZ	x				
DL / DL-PAZ	-				
DR / DR-PAZ	-				
T / T-PAZ	-				

Standard lengths [mm] / Number of teeth								
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth			
1500	100	2790	186	5595	373			
1590	106	3000	200	6000	400			
1710	114	3495	233	6300	420			
1800	120	3750	250	6705	447			
1905	127	4005	267	7095	473			
1995	133	4500	300	7500	500			
2250	150	4995	333					
2505	167	5295	353					

44

x available, standard lengths (see table) without minimum purchase

o minimum purchase amount on request - not available



BRECOFLEX ®	SFAT20	0 Tooth shear strength (specific belt tooth load bearing)						
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M_{spec}	P _{spec}	
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min-1]	[N/cm]	[Ncm/cm]	[W/cm]	
0	175,00	55,732	0,000	1600	88,26	28,110	47,095	
20	171,73	54,692	1,145	1700	85,96	27,374	48,729	
40	168,69	53,724	2,250	1800	83,76	26,676	50,279	
60	165,85	52,818	3,318	1900	81,67	26,010	51,748	
80	163,17	51,966	4,353	2000	79,68	25,375	53,142	
100	160,66	51,164	5,357	2200	75,94	24,185	55,713	
200	149,85	47,723	9,994	2400	72,49	23,087	58,021	
300	141,18	44,961	14,124	2600	69,30	22,070	60,085	
400	133,94	42,655	17,866	2800	66,32	21,121	61,925	
500	127,72	40,674	21,295	3000	63,53	20,232	63,556	
600	122,27	38,939	24,464	3200	60,90	19,396	64,992	
700	117,42	37,395	27,410	3400	58,43	18,607	66,245	
800	113,05	36,004	30,160	3600	56,08	17,860	67,327	
900	109,08	34,738	32,737	3800	53,85	17,151	68,245	
1000	105,43	33,577	35,159	4000	51,73	16,476	69,010	
1100	102,07	32,505	37,440	4500	46,84	14,918	70,294	
1200	98,94	31,509	39,592	5000	42,44	13,516	70,764	
1300	96,02	30,579	41,626	5500	38,44	12,241	70,498	
1400	93,28	29,707	43,549	6000	34,77	11,072	69,565	
1500	90,70	28,885	45,370	6500	31,38	9,994	68,020	

BRECOFLEX [®] SI	FAT20	Admissi	nissible tensile force of the belt F _{adm} / Belt weight					
Belt width		b [mm]	50	100				
E / Steel tension member		F _{adm} [N]	10000	15600	21200			
Stainless steel ten	Stainless steel tension member		8000	12480	16960			
	Standard	[kg/m]	0,480	0,720	0,960			
Deli statu	DL	[kg/m]	-	-	-			
Belt weight	DR	[kg/m]	-	-	-			
	Т	[kg/m]	-	-	-			

BRECOFLEX® SFAT20 Flexibility (minimum number of teeth / minimum diameter)														
			Steel	tensio	n mem	ber	E te	ension	membe	er	Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	т
Zmin	Without	Z _{min}	18	-	-	-	15	-	-	-	32	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	120	-	-	-	100	-	-	-	200	-	-	-
Z _{min} With contra-	Z _{min}	25	-	-	-	22	-	-	-	40	-	-	-	
d _{min}	flexure	d _{min} [mm]	180	-	-	-	150	-	-	-	300	-	-	-



Belt widths b [mm]						
50	75	100				

BFX SFAT20	Available le vers	•
Standard lengths	see table o	n the right
Any number of teeth available from	1500 mm up	to 22000 mm
Intermediate lengths	from 1500 mm	0
StandardPlus version	1500 mm up	to 22000 mm
Over 22000 mm	on re	quest
Standard material	TPU	ST1 ¹⁾
Steel tension member (Standard)	>	(
E tension member	c)
Stainless steel tension member	c)
PAZ	>	(
DL / DL-PAZ	-	-
DR / DR-PAZ	-	-
T / T-PAZ		-

Standard lengths [mm] / Number of teeth								
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth			
1500	75	2500	125	5000	250			
1600	80	2800	140	5600	280			
1700	85	3000	150	6000	300			
1800	90	3560	178	6700	335			
1900	95	3760	188	7100	355			
2000	100	4000	200	7500	375			
2240	112	4500	225					

46

x available, standard lengths (see table) without minimum purchase
 o minimum purchase amount on request
 - not available



Belt widths b [mm] (in-between belt widths on	request)
50	100

BFX ATK5K6	Available lengths and versions
Standard lengths	see table on the right
Any number of teeth available from	1075 mm up to 15000 mm
Intermediate lengths	from 1075 mm o
StandardPlus version	1075 mm up to 15000 mm
Over 15000 mm	on request
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	x
E tension member	0
Stainless steel tension member (E)	0
PAZ	х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

Standar	Standard lengths [mm] / Number of teeth								
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth				
1075	215	2240	448	4500	900				
1100	220	2360	472	4750	950				
1215	243	2500	500	5000	1000				
1380	276	2650	530	5300	1060				
1400	280	2800	560	5600	1120				
1500	300	3000	600	6000	1200				
1600	320	3150	630	6300	1260				
1700	340	3350	670	6700	1340				
1800	360	3550	710	7100	1420				
1900	380	3750	750	7500	1500				
2000	400	4000	800						
2120	424	4250	850						

R.p.m.	F	M _{spec}	P _{spec}	R.p.m.	F	M _{spec}	P _{spec}
	F _{Uspec} [N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	F _{Uspec}	1	
n [min ⁻¹]					[N/cm]	[Ncm/cm]	[W/cm]
0	42,00	3,344	0,000	2000	26,05	2,074	4,344
20	41,52	3,306	0,069	2200	25,38	2,020	4,654
40	41,07	3,270	0,137	2400	24,75	1,971	4,953
60	40,64	3,236	0,203	2600	24,18	1,925	5,241
80	40,23	3,203	0,268	2800	23,64	1,882	5,518
100	39,85	3,172	0,332	3000	23,13	1,842	5,785
200	38,14	3,037	0,636	3200	22,65	1,804	6,044
300	36,73	2,925	0,919	3400	22,20	1,768	6,294
400	35,53	2,829	1,185	3600	21,78	1,734	6,536
500	34,48	2,745	1,437	3800	21,37	1,701	6,770
600	33,55	2,672	1,678	4000	20,98	1,671	6,997
700	32,72	2,605	1,910	4500	20,09	1,599	7,537
800	31,96	2,545	2,132	5000	19,28	1,535	8,038
900	31,27	2,490	2,346	5500	18,55	1,477	8,506
1000	30,63	2,439	2,554	6000	17,88	1,423	8,942
1100	30,04	2,392	2,755	6500	17,26	1,374	9,351
1200	29,49	2,348	2,950	7000	16,68	1,328	9,733
1300	28,97	2,307	3,140	7500	16,14	1,285	10,090
1400	28,48	2,268	3,325	8000	15,63	1,245	10,425
1500	28,02	2,231	3,505	8500	15,15	1,207	10,739
1600	27,59	2,197	3,680	9000	14,70	1,171	11,033
1700	27,18	2,164	3,852	9500	14,28	1,137	11,307
1800	26,78	2,132	4,019	10000	13,87	1,104	11,564

BRECOFLEX® A	ТК5К6	Admissible tensile force of the belt F_{adm} / Belt weight					
Belt width		b [mm]	50	100			
E / Steel tension n	nember	F _{adm} [N]	4200	8610			
Stainless steel ten	sion member (E)	F _{adm} [N]	2730	5597			
	Standard	[kg/m]	0,167	0,334			
Deltandalat	DL	[kg/m]	-	-			
Belt weight	DR	[kg/m]	-	-			
	Т	[kg/m]	-	-			

BRECOFLEX® ATK5K	ity (minim	um n	umbe	r of t	teeth / min	imun	n diar	netei	r)					
		Steel te	Steel tension member			E tension member				Stainless steel tension member (E)				
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Zmin	Without contra-	Z _{min}	25	-	-	-	25	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	40	-	-	-	40	-	-	-	40	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	25	-	-	-	30	-	-	-
d _{min}	flexure	d _{min} [mm]	80	-	-	-	80	-	-	-	80	-	-	-

49

x available, standard lengths (see table) without minimum purchase

o minimum purchase amount on request

not available1) further materials on request





Reinforced back of the belt
50° 10
ATK10K6-DR

x available, standard lengths (see table) without minimum purchase

o minimum purchase amount on request - not available

1) further materials on request

Belt widths b [mm] (in-between belt widths on	request)
50	100

BFX ATK10K6		Available lengths and versions				
Standard lengths	see tab	le on the right				
Any number of teeth	b= 50 mm	from 720 mr	n			
available from	1080 mm	up to 22000 n	nm			
Internet dista la setta	b= 50 mm	from 720 mm				
Intermediate lengths	b= 100 mm	up to 1080 mm	0			
Chan de al Diversite a	b=50 mr	n: from 720 mm				
StandardPlus version	1080 mm up to 22000 mm					
Over 22000 mm	on request					
Standard material	TPUST1 ¹⁾					
Steel tension member (Standard)		x				
E tension member		0				
Stainless steel tension member		0				
PAZ	from 1500 mm x					
DL / DL-PAZ	DL / DL-PAZ O					
DR / DR-PAZ	0					
T / T-PAZ		-				

Standard lengths [mm] / Number of teeth									
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth				
1500	150	2650	265	4750	475				
1600	160	2800	280	5000	500				
1700	170	3000	300	5300	530				
1800	180	3150	315	5600	560				
1900	190	3350	335	6000	600				
2000	200	3550	355	6300	630				
2120	212	3750	375	6700	670				
2240	224	4000	400	7100	710				
2360	236	4250	425	7500	750				
2500	250	4500	450	8000	800				

50

RECOFLEX®	° ATK10K6	Tooth sh	near strength (s	pecific belt too	th load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	87,50	13,933	0,000	2000	48,01	7,644	16,009
20	86,22	13,729	0,288	2200	46,41	7,391	17,025
40	85,01	13,537	0,567	2400	44,94	7,156	17,985
60	83,88	13,357	0,839	2600	43,58	6,939	18,892
80	82,81	13,187	1,105	2800	42,30	6,736	19,751
100	81,80	13,026	1,364	3000	41,11	6,546	20,565
200	77,43	12,329	2,582	3200	39,99	6,368	21,337
300	73,87	11,763	3,695	3400	38,93	6,199	22,069
400	70,88	11,286	4,727	3600	37,93	6,039	22,765
500	68,29	10,874	5,693	3800	36,97	5,887	23,426
600	66,02	10,512	6,604	4000	36,06	5,743	24,053
700	63,98	10,189	7,468	4500	33,97	5,409	25,486
800	62,15	9,896	8,290	5000	32,08	5,108	26,744
900	60,47	9,630	9,075	5500	30,36	4,835	27,844
1000	58,94	9,385	9,827	6000	28,79	4,584	28,800
1100	57,51	9,158	10,549	6500	27,33	4,352	29,623
1200	56,19	8,947	11,243	7000	25,98	4,137	30,326
1300	54,95	8,750	11,912	7500	24,72	3,936	30,915
1400	53,79	8,565	12,557	8000	23,54	3,748	31,398
1500	52,70	8,391	13,180	8500	22,43	3,571	31,783
1600	51,66	8,226	13,782	9000	21,37	3,403	32,074
1700	50,68	8,070	14,365	9500	20,38	3,245	32,278
1800	49,75	7,921	14,930	10000	19,43	3,094	32,398
1900	48,86	7,780	15,478		a		

BRECOFLEX® AT	К10К6	Admissible	e tensile force of the belt F _{adm} / Belt w	eight
Belt width		b [mm]	50	100
E / Steel tension m	ember	F _{adm} [N]	7750	16000
Stainless steel tens	ion member	F _{adm} [N]	5600	11200
	Standard	[kg/m]	0,290	0,581
	DL	[kg/m]	0,386	0,766
Belt weight	DR	[kg/m]	0,445	0,886
	т	[kg/m]	-	-



*Speed limitation

nbo	nber of teeth / minimum diameter)									
eml	ber	E te	ension	membe	er	Stainless steel tension member				
R	т	Stan- dard	DL	DR	т	Stan- dard	DL	DR	т	
*	-	18	20	-	-	25	40	25	-	
0	-	60	80	-	-	80	120	80	-	
5	-	20	22	-	-	40	40	40	-	
0	-	80	100	-	-	120	120	120	-	



Belt widths b [mm] (in-between belt widths on	request)
50	100

BFX TK5K6	Available lengths and versions				
Standard lengths	see table on the right				
Any number of teeth	b= 50 mm from 720 mm				
available from	1075 mm up to 15000 mm				
Intermediate lengths	b= 50 mm from 720 mm				
Intermediate lengths	b= 100 mm from 1075 mm				
StandardPlus version	b= 50 mm: from 720 mm				
StandardPlus version	1075 mm up to 15000 mm				
Over 15000 mm	on request				
Standard material	TPUST1 ¹⁾				
Steel tension member (Standard)	x				
E tension member	0				
Stainless steel tension member	o				
PAZ	from 1075 mm x				
DL / DL-PAZ	-				
DR / DR-PAZ	-				
T / T-PAZ	-				

Standard	Standard lengths [mm] / Number of teeth								
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth				
1075	215	2240	448	4500	900				
1100	220	2360	472	4750	950				
1215	243	2500	500	5000	1000				
1380	276	2650	530	5300	1060				
1400	280	2800	560	5600	1120				
1500	300	3000	600	6000	1200				
1600	320	3150	630	6300	1260				
1700	340	3350	670	6700	1340				
1800	360	3550	710	7100	1420				
1900	380	3750	750	7500	1500				
2000	400	4000	800						
2120	424	4250	850						

R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	24,00	1,910	0,000	2000	13,69	1,089	2,280
20	23,40	1,861	0,039	2200	13,38	1,065	2,450
40	22,90	1,819	0,076	2400	13,10	1,042	2,620
60	22,40	1,783	0,112	2600	12,84	1,021	2,780
80	22,00	1,751	0,147	2800	12,59	1,002	2,940
100	21,70	1,723	0,180	3000	12,37	0,984	3,090
200	20,30	1,614	0,338	3200	12,16	0,967	3,240
300	19,30	1,536	0,483	3400	11,96	0,951	3,390
400	18,55	1,476	0,618	3600	11,77	0,936	3,530
500	17,93	1,427	0,747	3800	11,59	0,922	3,670
600	17,41	1,385	0,870	4000	11,42	0,909	3,810
700	16,96	1,349	0,989	4500	11,03	0,878	4,140
800	16,56	1,318	1,104	5000	10,68	0,850	4,450
900	16,20	1,289	1,215	5500	10,36	0,825	4,750
1000	15,88	1,263	1,323	6000	10,07	0,802	5,040
1100	15,58	1,240	1,428	6500	9,81	0,780	5,310
1200	15,31	1,218	1,531	7000	9,56	0,761	5,580
1300	15,06	1,198	1,632	7500	9,33	0,742	5,830
1400	14,83	1,180	1,730	8000	9,11	0,725	6,080
1500	14,61	1,162	1,826	8500	8,91	0,709	6,310
1600	14,40	1,146	1,920	9000	8,72	0,694	6,540
1700	14,21	1,131	2,010	9500	8,54	0,679	6,760
1800	14,03	1,116	2,100	10000	8,37	0,666	6,970
1900	13,85	1,102	2,190			<u> </u>	

BRECOFLEX® TH	(5K6	Admissible tensile force of the belt F _{adm} / Belt weight						
Belt width		b [mm]	50	100				
E / Steel tension m	ember	F _{adm} [N]	1920	3930				
Stainless steel ten	sion member	F _{adm} [N]	1460	2990				
	Standard	[kg/m]	0,123	0,232				
Dalturaisht	DL	[kg/m]	-	-				
Belt weight	DR	[kg/m]	-	-				
	т	[kg/m]	-	-				

BRECOFLEX® TK5K6		Flexibil	ity (mini	mum	numb	er of 1	teeth / n	ninim	um dia	mete	r)			
			Steel	tensio	n mem	ber	E te	ension	membe	er	Stainless	steel te	nsion m	nembe
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	т	Stan- dard	DL	DR	т
Z _{min}	Without	Z _{min}	25	-	-	-	25	-	-	-	25	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	40	-	-	-	40	-	-	-	40	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	25	-	-	-	36	-	-	-
d _{min}	flexure	d _{min} [mm]	60	-	-	-	60	-	-	-	60	-	-	-

x available, standard lengths (see table) without minimum purchase
 o minimum purchase amount on request

not available1) further materials on request



Belt widths b [mm] (in-between belt widths on	request)
50	100

BFX TK10K6	Available lengths and versions					
Standard lengths	see table on the right					
Any number of teeth available from	720 mm up to 22000 mm					
Intermediate lengths	from 720 mm o					
StandardPlus version	720 mm up to 22000 mm					
Over 22000 mm	on request					
Standard material	TPUST1 ¹⁾					
Steel tension member (Standard)	x					
E tension member	0					
Stainless steel tension member	0					
PAZ	from 1080 mm x					
DL / DL-PAZ	-					
DR / DR-PAZ	-					
T / T-PAZ	-					

Standar	Standard lengths [mm] / Number of teeth								
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth				
1080	108	1750	175	4000	400				
1150	115	1780	178	4250	425				
1210	121	1880	188	4500	450				
1240	124	1960	196	4750	475				
1250	125	2250	225	5000	500				
1320	132	2360	236	5300	530				
1350	135	2500	250	5600	560				
1390	139	2650	265	6000	600				
1400	140	2800	280	6300	630				
1420	142	3000	300	6700	670				
1460	146	3100	310	7100	710				
1500	150	3150	315	7500	750				
1560	156	3350	335	8000	800				
1610	161	3750	375	9000	900				

RECOFLEX®	TK10K6	Tooth sh	near strength (s	specific belt tooth load bearing)							
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}				
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]				
0	50,50	8,040	0,000	2000	25,40	4,040	8,460				
20	49,00	7,800	0,163	2200	24,60	3,920	9,030				
40	47,70	7,600	0,318	2400	23,90	3,810	9,580				
60	46,60	7,420	0,466	2600	23,30	3,710	10,100				
80	45,70	7,270	0,609	2800	22,70	3,620	10,600				
100	44,80	7,130	0,746	3000	22,20	3,530	11,080				
200	41,40	6,600	1,381	3200	21,70	3,450	11,550				
300	39,10	6,220	1,953	3400	21,20	3,360	11,990				
400	37,20	5,920	2,480	3600	20,70	3,300	12,420				
500	35,70	5,680	2,980	3800	20,30	3,230	12,840				
600	34,40	5,480	3,440	4000	19,86	3,160	13,240				
700	33,30	5,310	3,890	4500	18,91	3,010	14,180				
800	32,40	5,150	4,320	5000	18,06	2,870	15,050				
900	31,50	5,010	4,730	5500	17,28	2,750	15,840				
1000	30,70	4,890	5,120	6000	16,58	2,640	16,580				
1100	30,00	4,770	5,500	6500	15,93	2,540	17,260				
1200	29,30	4,670	5,870	7000	15,33	2,440	17,880				
1300	28,70	4,570	6,220	7500	14,76	2,350	18,460				
1400	28,20	4,480	6,570	8000	14,24	2,270	18,990				
1500	27,60	4,400	6,910	8500	13,74	2,180	19,470				
1600	27,10	4,320	7,230	9000	13,28	2,110	19,920				
1700	26,70	4,240	7,550	9500	12,84	2,040	20,300				
1800	26,20	4,170	7,860	10000	12,42	1,976	20,700				
1900	25,80	4,100	8,160								

BRECOFLEX® T	K10K6	Admissib	Admissible tensile force of the belt F_{adm} / Belt weight						
Belt width		b [mm]	50	100					
E / Steel tension r	nember	F _{adm} [N]	3800	7800					
Stainless steel ter	ision member	F _{adm} [N]	3040	6240					
	Standard	[kg/m]	0,235	0,458					
Doltuvoiaht	DL	[kg/m]	-	-					
Belt weight	DR	[kg/m]	-	-					
	Т	[kg/m]	-	-					

BRECOFLEX® TK10K	6	Flexibil	ity (mini	mum	numb	er of t	teeth / n	ninim	um dia	mete	r)			
			Steel	tensio	n mem	ber	E te	ension	membe	er	Stainless	steel te	nsion n	nember
			Stan- dard	DL	DR	т	Stan- dard	DL	DR	т	Stan- dard	DL	DR	т
Z _{min}	Without contra-	Z _{min}	20	-	-	-	20	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	60	-	-	-	60	-	-	-	80	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	25	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	80	-	-	-	80	-	-	-	130	-	-	-

x available, standard lengths (see table) without minimum purchase

o minimum purchase amount on request

- not available



Belt widths b [mm] (in-between belt widths on request)	
50	

BFX TK10K13	Available lengths and versions					
Standard lengths	see table on the right					
Any number of teeth available from	1200 mm up to 22000 mm					
Intermediate lengths	from 1200 mm o					
StandardPlus version	1200 mm up to 22000 mm					
Over 22000 mm	on request					
Standard material	TPUST1 ¹⁾					
Steel tension member (Standard)	x					
E tension member	0					
Stainless steel tension member	0					
PAZ	x					
DL / DL-PAZ	-					
DR / DR-PAZ	-					
T / T-PAZ	-					

Standar	d lengths	[mm] / Nu	mber of te	eeth	
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth
1500	150	2650	265	5300	530
1560	156	3000	300	5600	560
1610	161	3100	310	6000	600
1750	175	3150	315	6300	630
1780	178	3350	335	6700	670
1880	188	3750	375	7100	710
1960	196	4000	400	7500	750
2250	225	4250	425	8000	800
2360	236	4500	450	9000	900
2500	250	4750	475		
2800	280	5000	500		

RECOFLEX®	TK10K13	Tooth sh	near strength (s	pecific belt too	th load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	50,50	8,04	0,000	2000	25,40	4,040	8,460
20	49,00	7,80	0,163	2200	24,60	3,920	9,030
40	47,70	7,60	0,318	2400	23,90	3,810	9,580
60	46,60	7,42	0,466	2600	23,30	3,710	10,100
80	45,70	7,27	0,609	2800	22,70	3,620	10,600
100	44,80	7,13	0,746	3000	22,20	3,530	11,080
200	41,40	6,60	1,381	3200	21,70	3,450	11,550
300	39,10	6,22	1,953	3400	21,20	3,360	11,990
400	37,20	5,92	2,480	3600	20,70	3,300	12,420
500	35,70	5,68	2,980	3800	20,30	3,230	12,840
600	34,40	5,48	3,440	4000	19,86	3,160	13,240
700	33,30	5,31	3,890	4500	18,91	3,010	14,180
800	32,40	5,15	4,320	5000	18,06	2,870	15,050
900	31,50	5,01	4,730	5500	17,28	2,750	15,840
1000	30,70	4,89	5,120	6000	16,58	2,640	16,580
1100	30,00	4,77	5,500	6500	15,93	2,540	17,260
1200	29,30	4,67	5,870	7000	15,33	2,440	17,880
1300	28,70	4,57	6,220	7500	14,76	2,350	18,460
1400	28,20	4,48	6,570	8000	14,24	2,270	18,990
1500	27,60	4,40	6,910	8500	13,74	2,180	19,470
1600	27,10	4,32	7,230	9000	13,28	2,110	19,920
1700	26,70	4,24	7,550	9500	12,84	2,040	20,300
1800	26,20	4,17	7,860	10000	12,42	1,976	20,700
1900	25,80	4,10	8,160			1	I

BRECOFLEX® TH	K10K13	Admissibl	e tensile force of the belt F _{adm} / Belt weight
Belt width		b [mm]	50
E / Steel tension m	ember	F _{adm} [N]	3800
Stainless steel tens	sion member	F _{adm} [N]	3040
	Standard	[kg/m]	0,283
Deltansisht	DL	[kg/m]	-
Belt weight	DR	[kg/m]	-
	Т	[kg/m]	-

BRECOFLEX® TK10K	13	Flexibil	ity (mini	mum	numb	er of t	teeth / n	ninim	um dia	mete	r)			
			Steel	tensio	n mem	ber	E te	ension	membe	er	Stainless	steel te	nsion m	nembe
			Stan- dard	DL	DR	т	Stan- dard	DL	DR	т	Stan- dard	DL	DR	т
Z _{min}	Without contra-	Z _{min}	25	-	-	-	25	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	80	-	-	-	80	-	-	-	80	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	25	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	120	-	-	-	120	-	-	-	130	-	-	-

57

x available, standard lengths (see table) without minimum purchase

minimum purchase amount on request
not available

BRECOFLEX[®] T5



-	not avallable
1)	further materials on request

BFX T5	Available lengths and versions					
Standard lengths	see table					
Minimum purchase amount	up to 690 mm	1 sle (b= 100				
Any number of teeth available from	720 mm up t	720 mm up to 15000 mm				
Intermediate lengths	from 720 n	nm o				
StandardPlus version	720 mm up t	up to 15000 mm				
Over 15000 mm	on request					
na da da sera fal	up to 690 mm	TPU	ST3			
Standard material	from 720 mm	TPUS	T1 ¹⁾			
Steel tension member (Standard))	K				
E tension member	C)				
Stainless steel tension member	C)				
PAZ)	¢				
DL / DL-PAZ	from 900 mm	0				
DR / DR-PAZ	from 900 mm	0				
T / T-PAZ	(

Length	Number	Length	Number	Length	Number
	of teeth		of teeth		of teeth
200	40	560	112	1800	360
215	43	575	115	1900	380
220	44	610	122	2000	400
225	45	620	124	2120	424
240	48	630	126	2240	448
245	49	660	132	2360	472
255	51	690	138	2500	500
260	52	720	144	2650	530
270	54	750	150	2800	560
280	56	755	151	3000	600
295	59	780	156	3150	630
305	61	800	160	3350	670
330	66	815	163	3550	710
340	68	840	168	3750	750
355	71	850	170	4000	800
365	73	860	172	4250	850
370	74	900	180	4500	900
390	78	945	189	4750	950
400	80	990	198	5000	1000
410	82	1040	208	5300	1060
420	84	1075	215	5600	1120
435	87	1100	220	6000	1200
455	91	1215	243	6300	1260
480	96	1380	276	6700	1340
500	100	1400	280	7100	1420
510	102	1500	300	7500	1500
525	105	1600	320		
545	109	1700	340		

58

RECOFLEX®		1	near strength (s		_		
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P_{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	24,00	1,910	0,000	2000	13,69	1,089	2,280
20	23,40	1,861	0,039	2200	13,38	1,065	2,450
40	22,90	1,819	0,076	2400	13,10	1,042	2,620
60	22,40	1,783	0,112	2600	12,84	1,021	2,780
80	22,00	1,751	0,147	2800	12,59	1,002	2,940
100	21,70	1,723	0,180	3000	12,37	0,984	3,090
200	20,30	1,614	0,338	3200	12,16	0,967	3,240
300	19,30	1,536	0,483	3400	11,96	0,951	3,390
400	18,55	1,476	0,618	3600	11,77	0,936	3,530
500	17,93	1,427	0,747	3800	11,59	0,922	3,670
600	17,41	1,385	0,870	4000	11,42	0,909	3,810
700	16,96	1,349	0,989	4500	11,03	0,878	4,140
800	16,56	1,318	1,104	5000	10,68	0,850	4,450
900	16,20	1,289	1,215	5500	10,36	0,825	4,750
1000	15,88	1,263	1,323	6000	10,07	0,802	5,040
1100	15,58	1,240	1,428	6500	9,81	0,780	5,310
1200	15,31	1,218	1,531	7000	9,56	0,761	5,580
1300	15,06	1,198	1,632	7500	9,33	0,742	5,830
1400	14,83	1,180	1,730	8000	9,11	0,725	6,080
1500	14,61	1,162	1,826	8500	8,91	0,709	6,310
1600	14,40	1,146	1,920	9000	8,72	0,694	6,540
1700	14,21	1,131	2,010	9500	8,54	0,679	6,760
1800	14,03	1,116	2,100	10000	8,37	0,666	6,970
1900	13,85	1,102	2,190				

BRECOFLEX® T	5	Admiss	sible tensile	e force of th	ne belt F _{adm}	/ Belt weig	ht		
Belt width		b [mm]	10	16	25	32	50	75	100
E / Steel tension r	nember	F _{adm} [N]	330	570	930	1200	1920	2940	3930
Stainless steel ter	ision member	F _{adm} [N]	250	435	710	910	1460	2235	2990
	Standard	[kg/m]	0,022	0,034	0,052	0,067	0,105	0,163	0,210
Deltaurialist	DL	[kg/m]	0,028	0,045	0,072	0,099	0,141	0,212	0,283
Belt weight	DR	[kg/m]	0,036	0,057	0,090	0,115	0,180	0,271	0,362
	Т	[kg/m]	0,041	0,065	0,101	0,130	0,203	0,304	0,405

BRECOFLEX® T5		Flexibil	ity (mini	mum	numbo	er of t	eeth / m	ninimu	um dia	mete	r)			
			Steel	tensior	n meml	ber	E te	nsion	membe	r	Stainless	steel te	nsion m	nembe
			Stan- dard	DL	DR	т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	т
Z _{min}	Without contra-	Z _{min}	10	15	20*	20	10	12	-	-	18	36	20	20
d _{min}	flexure	d _{min} [mm]	30	30	30	30	18	30	-	-	30	60	30	30
Z _{min}	With contra-	Z _{min}	15	15	20*	20	12	12	-	-	36	36	36	36
d _{min}	flexure	d _{min} [mm]	30	30	60	60	18	30	-	-	60	60	60	60

*Speed limitation

Standard
40°
Т10
Double-sided
T10-DL
Reinforced back of the belt
T10-DR
Version T

16	25	32	50	75	100			
	BFX T10		Availa	ble lengt	hs and			
tandard	lengths			see table				
/linimum	ı purchase ar	mount	up to 700	mm	l sleeve : 100 mm)			
ny numl vailable	ber of teeth from		720 mr	n up to 220	000 mm			
ntermed	iate lengths		from	720 mm	0			
tandard	Plus version		720 mr	n up to 220)00 mm			
)ver 220	00 mm			on request	:			
tondord	material		up to 700	mm -	TPUST3			
tanuaru	material		from 720	720 mm TPUST1 ¹⁾				
teel tensi	ion member ((Standard)		х				
	member			0				
	steel tension	member		0				
AZ				x				
DL/DL-P			from 900		0			
DR / DR-P	AZ		from 900	I	0			
/ T-PAZ				0				
Standa	rd lengths	[mm] / Nu	mber of te	eeth				
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth			
500	50	1080	108	2650	265			
530	53	1150	115	2800	280			
560	56	1210	121	3000	300			
600	60	1240	124	3100				
				5100	310			
610	61	1250	125	3150	310 315			
610 630	61 63	1250 1320	125 132					
				3150	315			
630	63	1320	132	3150 3350	315 335			
630 660	63 66	1320 1350	132 135	3150 3350 3750	315 335 375			
630 660 690	63 66 69	1320 1350 1390	132 135 139	3150 3350 3750 4000	315 335 375 400			
630 660 690 700	63 66 69 70	1320 1350 1390 1400	132 135 139 140	3150 3350 3750 4000 4250	315 335 375 400 425			
630 660 690 700 720	63 66 69 70 72	1320 1350 1390 1400 1420	132 135 139 140 142	3150 3350 3750 4000 4250 4500	315 335 375 400 425 450			
630 660 690 700 720 780	63 66 69 70 72 78	1320 1350 1390 1400 1420 1460	132 135 139 140 142 146	3150 3350 3750 4000 4250 4500 4750	315 335 375 400 425 450 475			
630 660 690 700 720 780 810	63 66 69 70 72 78 81	1320 1350 1390 1400 1420 1460 1500	132 135 139 140 142 146 150	3150 3350 3750 4000 4250 4500 4750 5000	315 335 375 400 425 450 475 500			
630 660 700 720 780 810 840	63 66 69 70 72 78 81 84	1320 1350 1390 1400 1420 1460 1500 1560	132 135 139 140 142 146 150 156	3150 3350 3750 4000 4250 4500 4750 5000 5300	315 335 375 400 425 450 475 500 530			
630 660 700 720 780 810 840 880	63 66 69 70 72 78 81 84 88	1320 1350 1390 1400 1420 1460 1500 1560 1610	132 135 139 140 142 146 150 156 161	3150 3350 3750 4000 4250 4500 4750 5000 5300 5600	315 335 375 400 425 450 475 500 530 560			
630 660 700 720 780 810 840 880 880	63 66 69 70 72 78 81 84 88 88 89	1320 1350 1390 1400 1420 1460 1500 1560 1610 1750	132 132 135 139 140 142 146 150 156 161 175	3150 3350 3750 4000 4250 4500 4750 5000 5300 5600 6000	315 335 375 400 425 450 475 500 530 560 600			
630 660 700 720 780 810 840 880 880 890	63 66 69 70 72 78 81 84 88 88 89 92	1320 1350 1390 1400 1420 1460 1500 1560 1610 1750 1780	132 135 139 140 142 146 150 156 161 175 178	3150 3350 3750 4000 4250 4500 4750 5000 5300 5600 6000 6300	315 335 375 400 425 450 475 500 530 530 560 600 630			
630 660 700 720 780 810 840 880 880 890 920	63 66 69 70 72 78 81 84 88 89 92 96	1320 1350 1390 1400 1420 1460 1500 1560 1610 1750 1780 1880	132 132 135 139 140 142 146 150 156 161 175 178 188	3150 3350 4000 4250 4500 4750 5000 5300 5600 6000 6300 6700	315 335 375 400 425 450 475 500 530 560 600 630 670			
630 660 700 720 780 810 840 880 880 920 920 960	63 66 69 70 72 78 81 84 88 88 89 92 92 96 97	1320 1350 1390 1400 1420 1460 1500 1560 1610 1750 1780 1880 1960	132 132 135 139 140 142 146 150 156 161 175 178 188 196	3150 3350 3750 4000 4250 4500 4750 5000 5300 5600 6000 6300 6300 6700 7100	315 335 375 400 425 450 475 500 530 560 600 630 670 710			

0 50,50 8,040 0,000 2000 25,40 4,040 8,460 20 49,00 7,800 0,163 2200 24,60 3,920 9,030 40 47,70 7,600 0,318 2400 23,90 3,810 9,580 60 46,60 7,420 0,466 2600 23,30 3,710 10,100 80 45,70 7,270 0,609 2800 22,70 3,620 10,600 100 44,80 7,130 0,746 3000 22,20 3,530 11,080 200 41,40 6,600 1,381 3200 21,70 3,450 11,593 300 39,10 6,220 1,953 3400 21,20 3,360 11,994 400 37,20 5,920 2,480 3600 20,70 3,300 12,420 500 35,70 5,680 2,980 3800 20,30 3,230 12,840 600 3	RECOFLEX®	T10	Tooth sh	near strength (s	pecific belt too	th load bearing)	
n [min ¹] [N/cm] [N/cm] [N/cm] [N/cm] [N/cm] [N/cm] [N/cm] 0 50,50 8,040 0,000 2000 25,40 4,040 8,460 20 49,00 7,800 0,163 2200 24,60 3,920 9,030 40 47,70 7,600 0,318 2400 23,90 3,810 9,580 60 46,60 7,420 0,466 2600 23,30 3,710 10,100 80 45,70 7,270 0,609 2800 22,70 3,620 10,600 100 44,80 7,130 0,746 3000 22,20 3,530 11,083 200 41,40 6,600 1,381 3200 21,70 3,450 11,550 300 39,10 6,220 1,953 3400 20,30 3,230 12,844 600 34,40 5,480 3,440 4000 19,86 3,160 13,244 600	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
20 41 1	n [min ⁻¹]			1	n [min ⁻¹]		[Ncm/cm]	[W/cm
40 47,70 7,600 0,318 2400 23,90 3,810 9,580 60 46,60 7,420 0,466 2600 23,30 3,710 10,100 80 45,70 7,270 0,609 2800 22,70 3,620 10,600 100 44,80 7,130 0,746 3000 22,20 3,530 11,080 200 41,40 6,600 1,381 3200 21,70 3,450 11,550 300 39,10 6,220 1,953 3400 21,20 3,360 11,994 400 37,20 5,920 2,480 3600 20,70 3,300 12,424 500 35,70 5,680 2,980 3800 20,30 3,230 12,844 600 34,40 5,480 3,440 4000 19,86 3,160 13,244 700 33,30 5,310 3,890 4500 18,91 3,010 14,188 800	0	50,50	8,040	0,000	2000	25,40	4,040	8,460
60 46,60 7,420 0,466 2600 23,30 3,710 10,100 80 45,70 7,270 0,609 2800 22,70 3,620 10,600 100 44,80 7,130 0,746 3000 22,20 3,530 11,080 200 41,40 6,600 1,381 3200 21,70 3,450 11,55 300 39,10 6,220 1,953 3400 21,20 3,360 11,99 400 37,20 5,920 2,480 3600 20,70 3,300 12,420 500 35,70 5,680 2,980 3800 20,30 3,230 12,844 600 34,40 5,480 3,440 4000 19,86 3,160 13,244 700 33,30 5,310 3,890 4500 18,91 3,010 14,18 800 32,40 5,150 4,320 5000 16,58 2,640 16,586 900 <	20	49,00	7,800	0,163	2200	24,60	3,920	9,030
80 45,70 7,270 0,609 2800 22,70 3,620 10,600 100 44,80 7,130 0,746 3000 22,20 3,530 11,080 200 41,40 6,600 1,381 3200 21,70 3,450 11,550 300 39,10 6,220 1,953 3400 21,20 3,360 11,990 400 37,20 5,920 2,480 3600 20,70 3,300 12,420 500 35,70 5,680 2,980 3800 20,30 3,230 12,840 600 34,40 5,480 3,440 4000 19,86 3,160 13,240 700 33,30 5,310 3,890 4500 18,91 3,010 14,188 800 32,40 5,150 4,320 5000 18,06 2,870 15,055 900 31,50 5,010 4,730 5500 17,28 2,750 15,844 1000	40	47,70	7,600	0,318	2400	23,90	3,810	9,580
100 44,80 7,130 0,746 3000 22,20 3,530 11,080 200 41,40 6,600 1,381 3200 21,70 3,450 11,550 300 39,10 6,220 1,953 3400 21,20 3,360 11,990 400 37,20 5,920 2,480 3600 20,70 3,300 12,420 500 35,70 5,680 2,980 3800 20,30 3,230 12,840 600 34,40 5,480 3,440 4000 19,86 3,160 13,240 700 33,30 5,310 3,890 4500 18,91 3,010 14,188 800 32,40 5,150 4,320 5000 18,06 2,870 15,055 900 31,50 5,010 4,730 5500 17,28 2,750 15,844 1000 30,00 4,770 5,500 6500 15,93 2,540 17,260 1100	60	46,60	7,420	0,466	2600	23,30	3,710	10,100
200 41,40 6,600 1,381 3200 21,70 3,450 11,55 300 39,10 6,220 1,953 3400 21,20 3,360 11,99 400 37,20 5,920 2,480 3600 20,70 3,300 12,420 500 35,70 5,680 2,980 3800 20,30 3,230 12,840 600 34,40 5,480 3,440 4000 19,86 3,160 13,240 700 33,30 5,310 3,890 4500 18,91 3,010 14,188 800 32,40 5,150 4,320 5000 18,06 2,870 15,050 900 31,50 5,010 4,730 5500 17,28 2,750 15,844 1000 30,70 4,890 5,120 6000 16,58 2,640 16,584 1100 30,00 4,770 5,500 6500 15,93 2,540 17,260 1200	80	45,70	7,270	0,609	2800	22,70	3,620	10,600
300 39,10 6,220 1,953 3400 21,20 3,360 11,990 400 37,20 5,920 2,480 3600 20,70 3,300 12,420 500 35,70 5,680 2,980 3800 20,30 3,230 12,440 600 34,40 5,480 3,440 4000 19,86 3,160 13,240 700 33,30 5,310 3,890 4500 18,91 3,010 14,180 800 32,40 5,150 4,320 5000 18,06 2,870 15,050 900 31,50 5,010 4,730 5500 17,28 2,750 15,840 1000 30,70 4,890 5,120 6000 16,58 2,640 16,586 1100 30,00 4,770 5,500 6500 15,93 2,540 17,260 1200 29,30 4,670 5,870 7000 15,33 2,440 17,860 1300	100	44,80	7,130	0,746	3000	22,20	3,530	11,080
400 37,20 5,920 2,480 3600 20,70 3,300 12,420 500 35,70 5,680 2,980 3800 20,30 3,230 12,420 600 34,40 5,480 3,440 4000 19,86 3,160 13,240 700 33,30 5,310 3,890 4500 18,91 3,010 14,180 800 32,40 5,150 4,320 5000 18,06 2,870 15,050 900 31,50 5,010 4,730 5500 17,28 2,750 15,840 1000 30,70 4,890 5,120 6000 16,58 2,640 16,586 1100 30,00 4,770 5,500 6500 15,93 2,540 17,260 1200 29,30 4,670 5,870 7000 15,33 2,440 17,860 1300 28,70 4,570 6,220 7500 14,76 2,350 18,460 1400	200	41,40	6,600	1,381	3200	21,70	3,450	11,550
100 100 <td>300</td> <td>39,10</td> <td>6,220</td> <td>1,953</td> <td>3400</td> <td>21,20</td> <td>3,360</td> <td>11,990</td>	300	39,10	6,220	1,953	3400	21,20	3,360	11,990
600 34,40 5,480 3,440 4000 19,86 3,160 13,240 700 33,30 5,310 3,890 4500 18,91 3,010 14,180 800 32,40 5,150 4,320 5000 18,06 2,870 15,050 900 31,50 5,010 4,730 5500 17,28 2,750 15,840 1000 30,70 4,890 5,120 6000 16,58 2,640 16,580 1100 30,00 4,770 5,500 6500 15,93 2,540 17,260 1200 29,30 4,670 5,870 7000 15,33 2,440 17,880 1300 28,70 4,570 6,220 7500 14,76 2,350 18,460 1400 28,20 4,480 6,570 8000 14,24 2,270 18,990 1500 27,60 4,400 6,910 8500 13,74 2,180 19,470 1600 <td>400</td> <td>37,20</td> <td>5,920</td> <td>2,480</td> <td>3600</td> <td>20,70</td> <td>3,300</td> <td>12,420</td>	400	37,20	5,920	2,480	3600	20,70	3,300	12,420
700 33,30 5,310 3,890 4500 18,91 3,010 14,180 800 32,40 5,150 4,320 5000 18,06 2,870 15,050 900 31,50 5,010 4,730 5500 17,28 2,750 15,840 1000 30,70 4,890 5,120 6000 16,58 2,640 16,580 1100 30,00 4,770 5,500 6500 15,93 2,540 17,260 1200 29,30 4,670 5,870 7000 15,33 2,440 17,860 1300 28,70 4,570 6,220 7500 14,76 2,350 18,460 1400 28,20 4,480 6,570 8000 14,24 2,270 18,990 1500 27,60 4,400 6,910 8500 13,74 2,180 19,470 1600 27,10 4,320 7,230 9000 13,28 2,110 19,920 1700 </td <td>500</td> <td>35,70</td> <td>5,680</td> <td>2,980</td> <td>3800</td> <td>20,30</td> <td>3,230</td> <td>12,840</td>	500	35,70	5,680	2,980	3800	20,30	3,230	12,840
800 32,40 5,150 4,320 5000 18,06 2,870 15,050 900 31,50 5,010 4,730 5500 17,28 2,750 15,840 1000 30,70 4,890 5,120 6000 16,58 2,640 16,580 1100 30,00 4,770 5,500 6500 15,93 2,540 17,260 1200 29,30 4,670 5,870 7000 15,33 2,440 17,860 1300 28,70 4,570 6,220 7500 14,76 2,350 18,460 1400 28,20 4,480 6,570 8000 14,24 2,270 18,990 1500 27,60 4,400 6,910 8500 13,74 2,180 19,470 1600 27,10 4,320 7,230 9000 13,28 2,110 19,920 1700 26,70 4,240 7,550 9500 12,84 2,040 20,300 1800<	600	34,40	5,480	3,440	4000	19,86	3,160	13,240
900 31,50 5,010 4,730 5500 17,28 2,750 15,840 1000 30,70 4,890 5,120 6000 16,58 2,640 16,58 1100 30,00 4,770 5,500 6500 15,93 2,540 17,260 1200 29,30 4,670 5,870 7000 15,33 2,440 17,860 1300 28,70 4,570 6,220 7500 14,76 2,350 18,460 1400 28,20 4,480 6,570 8000 14,24 2,270 18,990 1500 27,60 4,400 6,910 8500 13,74 2,180 19,470 1600 27,10 4,320 7,230 9000 13,28 2,110 19,920 1700 26,70 4,240 7,550 9500 12,84 2,040 20,300 1800 26,20 4,170 7,860 10000 12,42 1,976 20,700	700	33,30	5,310	3,890	4500	18,91	3,010	14,180
1000 30,70 4,890 5,120 6000 16,58 2,640 16,58 1100 30,00 4,770 5,500 6500 15,93 2,540 17,260 1200 29,30 4,670 5,870 7000 15,33 2,440 17,860 1300 28,70 4,570 6,220 7500 14,76 2,350 18,460 1400 28,20 4,480 6,570 8000 14,24 2,270 18,990 1500 27,60 4,400 6,910 8500 13,74 2,180 19,470 1600 27,10 4,320 7,230 9000 13,28 2,110 19,920 1700 26,70 4,240 7,550 9500 12,84 2,040 20,300 1800 26,20 4,170 7,860 10000 12,42 1,976 20,700	800	32,40	5,150	4,320	5000	18,06	2,870	15,050
1100 30,00 4,770 5,500 6500 15,93 2,540 17,260 1200 29,30 4,670 5,870 7000 15,33 2,440 17,880 1300 28,70 4,570 6,220 7500 14,76 2,350 18,460 1400 28,20 4,480 6,570 8000 14,24 2,270 18,990 1500 27,60 4,400 6,910 8500 13,74 2,180 19,470 1600 27,10 4,320 7,230 9000 13,28 2,110 19,920 1700 26,70 4,240 7,550 9500 12,84 2,040 20,300 1800 26,20 4,170 7,860 10000 12,42 1,976 20,700	900	31,50	5,010	4,730	5500	17,28	2,750	15,840
1200 29,30 4,670 5,870 7000 15,33 2,440 17,880 1300 28,70 4,570 6,220 7500 14,76 2,350 18,460 1400 28,20 4,480 6,570 8000 14,24 2,270 18,990 1500 27,60 4,400 6,910 8500 13,74 2,180 19,470 1600 27,10 4,320 7,230 9000 13,28 2,110 19,920 1700 26,70 4,240 7,550 9500 12,84 2,040 20,300 1800 26,20 4,170 7,860 10000 12,42 1,976 20,700	1000	30,70	4,890	5,120	6000	16,58	2,640	16,580
1300 28,70 4,570 6,220 7500 14,76 2,350 18,460 1400 28,20 4,480 6,570 8000 14,24 2,270 18,990 1500 27,60 4,400 6,910 8500 13,74 2,180 19,470 1600 27,10 4,320 7,230 9000 13,28 2,110 19,920 1700 26,70 4,240 7,550 9500 12,84 2,040 20,300 1800 26,20 4,170 7,860 10000 12,42 1,976 20,700	1100	30,00	4,770	5,500	6500	15,93	2,540	17,260
1400 28,20 4,480 6,570 8000 14,24 2,270 18,990 1500 27,60 4,400 6,910 8500 13,74 2,180 19,470 1600 27,10 4,320 7,230 9000 13,28 2,110 19,920 1700 26,70 4,240 7,550 9500 12,84 2,040 20,300 1800 26,20 4,170 7,860 10000 12,42 1,976 20,700	1200	29,30	4,670	5,870	7000	15,33	2,440	17,880
1500 27,60 4,400 6,910 8500 13,74 2,180 19,470 1600 27,10 4,320 7,230 9000 13,28 2,110 19,920 1700 26,70 4,240 7,550 9500 12,84 2,040 20,300 1800 26,20 4,170 7,860 10000 12,42 1,976 20,700	1300	28,70	4,570	6,220	7500	14,76	2,350	18,460
1600 27,10 4,320 7,230 9000 13,28 2,110 19,920 1700 26,70 4,240 7,550 9500 12,84 2,040 20,300 1800 26,20 4,170 7,860 10000 12,42 1,976 20,700	1400	28,20	4,480	6,570	8000	14,24	2,270	18,990
1700 26,70 4,240 7,550 9500 12,84 2,040 20,300 1800 26,20 4,170 7,860 10000 12,42 1,976 20,700	1500	27,60	4,400	6,910	8500	13,74	2,180	19,470
1800 26,20 4,170 7,860 10000 12,42 1,976 20,700	1600	27,10	4,320	7,230	9000	13,28	2,110	19,920
	1700	26,70	4,240	7,550	9500	12,84	2,040	20,300
1900 25,80 4,100 8,160	1800	26,20	4,170	7,860	10000	12,42	1,976	20,700
	1900	25,80	4,100	8,160			1	

BRECOFLEX® T10 Admissible tensile force of the belt F _{adm} / Belt weight								
Belt width		b [mm]	16	25	32	50	75	100
E / Steel tension member		F _{adm} [N]	1000	1800	2300	3800	5800	7800
Stainless steel tension member		F _{adm} [N]	800	1440	1840	3040	4640	6240
	Standard	[kg/m]	0,068	0,14	0,145	0,227	0,341	0,454
Dala statu	DL	[kg/m]	0,090	0,143	0,183	0,228	0,432	0,577
Belt weight	DR	[kg/m]	0,119	0,185	0,237	0,372	0,558	0,795
	Т	[kg/m]	0,107	0,170	0,217	0,342	0,513	0,685

BRECOFLEX® T10	Flexibility (minimum number of teeth / minimum diameter)													
			Steel	tensior	n mem	ber	E te	ension	membe	er	Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т
Z _{min}	Without	Z _{min}	12	20	20	20*	10	15	20	20	25	40	25	25
d _{min}	contra- flexure	d _{min} [mm]	60	60	60	60	50	50	60	60	80	130	80	80
Z _{min}	With	Z _{min}	20	20	20	20	15	15	20	20	40	40	40	40
d _{min}	contra- flexure	d _{min} [mm]	60	60	80	80	50	50	80	80	130	130	130	130

*Speed limitation

x available, standard lengths (see table) without minimum purchase
 o minimum purchase amount on request
 - not available

Т10-Т

60

- 1) further materials on request

	40° m	
	Т20	
_		
	Double-sided	
	40° 51	

Standard

21	
	T20-DL



Version T
Т20-Т

Belt width (in-betwe	ns b [mm] en belt widt	hs on reque	st)	
32	50	75	100	150

BFX	(Т20	Available lengths and versions				
Standard lengt	hs	see table o	n the rigl	ht		
Any number of available from	fteeth	1100 mm up 1	to 22000	mm		
Width b=150 m	וm	1500 mm up 1	to 15000	mm		
Intermediate le	engths	from 1100 r	nm	0		
StandardPlus v	ersion	1500 mm up 1	to 22000	mm		
Over 22000 mn	n	on request				
Standard mate	rial	TPUST1 ¹⁾				
Steel tension m (Standard)	nember	x				
E tension mem	ber	0				
Stainless steel t member	tension	0				
PAZ		x	c			
DL / DL-PAZ	b _{max} =100 mm	from 1100 mm o				
DR / DR-PAZ	b _{max} =100 mm	from 1100 mm	0			
T / T-PAZ	b _{max} =100 mm	c)			

Standard lengths [mm] / Number of teeth											
Length	Number of teeth	Length	Number of teeth	Length	Number of teeth						
1500	75	2800	140	5300	265						
1600	80	3000	150	5600	280						
1700	85	3160	158	6000	300						
1800	90	3360	168	6300	315						
1900	95	3560	178	6700	335						
2000	100	3760	188	7100	355						
2120	106	4000	200	7500	375						
2240	12	4260	213	8000	400						
2360	118	4500	225	8500	425						
2500	125	4760	238	9000	450						
2660	133	5000	250								

62

BRECOFLEX® T20 Tooth shear strength (spe $\mathsf{F}_{_{\mathsf{U}\mathsf{spec}}}$ $\mathsf{M}_{\mathsf{spec}}$ $\mathsf{P}_{\mathsf{spec}}$ n [min⁻¹] [N/cm] [Ncm/cm] [W/cm] 101,50 32,30 0,000 98,10 31,20 0,654 95,30 30,30 1,271 92,80 29,50 1,856 90,70 28,90 2,420 88,70 28,20 2,960 81,20 25,90 5,420 75,90 24,20 7,590 71,80 22,90 9,570 68,40 21,80 11,410 65,60 20,90 13,110 63,10 20,10 14,730 60,90 19,40 16,250 59,00 18,78 17,700 57,20 18,22 19,080 55,60 17,71 20,400 17,24 54,20 21,700 52,80 16,80 22,900 51,50 16,40 24,000

50,30

16,02

BRECOFLEX® T20 Admissible tensile force of the belt F _{adm} / Belt weight								
Belt width		b [mm]	32	50	75	100	150	
E / Steel tension member		F _{adm} [N]	4750	7750	12000	16000	24500	
Stainless steel tension member		F _{adm} [N]	3420	5580	8640	11520	17640	
	Standard	[kg/m]	0,236	0,368	0,552	0,736	1,095	
Deltansisht	DL	[kg/m]	0,319	0,499	0,753	1,004	-	
Belt weight	DR	[kg/m]	0,430	0,675	1,016	1,354	-	
	Т	[kg/m]	0,315	0,495	0,746	0,994	-	

25,200

BRECOFLEX [®] T20	Flexibility (minimum number of teeth / minimum diameter)													
			Steel	tensior	n meml	ber	E te	ension	membe	er	Stainless	steel te	nsion m	emb
			Stan- dard	DL	DR	Т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	т
z _{min}	Without contra-	Z _{min}	15	25	25	25	12	25	25	25	20	30	25	25
d _{min}	flexure	d _{min} [mm]	120	120	150	120	100	120	150	120	130	180	150	13
z _{min} d _{min}	With contra-	Z _{min}	25	25	25	25	22	25	25	25	30	30	30	30
	flexure	d _{min} [mm]	120	120	180	120	120	120	180	120	180	180	180	18

 x available, standard lengths (see table) without minimum purchase
 o minimum purchase amount on request

- not available
- 1) further materials on request

ecific belt tooth load bearing)										
R.p.m.	F _{Uspec}	M_{spec}	P _{spec}							
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]							
1600	49,20	15,66	26,200							
1700	48,20	15,33	27,300							
1800	47,20	15,01	28,300							
1900	46,20	14,71	29,300							
2000	45,30	14,42	30,200							
2200	43,60	13,89	32,000							
2400	42,10	13,40	33,700							
2600	40,70	12,95	35,200							
2800	39,40	12,53	36,700							
3000	38,10	12,13	38,100							
3200	37,00	11,77	39,400							
3400	35,90	11,42	40,700							
3600	34,90	11,09	41,800							
3800	33,90	10,78	42,900							
4000	33,00	10,49	43,900							
4500	30,80	9,81	46,200							
5000	28,90	9,21	48,200							
5500	27,20	8,66	49,900							
6000	25,60	8,16	51,200							
6500	24,20	7,69	52,400							





Belt widths b [mm] (in-between belt widths on request)											
6,35	7,94	9,53	12,7	12,7 19,1							
Imperial code											
025	031	037	050	075	100						

1/5" = 5,08 mm

BFX XL	Available lengths and versions
Standard lengths	see table on the right
Minimum purchase amount	1 sleeve (b= 101,6 mm)
Further lengths	on request
Standard material	TPUST3
Steel tension member (Standard)	x
E tension member	-
Stainless steel tension member	-
PAZ	Х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

Length	code / Sta	ndard leng	gths [mm]	/ Number	of teeth
Length code	Length [mm]	Number of teeth	Length code	Length [mm]	Number of teeth
60	152,40	30	170	431,80	85
70	177,80	35	180	457,20	90
80	203,20	40	190	482,60	95
90	228,60	45	200	508,00	100
100	254,00	50	210	533,40	105
110	279,40	55	220	558,80	110
120	304,80	60	230	584,20	115
130	330,20	65	240	609,60	120
140	355,60	70	250	635,00	125
150	381,00	75	260	660,40	130
160	406,40	80			

64

RECOFLEX®	XL	Tooth sh	near strength (s	pecific belt too	th load bearing	1)	
R.p.m. n [min ⁻¹]	F _{Uspec} [N/cm]	M _{spec} [Ncm/cm]	P _{spec} [W/cm]	R.p.m. n [min ^{.1}]	F _{Uspec} [N/cm]	M _{spec} [Ncm/cm]	P _{spec} [W/cm
0	24,40	1,973	0,000	2000	13,91	1,125	2,360
20	23,80	1,922	0,040	2200	13,60	1,100	2,530
40	23,20	1,879	0,079	2400	13,31	1,076	2,710
60	22,80	1,842	0,116	2600	13,05	1,055	2,870
80	22,40	1,809	0,152	2800	12,80	1,035	3,060
100	22,00	1,780	0,186	3000	12,57	1,017	3,190
200	20,60	1,667	0,349	3200	12,36	0,999	3,350
300	19,63	1,587	0,498	3400	12,16	0,983	3,500
400	18,86	1,525	0,639	3600	11,96	0,967	3,650
500	18,23	1,474	0,772	3800	11,78	0,953	3,790
600	17,70	1,431	0,899	4000	11,61	0,939	3,930
700	17,24	1,394	1,022	4500	11,21	0,907	4,270
800	16,83	1,361	1,140	5000	10,86	0,878	4,600
900	16,47	1,332	1,255	5500	10,54	0,852	4,910
1000	16,14	1,305	1,367	6000	10,24	0,828	5,200
1100	15,84	1,281	1,475	6500	9,97	0,806	5,490
1200	15,57	1,259	1,582	7000	9,72	0,786	5,760
1300	15,31	1,238	1,685	7500	9,49	0,767	6,020
1400	15,07	1,219	1,787	8000	9,27	0,749	6,280
1500	14,85	1,201	1,886	8500	9,06	0,732	6,520
1600	14,64	1,184	1,984	9000	8,86	0,717	6,760
1700	14,45	1,168	2,080	9500	8,68	0,702	6,980
1800	14,26	1,153	2,170	10000	8,51	0,688	7,200
1900	14,08	1,139	2,270			1	

BRECOFLEX® X	L	Admis	Admissible tensile force of the belt F_{adm} / Belt weight										
Belt width		b [mm]	6,35	7,94	9,53	12,7	19,1	25,4					
E / Steel tension member		F _{adm} [N]	180	240	300	420	690	930					
Stainless steel tension member		F _{adm} [N]	-	-	-	-	-	-					
	Standard [kg/m]		0,016	0,020	0,024	0,030	0,038	0,061					
Dolt waight	DL	[kg/m]	-	-	-	-	-	-					
Belt weight	DR	[kg/m]	-	-	-	-	-	-					
	Т	[kg/m]	-	-	-	-	-	-					

BRECOFLEX [®] XL		Flexibil	ity (mini	mum	numb	er of t	teeth / n	ninim	um dia	mete	r)			
			Steel	tensior	n meml	ber	E te	ension	membe	er	Stainless	steel te	nsion m	nembe
			Stan- dard	DL	DR	т	Stan- dard	DL	DR	т	Stan- dard	DL	DR	т
Z _{min}	Without contra-	z _{min}	10	-	-	-	-	-	-	-	-	-	-	-
	flexure	d _{min} [mm]	30	-	-	-	-	-	-	-	-	-	-	-
Z _{min}	With contra-	Z _{min}	15	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	30	-	-	-	-	-	-	-	-	-	-	-

65

x available, standard lengths (see table) without minimum purchase

minimum purchase amount on requestnot available

BRECOFLEX[®] L



	dths b [mn veen belt v		request)									
9,53	12,7 19,1 25,4 50,8 1											
Imperial code												
037	050	075	100	200	400							

3/8″ = 9,525 mm

BFX L	Available le vers		ind			
Standard lengths	723,9 mm up to 14992,35 mm from 723,9 mm o 723,9 mm up to 14992,35 mm on request					
Minimum purchase amount	up to 685,8 mm					
Any number of teeth available from	723,9 mm up to	o 14992,3	5 mm			
Intermediate lengths	from 723,9	mm	0			
StandardPlus version	723,9 mm up to 14992,35 mn					
Over 14992,35 mm	on re	equest				
Standard material	up to 685,8 mm	TPUS	ST3			
Standard material	from 723,9 mm	n the right 1 sleeve (b= 101,6 mm 14992,35 mm nm o 14992,35 mm quest TPUST3 TPUST1 ¹⁾	T1 ¹⁾			
Steel tension member (Standard)	2	K				
E tension member	-	-				
Stainless steel tension member		-				
PAZ	>	(
DL / DL-PAZ	-	-				
DR / DR-PAZ		-				
T / T-PAZ		-				

x available, standard lengths (see table) without minimum purchase

o minimum purchase amount on request
- not available
1) further materials on request

Length	code / Sta	ndard leng	gths [mm]	/ Number	of teeth
Length code	Length [mm]	Number of teeth	Length code	Length [mm]	Number of teeth
124	314,33	33	367	933,45	98
150	381,00	40	390	990,60	104
187	476,25	50	420	1066,80	112
202	514,35	54	450	1143,00	120
210	533,40	56	480	1219,20	128
225	571,50	60	540	1371,60	144
240	609,60	64	570	1447,80	152
255	647,70	68	600	1524,00	160
270	685,80	72	630	1600,20	168
285	723,90	76	660	1676,40	176
300	762,00	80	705	1790,70	188
322	819,15	86	750	1905,00	200
345	876,30	92			

66

RECOFLEX®	L	Tooth sh	near strength (s	pecific belt too	th load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	37,40	5,670	0,000	2000	18,78	2,850	5,960
20	36,30	5,500	0,115	2200	18,22	2,760	6,370
40	35,30	5,350	0,224	2400	17,71	2,690	6,750
60	34,50	5,230	0,329	2600	17,25	2,610	7,120
80	33,80	5,120	0,429	2800	16,81	2,550	7,470
100	33,10	5,020	0,526	3000	16,40	2,490	7,810
200	30,70	4,650	0,974	3200	16,02	2,430	8,140
300	28,90	4,380	1,377	3400	15,66	2,370	8,450
400	27,50	4,180	1,749	3600	15,32	2,320	8,760
500	26,40	4,010	2,100	3800	15,00	2,270	9,050
600	25,50	3,860	2,430	4000	14,69	2,230	9,330
700	24,70	3,740	2,740	4500	13,99	2,120	9,990
800	24,00	3,630	3,040	5000	13,36	2,030	10,610
900	23,30	3,530	3,330	5500	12,79	1,939	11,170
1000	22,70	3,450	3,610	6000	12,27	1,860	11,690
1100	22,20	3,370	3,880	6500	11,79	1,787	12,160
1200	21,70	3,290	4,140	7000	11,34	1,719	12,600
1300	21,30	3,220	4,390	7500	10,93	1,656	13,010
1400	20,80	3,160	4,630	8000	10,54	1,597	13,380
1500	20,40	3,100	4,870	8500	10,17	1,542	13,720
1600	20,10	3,040	5,100	9000	9,83	1,490	14,040
1700	19,72	2,990	5,320	9500	9,50	1,440	14,330
1800	19,39	2,940	5,540	10000	9,19	1,393	14,590
1900	19,08	2,890	5,750				1

BRECOFLEX [®] L		Admis	Admissible tensile force of the belt F_{adm} / Belt weight										
Belt width		b [mm]	9,53	12,7	19,1	25,4	50,8	101,6					
E / Steel tension member		F _{adm} [N]	630	910	1470	2030	4270	8750					
Stainless steel tension member		F _{adm} [N]	-	-	-	-	-	-					
	Standard		0,038	0,044	0,066	0,088	0,178	0,356					
Dale state	DL	[kg/m]	-	-	-	-	-	-					
Belt weight	DR	[kg/m]	-	-	-	-	-	-					
	Т	[kg/m]	-	-	-	-	-	-					

BRECOFLEX [®] L		Flexibili	ity (mini	mum	numbe	er of 1	teeth / n	ninimu	um dia	mete	r)			
			Steel	tensior	n meml	ber	E te	nsion	membe	r	Stainless	steel te	nsion m	nember
			Stan- dard	DL	DR	т	Stan- dard	DL	DR	т	Stan- dard	DL	DR	т
Zmin	Without contra-	Z _{min}	15	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	60	-	-	-	-	-	-	-	-	-	-	-
Z _{min}	With	Z _{min}	20	-	-	-	-	-	-	-	-	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	60	-	-	-	-	-	-	-	-	-	-	-



Belt widths b [mm] (in-between belt widths on request)												
12,7	12,7 19,1 25,4 38,1 50,8 76,2 101,6											
Imperia	Imperial code											
050	075	100	150	200	300	400						
1/2″ = 12.7 mm												

Double-sided	
40° 12,7	
H-DL	





x available, standard lengths (see table) without minimum purchase
o minimum purchase amount on request
- not available
1) further materials on request

Available lengths and versions				
right				
723,9 mm up to 16002 mm				
0				
02 mm				
on request				
UST1 ¹⁾				
x				
0				
0 0				
)				

Length code / Standard lengths [mm] / Number of teeth											
Length code	Length [mm]	Number of teeth	Length code	Length [mm]	Number of teeth						
420	1066,80	84	850	2159,00	170						
450	1143,00	90	900	2286,00	180						
480	1219,20	96	1000	2540,00	200						
510	1295,40	102	1100	2794,00	220						
540	1371,60	108	1250	3175,00	250						
570	1447,80	114	1400	3556,00	280						
600	1524,00	120	1700	4318,00	340						
630	1600,20	126	2000	5080,00	400						
660	1676,40	132	2300	5842,00	460						
700	1778,00	140	2600	6604,00	520						
750	1905,00	150	3000	7620,00	600						
800	2032,00	160									

BRECOFLEX®	H	Tooth sh	near strength (s	pecific belt too	oth load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	44,00	8,90	0,000	2000	22,10	4,47	9,370
20	42,70	8,64	0,181	2200	21,50	4,34	10,000
40	41,60	8,41	0,352	2400	20,90	4,22	10,600
60	40,70	8,22	0,516	2600	20,30	4,11	11,180
80	39,80	8,05	0,674	2800	19,81	4,00	11,740
100	39,10	7,89	0,827	3000	19,33	3,91	12,270
200	36,10	7,30	1,530	3200	18,88	3,82	12,790
300	34,10	6,89	2,160	3400	18,45	3,73	13,280
400	32,50	6,56	2,750	3600	18,05	3,65	13,760
500	31,10	6,30	3,300	3800	17,68	3,57	14,220
600	30,00	6,07	3,810	4000	17,32	3,50	14,660
700	29,10	5,88	4,310	4500	16,49	3,33	15,700
800	28,20	5,71	4,780	5000	15,74	3,18	16,660
900	27,50	5,55	5,230	5500	15,07	3,05	17,550
1000	26,80	5,41	5,670	6000	14,46	2,92	18,360
1100	26,20	5,29	6,090	6500	13,89	2,81	19,110
1200	25,60	5,17	6,500	7000	13,36	2,70	19,800
1300	25,10	5,06	6,890	7500	12,87	2,60	20,400
1400	24,60	4,96	7,280	8000	12,42	2,51	21,000
1500	24,10	4,87	7,650	8500	11,99	2,42	21,600
1600	23,70	4,78	8,010	9000	11,58	2,34	22,100
1700	23,20	4,70	8,360	9500	11,19	2,26	22,500
1800	22,90	4,62	8,710	10000	10,83	2,19	22,900
1900	22,50	4,54	9,040				
		1					

BRECOFLEX® H	sible tensile	e force of th	ne belt F _{adm}	/ Belt weig	ht				
Belt width		b [mm]	12,7	19,1	25,4	38,1	50,8	76,2	101,6
E / Steel tension member		F _{adm} [N]	800	1300	1800	2800	3800	5800	7900
Stainless steel tension member		F _{adm} [N]	-	-	-	-	-	-	-
	Standard	[kg/m]	0,053	0,079	0,108	0,161	0,216	0,324	0,432
Daltanaiaht	DL	[kg/m]	0,064	0,097	0,130	0,196	0,262	0,394	0,527
Belt weight	DR	[kg/m]	0,085	0,128	0,171	0,258	0,345	0,518	0,692
	Т	[kg/m]	0,082	0,124	0,165	0,249	0,333	0,499	0,668

BRECOFLEX [®] H	Flexibility (minimum number of teeth / minimum diameter)													
			Steel	tensior	n mem	ber	E te	ension	membe	er	Stainless	steel te	nsion m	nembe
			Stan- dard	DL	DR	т	Stan- dard	DL	DR	т	Stan- dard	DL	DR	т
Luin > comments	Without contra-	Z _{min}	14	20	20	20	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	60	60	80	80	-	-	-	-	-	-	-	-
Z _{min}	With contra-	Z _{min}	20	20	20	20	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	80	80	80	80	-	-	-	-	-	-	-	-



BRECOFLEX®	ХН	Tooth sh	ear strength (s	pecific belt too	th load bearing)	
R.p.m.	F _{Uspec}	M _{spec}	P _{spec}	R.p.m.	F _{Uspec}	M _{spec}	P _{spec}
n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]	n [min ⁻¹]	[N/cm]	[Ncm/cm]	[W/cm]
0	91,35	29,070	0,000	1400	46,35	14,760	21,600
20	88,29	28,080	0,589	1500	45,27	14,418	22,680
40	85,77	27,270	1,144	1600	44,28	14,094	23,580
60	83,52	26,550	1,670	1700	43,38	13,797	24,570
80	81,63	26,010	2,178	1800	42,48	13,509	25,470
100	79,83	25,380	2,664	1900	41,58	13,239	26,370
200	73,08	23,310	4,878	2000	40,77	12,978	27,180
300	68,31	21,780	6,831	2200	39,24	12,501	28,800
400	64,62	20,610	8,613	2400	37,89	12,060	30,330
500	61,56	19,620	10,269	2600	36,63	11,665	31,680
600	59,04	18,810	11,799	2800	35,46	11,277	33,030
700	56,79	18,090	13,257	3000	34,29	10,917	34,290
800	54,81	17,460	14,625	3200	33,30	10,593	35,460
900	53,10	16,902	15,930	3400	32,31	10,278	36,630
1000	51,48	16,398	17,172	3600	31,41	9,981	37,620
1100	50,04	15,939	18,360	3800	30,51	9,702	38,610
1200	48,78	15,516	19,530	4000	29,70	9,441	39,510
1300	47,52	15,120	20,610	4500	27,72	8,829	41,580

BRECOFLEX® >	(Н	Admis	ible tensile force of the belt F _{adm} / Belt weight					
Belt width b [mm]		b [mm]	50,8	50,8 76,2				
E / Steel tension member		F _{adm} [N]	7750	12000	16250			
Stainless steel ter	Stainless steel tension member		-	-	-			
	Standard	[kg/m]	0,530	0,795	1,059			
Doltwoight	DL	[kg/m]	-	-	-			
Belt weight	DR	[kg/m]	-	-	-			
	Т	[kg/m]	-	-	-			





Belt widths b [mm] (in-between belt widths on request)										
50,8 76,2 101,6										
Imperial code										
200 300 400										
7/8" = 22,225 mm										

BFX XH	Available lengths and versions					
Standard lengths	see table on the right					
Any number of teeth available from	1422,4 mm up to 16002 mm					
Intermediate lengths	from 1422,4 mm o					
StandardPlus version	1422,4 mm up to 16002 mm					
Over 16002 mm	on request					
Standard material	TPUST1 ¹⁾					
Steel tension member (Standard)	x					
E tension member	-					
Stainless steel tension member	-					
PAZ	Х					
DL / DL-PAZ	-					
DR / DR-PAZ	-					
T / T-PAZ	-					

x available, standard lengths (see table) without minimum purchase

o minimum purchase amount on request

- not available
- 1) further materials on request

Length	Length code / Standard lengths [mm] / Number of teeth											
Length code	Length [mm]	Number of teeth	Length code	Length [mm]	Number of teeth							
560	1422,40	64	1400	3556,00	160							
630	1600,20	72	1540	3911,60	176							
700	1778,00	80	1750	4445,00	200							
770	1955,80	88	1960	4978,40	224							
840	2133,60	96	2275	5778,50	260							
980	2489,20	112	2450	6223,00	280							
1120	2844,80	128	3500	8890,00	400							
1260	3200,40	144										

1 11 41 7 1/11 1 74

nber of teeth / minimum diameter)												
mber		E tension member				Stainless steel tension member						
R	Т	Stan- dard	DL	DR	Т	Stan- dard	DL	DR	т			
	-	-	-	-	-	-	-	-	-			
	-	-	-	-	-	-	-	-	-			
	-	-	-	-	-	-	-	-	-			
	-	-	-	-	-	-	-	-	-			
BRECO® timing belts (BRECO M: Open length / BRECO V: Joined belts)



BRECO M: The BRECO[®] timing belt is manufactured in open length. The tension members are always arranged with parallel edges. Open length is required e.g. in linear transmissions. All tension members assume part of the load.

BRECO V: BRECO[®] timing belts are manufactured from open length material welded to endless belts. In the join area the half number of tension members assume part of the load. The use of endless joined BRECO® timing belts is preferred in the conveying technology to handle any centre distance.

Application areas

Open length for linear transmissions

Rotary movements are converted into linear movements by linear transmissions. The BRECO® timing belt in its open length delivery form is preferably fitted to the machine part to be moved.

Joined belts for conveying drives

Endless joined timing belts without length limitation are available. The minimum length for various belt profiles, however, is to be taken into consideration. For special requirements in transportation timing belts are coated or manufactured with flights/profiles.



Product separation BRECO[®] timing belt with welded-on profiles







Belt widths b (in-between l	[mm] belt widths on	request)	
8	10	20	25

AT3 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	880 mm
Standard material	TPUST11)
Steel tension member	-
E tension member (Standard)	Х
Stainless steel tension member	0
PAZ	Х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

x available

o minimum purchase amount on request

- not available

1) further materials on request

BRECO® AT3	(M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]
0	38,50	800	29,92	2000	24,76	5000	18,83
20	38,10	900	29,32	2200	24,17	5500	18,18
40	37,72	1000	28,76	2400	23,63	6000	17,59
60	37,36	1100	28,25	2600	23,12	6500	17,05
80	37,02	1200	27,77	2800	22,65	7000	16,54
100	36,69	1300	27,31	3000	22,21	7500	16,06
200	35,24	1400	26,89	3200	21,79	8000	15,62
300	34,03	1500	26,49	3400	21,39	8500	15,20
400	33,00	1600	26,11	3600	21,02	9000	14,80
500	32,10	1700	25,75	3800	20,66	9500	14,43
600	31,30	1800	25,41	4000	20,32	10000	14,07
700	30,58	1900	25,08	4500	19,54		

BRE	CO® AT3	(M/V) Admissi	ble tensi	on cord strength	F _{Tadm} / Specific ela	sticity / Belt wei	ght
Belt	t width		b [mm]	8	10	20	25
	E / Steel t	ension member	F _{Tadm} [N]	320	400	800	1000
D.4	A Specific elasticity (E / Steel tension member) Stainless steel tension member (E)		C _{spec} [N]	8,0·10 ⁴	10,0·10 ⁴	20,0·10 ⁴	25,0·10 ^₄
IVI			F _{Tadm} [N]	240	300	600	750
	Specific e	lasticity (stainless steel tension member (E))	C _{spec} [N]	8,0·10 ⁴	10,0·10 ⁴	20,0·10 ⁴	25,0·10 ⁴
v	E / Steel t	ension member	F _{Tadm} [N]	160	200	400	500
V	Stainless	steel tension member (E)	F _{Tadm} [N]	120	150	300	375
		Standard	[kg/m]	0,018	0,022	0,044	0,054
Del	DL		[kg/m]	-	-	-	-
ве	lt weight	DR	[kg/m]	-	-	-	-
		т	[kg/m]	-	-	-	-

BRECO® AT3 (M/V)	CO [®] AT3 (M/V) Flexibility (minimum number of teeth / minimum diameter)													
			Steel te	ension	memk	ber	E ter	nsion m	nembe	r	Stainless steel tension member (E)			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	-	-	-	-	15	-	-	-	20	-	-	-
d _{min}	flexure	d _{min} [mm]	-	-	-	-	30 (20)	-	-	-	30	-	-	-
Z _{min}	With contra-	Z _{min}	-	-	-	-	25 (20)	-	-	-	30	-	-	-
d _{min}	flexure	d _{min} [mm]	-	-	-	-	30 (20)	-	-	-	40	-	-	-



	idths b [r ween be		s on requ	iest)		
10	16	25	32	50	75	100

AT5 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	880 mm
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	x
E tension member	0
Stainless steel tension member (E)	0
PAZ	х
PAR	х
PAZ-PAR	х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

x available

minimum purchase amount on request
not available

1) further materials on request

BRECO® AT5	(M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F_{tspec}
n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]
0	42,00	800	31,96	2000	26,05	5000	19,28
20	41,52	900	31,27	2200	25,38	5500	18,55
40	41,07	1000	30,63	2400	24,75	6000	17,88
60	40,64	1100	30,04	2600	24,18	6500	17,26
80	40,23	1200	29,49	2800	23,64	7000	16,68
100	39,85	1300	28,97	3000	23,13	7500	16,14
200	38,14	1400	28,48	3200	22,65	8000	15,63
300	36,73	1500	28,02	3400	22,20	8500	15,15
400	35,53	1600	27,59	3600	21,78	9000	14,70
500	34,48	1700	27,18	3800	21,37	9500	14,28
600	33,55	1800	26,78	4000	20,98	10000	13,87
700	32,72	1900	26,41	4500	20,09		

BRE	BRECO® AT5 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight												
Belt	t width		b [mm]	10	16	25	32	50	75	100			
	E / Steel t	ension member	F _{Tadm} [N]	700	1120	1750	2240	3500	5250	7000			
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	0,175·10 ⁶	0,280·10 ⁶	0,440·10 ⁶	0,560·10 ⁶	0,875·10 ⁶	1,310·10 ⁶	1,75·10 ⁶			
IVI	Stainless	steel tension member (E)	F _{Tadm} [N]	455	730	1140	1460	2280	3420	4500			
	Specific e	lasticity (stainless steel tension member (E))	C _{spec} [N]	0,175·10 ⁶	0,280·10 ⁶	0,440·10 ⁶	0,560·10 ⁶	0,875·10 ⁶	1,310·10 ⁶	1,75·10 ⁶			
v	E / Steel t	ension member	F _{Tadm} [N]	350	560	910	1120	1750	2380	3500			
V	Stainless	steel tension member (E)	F _{Tadm} [N]	230	365	570	730	1140	1710	2250			
		Standard	[kg/m]	0,033	0,052	0,082	0,105	0,164	0,245	0,327			
Del	la	DL	[kg/m]	-	-	-	-	-	-	-			
Ве	lt weight	DR	[kg/m]	-	-	-	-	-	-	-			
		т	[kg/m]	-	-	-	-	-	-	-			

BRECO® AT5 (M/V)		Flexibility (minimum number of teeth / minimum diameter)												
			Steel te	ension	memb	er	E ten	sion m	nembe	r	Stainless ste	el tensi	on men	nber (E)
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	18 (15)	-	-	-	15 (12)	-	-	-	22 (18)	-	-	-
d _{min}	flexure	d _{min} [mm]	30 (25)	-	-	-	25 (18)	-	-	-	35 (30)	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	20	-	-	-	30 (25)	-	-	-
d _{min}	flexure	d _{min} [mm]	60	-	-	-	50	-	-	-	60 (50)	-	-	-



BRECO® AT1	0 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	87,50	800	62,15	2000	48,01	5000	32,08
20	86,22	900	60,47	2200	46,41	5500	30,36
40	85,01	1000	58,94	2400	44,94	6000	28,79
60	83,88	1100	57,51	2600	43,58	6500	27,33
80	82,81	1200	56,19	2800	42,30	7000	25,98
100	81,80	1300	54,95	3000	41,11	7500	24,72
200	77,43	1400	53,79	3200	39,99	8000	23,54
300	73,87	1500	52,70	3400	38,93	8500	22,43
400	70,88	1600	51,66	3600	37,93	9000	21,37
500	68,29	1700	50,68	3800	36,97	9500	20,38
600	66,02	1800	49,75	4000	36,06	10000	19,43
700	63,98	1900	48,86	4500	33,97		

BRE	BRECO® AT10 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight											
Beli	t width		b [mm]	25	32	50	75	100	150			
	E / Steel t	ension member	F _{Tadm} [N]	4250	5500	8500	12750	17000	22000			
м	Specific elasticity (E / Steel tension member)		C _{spec} [N]	1,06·10 ⁶	1,37·10 ⁶	2,12·10 ⁶	3,18·10 ⁶	4,25·10 ⁶	5,5·10 ⁶			
IVI	Stainless	steel tension member	F _{Tadm} [N]	3190	4125	6375	9560	12750	19125			
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	1,06·10 ⁶	1,37·10 ⁶	2,12·10 ⁶	3,18·10 ⁶	4,25·10 ⁶	5,5·10 ⁶			
v	E / Steel t	ension member	F _{Tadm} [N]	2125	2750	4250	6375	8500	11000			
V	Stainless	steel tension member	F _{Tadm} [N]	1595	2065	3190	4780	6375	9565			
		Standard	[kg/m]	0,158	0,186	0,290	0,436	0,581	0,839			
De		DL	[kg/m]	-	-	-	-	-	-			
Ве	lt weight	DR	[kg/m]	-	-	-	-	-	-			
	т		[kg/m]	0,205	0,263	0,410	0,616	0,821	-			

BRECO® AT10 (M/V)	ty (minimum number of teeth / minimum diameter)													
			Steel te	ension	memk	ber	E ter	nsion n	nembe	r	Stainless st	eel ten	sion me	ember
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	15	-	-	25	12	-	-	25	25 (20)	-	-	25
d _{min}	flexure	d _{min} [mm]	50	-	-	80	50	-	-	80	80 (70)	-	-	80
Z _{min}	With contra-	Z _{min}	25	-	-	25	20	-	-	25	40 (30)	-	-	40
d _{min}	flexure	d _{min} [mm]	120	-	-	120	80	-	-	120	130 (100)	-	-	130

79

(Deviate values in brackets apply to joined timing belts.)

	50° N N
AT10	АТ10-Т

Belt widths b [mm] (in-between belt widths on request)											
25											

AT10 (M/V)	Available lengths and versions						
Standard delivery lengths (M)	rolls of 50	or 100 m					
Cut to lengths / lengths > 100 m	on re	quest					
Minimum longth joined ()()	b≤100	880 mm					
Minimum length joined (V)	b>100	1000 mm					
Standard material	TPUS	ST1 ¹⁾					
Steel tension member (Standard)	x						
E tension member	c)					
Stainless steel tension member	c)					
PAZ	>	(
PAR	>	C					
PAZ-PAR	>	(
DL / DL-PAZ	-						
DR / DR-PAZ	-						
T / T-PAZ b _{max} =100	C)					

x available

o minimum purchase amount on request

- not available

1) further materials on request



Belt widths b [mm] (in-between belt widths on request)											
25	50	75	100	150							

ATS15 (M)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	-
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	x
E tension member	-
Stainless steel tension member	0
PAZ	х
PAR	-
PAZ-PAR	-
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

x available

minimum purchase amount on request
not available

1) further materials on request

BRECO® ATS1	15 (M)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F_{tspec}	R.p.m.	F _{tspec}
n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]
0	168,00	800	114,64	2000	85,38	5000	52,58
20	165,24	900	111,17	2200	82,09	5500	49,05
40	162,67	1000	107,98	2400	79,06	6000	45,81
60	160,26	1100	105,03	2600	76,25	6500	42,82
80	157,98	1200	102,29	2800	73,63		
100	155,83	1300	99,73	3000	71,17		
200	146,57	1400	97,33	3200	68,86		
300	139,10	1500	95,07	3400	66,67		
400	132,83	1600	92,93	3600	64,61		
500	127,43	1700	90,90	3800	62,64]	
600	122,68	1800	88,97	4000	60,78]	
700	118,46	1900	87,14	4500	56,46]	

BRE	CO [®] ATS	15 (M) Admissil	ble tensio	on cord streng	yth F _{Tadm} / Spec	cific elasticity	/ Belt weight	
Bel	t width		b [mm]	25	50	75	100	150
	E / Steel t	ension member	F _{Tadm} [N]	6765	13530	20295	27080	40590
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	1,72·10 ⁶	3,43·10 ⁶	5,15·10 ⁶	6,86·10 ⁶	1,03·10 ⁷
IVI	Stainless	steel tension member	F _{Tadm} [N]	5390	10780	16170	21560	32340
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	1,72·10 ⁶	3,43·10 ⁶	5,15·10 ⁶	6,86·10 ⁶	1,03·10 ⁷
v	E / Steel t	ension member	F _{Tadm} [N]	-	-	-	-	-
V	Stainless	steel tension member	F _{Tadm} [N]	-	-	-	-	-
		Standard	[kg/m]	0,250	0,500	0,750	1,000	1,500
De		DL	[kg/m]	-	-	-	-	-
ве	lt weight	DR	[kg/m]	-	-	-	-	-
		Т	[kg/m]	-	-	-	-	-

BRECO [®] ATS15 (M)	RECO® ATS15 (M) Flexibility (minimum number of teeth / minimum diameter)													
			Steel te	ension	memt	ber	E ter	nsion m	nembe	r	Stainless st	eel ten	sion me	ember
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without	Z _{min}	25	-	-	-	-	-	-	-	30	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	120	-	-	-	-	-	-	-	180	-	-	-
Z _{min}	With	Z _{min}	40	-	-	-	-	-	-	-	60	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	250	-	-	-	-	-	-	-	300	-	-	-



BRECO® AT20	0 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]
0	175,00	800	113,05	2000	79,68	5000	42,44
20	171,73	900	109,08	2200	75,94	5500	38,44
40	168,69	1000	105,43	2400	72,49	6000	34,77
60	165,85	1100	102,07	2600	69,30	6500	31,38
80	163,17	1200	98,94	2800	66,32		
100	160,66	1300	96,02	3000	63,53		
200	149,85	1400	93,28	3200	60,90		
300	141,18	1500	90,70	3400	58,43		
400	133,94	1600	88,26	3600	56,08		
500	127,72	1700	85,96	3800	53,85		
600	122,27	1800	83,76	4000	51,73		
700	117,42	1900	81,67	4500	46,84		

BRI	ECO® AT2	0 (M/V) Admissi	ble tensio	on cord strengt	:h F _{Tadm} / Specifi	c elasticity /	Belt weight	
Bel	t width		b [mm]	32	50	75	100	150
	E / Steel t	ension member	F _{Tadm} [N]	7200	11200	16800	22400	32000
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	1,80·10 ⁶	2,80·10 ⁶	4,20·10 ⁶	5,60·10 ⁶	8,00·10 ⁷
IVI	Stainless	steel tension member	F _{Tadm} [N]	5760	8960	13440	17920	25600
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	1,80·10 ⁶	2,80·10 ⁶	4,20·10 ⁶	5,60·10 ⁶	8,00·10 ⁷
v	E / Steel t	ension member	F _{Tadm} [N]	3600	5600	8400	11200	16000
V	Stainless	steel tension member	F _{Tadm} [N]	2880	4480	6720	8960	12800
		Standard	[kg/m]	0,307	0,480	0,720	0,960	1,423
De	14	DL	[kg/m]	-	-	-	-	-
ве	lt weight	DR	[kg/m]	-	-	-	-	-
		т	[kg/m]	0,384	0,600	0,900	1,200	-

BRECO® AT20 (M/V)	ity (minimum number of teeth / minimum diameter)													
			Steel te	ension	memk	ber	E ter	nsion m	nembe	r	Stainless st	eel ten	sion me	ember
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	18	-	-	25	-	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	120	-	-	120	-	-	-	-	200	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	25	-	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	180	-	-	180	-	-	-	-	380	-	-	-

Belt width (in-betwee	ıs b [mm] en belt widt	hs on reque	st)	
32	50	75	100	150

AT20 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 m
Cut to lengths / lengths > 50 m	on request
Minimum length joined (V)	1000 mm
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	x
E tension member	-
Stainless steel tension member	0
PAZ	Х
PAR	Х
PAZ-PAR	Х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ b _{max} =100	0

x available

o minimum purchase amount on request

- not available

1) further materials on request



Belt widths b [mm] (in-between belt widths on request)				
	16 25		32	50

ATL5 (M)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	-
Standard material	TPUST1 ¹⁾
Steel tension member	-
E tension member (Standard)	х
Stainless steel tension member	-
PAZ	Х
PAR	-
PAZ-PAR	-
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

x available

minimum purchase amount on request
not available

1) further materials on request

BRECO® ATL5	5 (M)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]
0	42,00	800	31,96	2000	26,05	5000	19,28
20	41,52	900	31,27	2200	25,38	5500	18,55
40	41,07	1000	30,63	2400	24,75	6000	17,88
60	40,64	1100	30,04	2600	24,18	6500	17,26
80	40,23	1200	29,49	2800	23,64	7000	16,68
100	39,85	1300	28,97	3000	23,13	7500	16,14
200	38,14	1400	28,48	3200	22,65	8000	15,63
300	36,73	1500	28,02	3400	22,20	8500	15,15
400	35,53	1600	27,59	3600	21,78	9000	14,70
500	34,48	1700	27,18	3800	21,37	9500	14,28
600	33,55	1800	26,78	4000	20,98	10000	13,87
700	32,72	1900	26,41	4500	20,09		

$ \begin{array}{ c c c c c c c } \hline BRECO^{\circ} \mbox{ATLS (M)} & \mbox{Admissible tension cord strength } F_{\mbox{Tadm}} \mbox{/ Specific elasticity / Belt weight} \\ \hline Belt width & \mbox{b} [mm] & 16 & 25 & 32 & 50 \\ \hline Belt width & \mbox{b} [mm] & 16 & 25 & 32 & 50 \\ \hline \mbox{Belt width} & \mbox{b} [mm] & 16 & 25 & 32 & 50 \\ \hline \mbox{Belt tension member} & \mbox{F}_{\mbox{Tadm}} [N] & 1300 & 2000 & 2800 & 4200 \\ \hline \mbox{Specific elasticity (E / Steel tension member)} & \mbox{C}_{\mbox{spec}} [N] & 0,33\cdot10^6 & 0,50\cdot10^6 & 0,65\cdot10^6 & 1,05\cdot10^6 \\ \hline \mbox{Stainless steel tension member} & \mbox{F}_{\mbox{Tadm}} [N] & - & - & - & - & - \\ \hline \mbox{Specific elasticity (stainless steel tension member)} & \mbox{C}_{\mbox{spec}} [N] & - & - & - & - & - & - \\ \hline \mbox{Specific elasticity (stainless steel tension member)} & \mbox{C}_{\mbox{spec}} [N] & - & - & - & - & - & - & - \\ \hline \mbox{Specific elasticity (stainless steel tension member)} & \mbox{F}_{\mbox{Tadm}} [N] & - & - & - & - & - & - & - & - & - & $									
Belt	t width		b [mm]	16	25	32	50		
	E / Steel tension member		F _{Tadm} [N]	1300	2000	2800	4200		
D/	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	0,33·10 ⁶	0,50·10 ⁶	0,65·10 ⁶	1,05·10 ⁶		
IVI	Stainless	steel tension member	F _{Tadm} [N]	-	-	-	-		
	Specific el	asticity (stainless steel tension member)	C _{spec} [N]	-	-	-	-		
	E / Steel t	ension member	F _{Tadm} [N]	-	-	-	-		
V	Stainless	steel tension member	F _{Tadm} [N]	-	-	-	-		
		Standard	[kg/m]	0,059	0,090	0,119	0,187		
Del	la	DL	[kg/m]	-	-	-	-		
Bei	lt weight	DR	[kg/m]	-	-	-	-		
		т	[kg/m]	-	-	-	-		

BRECO [®] ATL5 (M)		Flexibility (minimum number of teeth / minimum diameter)												
			Steel tension member			E ter	nsion n	nembe	r	Stainless st	eel ten	sion me	ember	
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	-	-	-	-	25	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	-	-	-	-	40	-	-	-	-	-	-	-
Z _{min}	With contra-	Z _{min}	-	-	-	-	25	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	-	-	-	-	60	-	-	-	-	-	-	-



Belt widths b [mm] (in-between belt widths on request)							
32	50	75	100	150			

ATL10 (M)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	-
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	x
E tension member	-
Stainless steel tension member	0
PAZ	Х
PAR	-
PAZ-PAR	-
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	_

minimum purchase amount on request
not available

1) further materials on request

BRECO® ATL1	10 (M)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	87,50	800	62,15	2000	48,01	5000	32,08
20	86,22	900	60,47	2200	46,41	5500	30,36
40	85,01	1000	58,94	2400	44,94	6000	28,79
60	83,88	1100	57,51	2600	43,58	6500	27,33
80	82,81	1200	56,19	2800	42,30	7000	25,98
100	81,80	1300	54,95	3000	41,11	7500	24,72
200	77,43	1400	53,79	3200	39,99	8000	23,54
300	73,87	1500	52,70	3400	38,93	8500	22,43
400	70,88	1600	51,66	3600	37,93	9000	21,37
500	68,29	1700	50,68	3800	36,97	9500	20,38
600	66,02	1800	49,75	4000	36,06	10000	19,43
700	63,98	1900	48,86	4500	33,97		

BRE	CO [®] ATL1	IO (M) Admissil	ole tensio	on cord streng	th F _{Tadm} / Spe	cific elasticity	/ Belt weight	
Bel	t width		b [mm]	32	50	75	100	150
	E / Steel t	ension member	F _{Tadm} [N]	7200	11200	16800	22400	36000
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	1,8·10 ⁶	2,8·10 ⁶	4,2·10 ⁶	5,6·10 ⁶	9,0·10 ⁶
IVI	Stainless	steel tension member	F _{Tadm} [N]	5760	8960	13440	17920	28800
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	1,8·10 ⁶	2,8·10 ⁶	4,2·10 ⁶	5,6·10 ⁶	9,0·10 ⁶
	E / Steel t	ension member	F _{Tadm} [N]	-	-	-	-	-
V	V Stainless steel tension	steel tension member	F _{Tadm} [N]	-	-	-	-	-
		Standard	[kg/m]	0,220	0,340	0,510	0,680	1,020
Po	lt weight	DL	[kg/m]	-	-	-	-	-
De	it weight	DR	[kg/m]	-	-	-	-	-
		т	[kg/m]	-	-	-	-	-

BRECO® ATL10 (M) Flexibility (minimum number of teeth / minimum diameter)														
				ension	memt	ber	E tension member				Stainless steel tension member			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	25	-	-	-	-	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	80	-	-	-	-	-	-	-	120	-	-	-
z _{min} d _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	50	-	-	-
	flexure	d _{min} [mm]	150	-	-	-	-	-	-	-	180	-	-	-

86



Belt widths b (in-between	[mm] belt widths on	request)	
32	50	100	

ATL20 (M)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	-
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	x
E tension member	-
Stainless steel tension member	0
PAZ	х
PAR	-
PAZ-PAR	-
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	_

x available

minimum purchase amount on request
not available

1) further materials on request

BRECO® ATL2	20 (M)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]
0	175,00	800	113,05	2000	79,68	5000	42,44
20	171,73	900	109,08	2200	75,94	5500	38,44
40	168,69	1000	105,43	2400	72,49	6000	34,77
60	165,85	1100	102,07	2600	69,30	6500	31,38
80	163,17	1200	98,94	2800	66,32		
100	160,66	1300	96,02	3000	63,53		
200	149,85	1400	93,28	3200	60,90		
300	141,18	1500	90,70	3400	58,43		
400	133,94	1600	88,26	3600	56,08		
500	127,72	1700	85,96	3800	53,85		
600	122,27	1800	83,76	4000	51,73		
700	117,42	1900	81,67	4500	46,84		

BRE	BRECO [®] ATL20 (M) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight									
Belt	t width		b [mm]	32	50	75	100			
	E / Steel t	ension member	F _{Tadm} [N]	9800	15400	23800	31500			
NA	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	2,45·10 ⁶	3,85·10 ⁶	5,95·10 ⁶	7,88·10 ⁶			
Μ	Stainless	steel tension member	F _{Tadm} [N]	7840	12320	19040	25200			
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	2,45·10 ⁶	3,85·10 ⁶	5,95·10 ⁶	7,88·10 ⁶			
v	E / Steel t	ension member	F _{Tadm} [N]	-	-	-	-			
V	Stainless	steel tension member	F _{Tadm} [N]	-	-	-	-			
		Standard	[kg/m]	0,350	0,550	0,840	1,110			
		DL	[kg/m]	-	-	-	-			
Be	lt weight	DR	[kg/m]	-	-	-	-			
		т	[kg/m]	-	-	-	-			

BRECO [®] ATL20 (M)		Flexibility (minimum number of teeth / minimum diameter)												
			Steel te	ension	memt	ber	E tension member				Stainless steel tension member			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min} Without	Without contra-	Z _{min}	25	-	-	-	-	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	160	-	-	-	-	-	-	-	180	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	30	-	-	-
d _{min}	flexure	d _{min} [mm]	250	-	-	-	-	-	-	-	300	-	-	-



Belt width	ıs b [mm]			
25	32	50	75	100

BAT10 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	880 mm
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	x
E tension member	-
Stainless steel tension member	0
PAZ	х
PAR	х
PAZ-PAR	х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	_

x available

o minimum purchase amount on request

- not available

1) further materials on request

BRECO® BAT	10 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	92,75	800	65,88	2000	50,89	5000	34,00
20	91,39	900	64,10	2200	49,20	5500	32,18
40	90,11	1000	62,47	2400	47,64	6000	30,51
60	88,91	1100	60,96	2600	46,19	6500	28,97
80	87,78	1200	59,56	2800	44,84	7000	27,54
100	86,71	1300	58,25	3000	43,58	7500	26,20
200	82,07	1400	57,02	3200	42,39	8000	24,95
300	78,30	1500	55,86	3400	41,26	8500	23,77
400	75,13	1600	54,76	3600	40,20	9000	22,66
500	72,39	1700	53,72	3800	39,19	9500	21,60
600	69,98	1800	52,73	4000	38,23	10000	20,60
700	67,82	1900	51,79	4500	36,01		-

BRE	BRECO® BAT10 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight									
Bel	t width		b [mm]	25	32	50	75	100		
	E / Steel t	ension member	F _{Tadm} [N]	3750	5000	7500	12000	17000		
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	1,06·10 ⁶	1,37·10 ⁶	2,12·10 ⁶	3,18·10 ⁶	4,25·10 ⁶		
IVI	Stainless	steel tension member	F _{Tadm} [N]	3000	4000	6000	9000	12000		
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	1,06·10 ⁶	1,37·10 ⁶	2,12·10 ⁶	3,18·10 ^₀	4,25·10 ⁶		
v	E / Steel t	ension member	F _{Tadm} [N]	1875	2500	3750	6000	8500		
V	Stainless	steel tension member	F _{Tadm} [N]	1500	2000	3000	4500	6000		
		Standard	[kg/m]	0,158	0,180	0,290	0,436	0,581		
De		DL	[kg/m]	-	-	-	-	-		
Ве	lt weight	DR	[kg/m]	-	-	-	-	-		
		т	[kg/m]	-	-	-	-	-		

BRECO [®] BAT10 (M/	V)	Flexibil	ity (minim	num n	umbe	er of	teeth / mi	inimu	m dia	meter	·)			
		Steel te	nsion	memk	ber	E ter	ision m	nembe	r	Stainless st	eel ten	sion me	ember	
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
min second	Without contra-	Z _{min}	20 (25)	-	-	-	-	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	60 (80)	-	-	-	-	-	-	-	80	-	-	-
Z _{min} With contra-	Z _{min}	25	-	-	-	-	-	-	-	40	-	-	-	
d _{min}	flexure	d _{min} [mm]	120	-	-	-	-	-	-	-	130	-	-	-



Belt widths b [mm	1	
50	75	100

BAT15 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	960 mm
Standard material	TPUST11)
Steel tension member (Standard)	x
E tension member	-
Stainless steel tension member	0
PAZ	х
PAR	Х
PAZ-PAR	х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	_

x available

o minimum purchase amount on request

- not available

1) further materials on request

BRECO [®] BAT	15 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]
0	140,00	800	95,54	2000	71,15	5000	43,82
20	137,70	900	92,64	2200	68,41	5500	40,87
40	135,56	1000	89,98	2400	65,89	6000	38,17
60	133,55	1100	87,53	2600	63,54	6500	35,68
80	131,65	1200	85,24	2800	61,36		
100	129,86	1300	83,11	3000	59,31		
200	122,15	1400	81,11	3200	57,38		
300	115,92	1500	79,22	3400	55,56		
400	110,69	1600	77,44	3600	53,84		
500	106,19	1700	75,75	3800	52,20		
600	102,24	1800	74,14	4000	50,65		
700	98,71	1900	72,61	4500	47,05		

BRE	ECO® BAT	15 (M/V) Admissi	ble tensi	on cord strength F _{Tadm} /	Specific elasticity / Bel	t weight		
Belt	t width		b [mm]	50	75	100		
	E / Steel t	ension member	F _{Tadm} [N]	11200	16800	22400		
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	2,80·10 ⁶	4,20·10 ⁶	5,60·10 ⁶		
IVI	Stainless	steel tension member	F _{Tadm} [N]	9000	13500	18000		
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	2,80·10 ⁶	4,20·10 ⁶	5,60·10 ⁶		
v	E / Steel t	ension member	F _{Tadm} [N]	5600	8400	11200		
v	Stainless	steel tension member	F _{Tadm} [N]	4500	6750	9000		
		Standard	[kg/m]	0,428	0,642	0,856		
Del		DL	[kg/m]	-	-	-		
ве	Belt weight	DR	[kg/m]	-	-	-		
		Т	[kg/m]	-	-	-		

BRECO® BAT15 (M/	ity (minim	num n	umbe	er of	teeth / mi	inimu	m dia	meter	·)					
			Steel te	ension	memt	ber	E ter	ision m	nembe	r	Stainless steel tension membe			ember
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	20 (25)	-	-	-	-	-	-	-	25	-	-	-
d _{min}		d _{min} [mm]	100 (120)	-	-	-	-	-	-	-	120	-	-	-
Z _{min} With		Z _{min}	30 (35)	-	-	-	-	-	-	-	35 (40)	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	150 (180)	-	-	-	-	-	-	-	180 (190)	-	-	-



Belt widths b [mm]							
32	50	75	100				

BA	ΓK10 (M/V)	Available lengths and versions			
Standard d	elivery lengths (M)	rolls of 50 or 100 m			
Cut to leng	ths / lengths > 100 m	on request			
Minimum l	ength joined (V)	880 mm			
Standard n	naterial	TPUST11)			
Steel tensio (Standard)	on member	х			
E tension n	nember	-			
Stainless st member	eel tension	0			
PAZ	Color: white	х			
PAR	Color: green	Х			
PAZ-PAR	Color: white-green	Х			
DL / DL-PA	Z	-			
DR / DR-PA	Z	-			
T / T-PAZ		-			

x available

o minimum purchase amount on request

- not available

1) further materials on request

BRECO [®] BATI	K10 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]
0	92,75	800	65,88	2000	50,89	5000	34,00
20	91,39	900	64,10	2200	49,20	5500	32,18
40	90,11	1000	62,47	2400	47,64	6000	30,51
60	88,91	1100	60,96 2600		46,19	6500	28,97
80	87,78	1200	59,56	2800	44,84	7000	27,54
100	86,71	1300	58,25	3000	43,58	7500	26,20
200	82,07	1400	57,02	3200	42,39	8000	24,95
300	78,30	1500	55,86	3400	41,26	8500	23,77
400	75,13	1600	54,76	3600	40,20	9000	22,66
500	72,39	1700	53,72	3800	39,19	9500	21,60
600	69,98	1800	52,73	4000	38,23	10000	20,60
700	67,82	1900	51,79	4500	36,01		

BRE	CO [®] BATI	K10 (M/V) Admissik	ole tensio	on cord strength	F _{Tadm} / Specific ela	sticity / Belt weig	ght
Belt	t width		b [mm]	32	50	75	100
	E / Steel t	ension member	F _{Tadm} [N]	5000	7500	12000	17000
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	1,37·10 ⁶	2,12·10 ⁶	3,18·10 ⁶	4,25·10 ⁶
IVI	Stainless	steel tension member	F _{Tadm} [N]	4000	6000	9000	12000
	Specific el	lasticity (stainless steel tension member)	C _{spec} [N]	1,37·10 ⁶	2,12·10 ⁶	3,18·10⁵	4,25·10 ⁶
v	E / Steel t	/ Steel tension member		2500	3750	6000	8500
V	Stainless :	steel tension member	F _{Tadm} [N]	2000	3000	4500	6000
		Standard	[kg/m]	0,192	0,300	0,450	0,600
Del		DL	[kg/m]	-	-	-	-
Ве	lt weight	DR	[kg/m]	-	-	-	-
		Т	[kg/m]	-	-	-	-

BRECO [®] BATK10 (M	ity (minin	num n	umbe	er of	teeth / mi	inimu	m dia	metei	·)					
			Steel te	ension	memk	ber	E ter	nsion n	nembe	ber Stainless steel tension mem			ember	
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	20 (25)	-	-	-	-	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	60 (80)	-	-	-	-	-	-	-	80	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	120	-	-	-	-	-	-	-	130	-	-	-



Belt widths b [mm	1	
50	75	100

BA	ΓK15 (M/V)	Available lengths and versions			
Standard d	lelivery lengths (M)	rolls of 50 or 100 m			
Cut to leng	gths / lengths > 100 m	on request			
Minimum l	ength joined (V)	960 mm			
Standard n	naterial	TPUST1 ¹⁾			
Steel tensio (Standard)	on member	x			
E tension n	nember	-			
Stainless st member	eel tension	0			
PAZ	Color: white	х			
PAR	Color: green	х			
PAZ-PAR	Color: white-green	Х			
DL / DL-PA	Z	-			
DR / DR-PA	Z	-			
T / T-PAZ		-			

x available

o minimum purchase amount on request

- not available

1) further materials on request

BRECO [®] BATK15 (M/V)		Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]
0	140,00	800	95,54	2000	71,15	5000	43,82
20	137,70	900	92,64	2200	68,41	5500	40,87
40	135,56	1000	89,98	2400	65,89	6000	38,17
60	133,55	1100	87,53	2600	63,54	6500	35,68
80	131,65	1200	85,24	2800	61,36		
100	129,86	1300	83,11	3000	59,31		
200	122,15	1400	81,11	3200	57,38		
300	115,92	1500	79,22	3400	55,56		
400	110,69	1600	77,44	3600	53,84		
500	106,19	1700	75,75	3800	52,20		
600	102,24	1800	74,14	4000	50,65		
700	98,71	1900	72,61	4500	47,05		

BRE	CO® BAT	K15 (M/V) Admissi	ble tensi	on cord strength F _{Tadm} /	Specific elasticity / Be	lt weight
Belt	t width		b [mm]	50	75	100
	E / Steel t	ension member	F _{Tadm} [N]	11200	16800	22400
D.4	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	2,80·10 ⁶	4,20·10 ⁶	5,60·10 ⁶
IVI	M Stainless ste	steel tension member	F _{Tadm} [N]	9000	13500	18000
	Specific el	lasticity (stainless steel tension member)	C _{spec} [N]	2,80·10 ⁶	4,20·10 ⁶	5,60·10 ⁶
v	E / Steel t	ension member	F _{Tadm} [N]	5600	8400	11200
V	Stainless	steel tension member	F _{Tadm} [N]	4500	6750	9000
		Standard	[kg/m]	0,428	0,642	0,856
Del		DL	[kg/m]	-	-	-
Ве	lt weight	DR	[kg/m]	-	-	-
		Т	[kg/m]	-	-	-

BRECO [®] BATK15 (M/V) Flexibili			ity (minimum number of teeth / minimum diameter)											
	Steel tension member			E tension member				Stainless steel tension member						
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	20 (25)	-	-	-	-	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	100 (120)	-	-	-	-	-	-	-	120	-	-	-
Z _{min}	With contra-	Z _{min}	30 (35)	-	-	-	-	-	-	-	35 (40)	-	-	-
d _{min}	flexure	d _{min} [mm]	150 (180)	-	-	-	-	-	-	-	180 (190)	-	-	-

97



Belt widths b [mm (in-between belt v	ı] widths on request)	
50	75	100

SFAT10 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	880 mm
Standard material	TPUST11)
Steel tension member (Standard)	x
E tension member	0
Stainless steel tension member	0
PAZ	х
PAR	Х
PAZ-PAR	х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

x available

o minimum purchase amount on request

- not available

1) further materials on request

BRECO® SFAT	T10 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]
0	87,50	800	62,15	2000	48,01	5000	32,08
20	86,22	900	60,47	2200	46,41	5500	30,36
40	85,01	1000	58,94	2400	44,94	6000	28,79
60	83,88	1100	57,51	2600	43,58	6500	27,33
80	82,81	1200	56,19	2800	42,30	7000	25,98
100	81,80	1300	54,95	3000	41,11	7500	24,72
200	77,43	1400	53,79	3200	39,99	8000	23,54
300	73,87	1500	52,70	3400	38,93	8500	22,43
400	70,88	1600	51,66	3600	37,93	9000	21,37
500	68,29	1700	50,68	3800	36,97	9500	20,38
600	66,02	1800	49,75	4000	36,06	10000	19,43
700	63,98	1900	48,86	4500	33,97		.

BRE	CO [®] SFA1	Г10 (M/V) Admissib	ole tensio	n cord strength F _{Tadm} /	Specific elasticity / Bel	t weight
Belt	t width		b [mm]	50	75	100
	E / Steel t	ension member	F _{Tadm} [N]	7500	10500	16000
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	1,87·10 ⁶	2,62·10 ⁶	4,00·10 ⁶
IVI	Stainless	steel tension member	F _{Tadm} [N]	5625	7875	12000
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	1,87·10 ⁶	2,62·10 ⁶	4,00·10 ⁶
v	E / Steel t	ension member	F _{Tadm} [N]	3750	5250	8000
V	Stainless	steel tension member	F _{Tadm} [N]	2810	3940	6000
		Standard	[kg/m]	0,290	0,436	0,581
	Belt weight DL DR		[kg/m]	-	-	-
Ве			[kg/m]	-	-	-
		Т	[kg/m]	-	-	-

BRECO [®] SFAT10 (M	ity (minimum number of teeth / minimum diameter)													
	Steel tension member			E tension member				Stainless steel tension member						
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	15 (25)	-	-	-	12	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	50 (80)	-	-	-	50	-	-	-	80	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	20	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	120	-	-	-	80	-	-	-	130	-	-	-

(Deviate values in brackets apply to joined timing belts.)



Belt widths b [mm (in-between belt v	ı] widths on request)	
50	75	100

SFAT20 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 m
Cut to lengths / lengths > 50 m	on request
Minimum length joined (V)	1500 mm
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	x
E tension member	-
Stainless steel tension member	0
PAZ	х
PAR	х
PAZ-PAR	х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

x available

o minimum purchase amount on request

- not available

1) further materials on request

BRECO [®] SFAT	T20 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]
0	175,00	800	113,05	2000	79,68	5000	42,44
20	171,73	900	109,08	2200	75,94	5500	38,44
40	168,69	1000	105,43	2400	72,49	6000	34,77
60	165,85	1100	102,07	2600	69,30	6500	31,38
80	163,17	1200	98,94	2800	66,32		
100	160,66	1300	96,02	3000	63,53		
200	149,85	1400	93,28	3200	60,90		
300	141,18	1500	90,70	3400	58,43		
400	133,94	1600	88,26	3600	56,08		
500	127,72	1700	85,96	3800	53,85		
600	122,27	1800	83,76	4000	51,73		
700	117,42	1900	81,67	4500	46,84		

BRE	BRECO® SFAT20 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight											
Belt	t width		b [mm]	50	75	100						
	E / Steel t	ension member	F _{Tadm} [N]	11200	16800	22400						
м	Specific elasticity (E / Steel tension member)			2,80·10 ⁶	4,20·10 ⁶	5,60·10 ⁶						
IVI	Stainless steel tension member			8960	13440	17920						
	Specific elasticity (stainless steel tension member)			2,80·10 ⁶	4,20·10 ⁶	5,60·10 ⁶						
v	E / Steel t	ension member	F _{Tadm} [N]	5600	8400	11200						
V	Stainless	steel tension member	F _{Tadm} [N]	4480	6720	8960						
		Standard	[kg/m]	0,480	0,720	0,960						
Del	DL		[kg/m]	-	-	-						
ве	Belt weight DR		[kg/m]	-	-	-						
	т			-	-	-						

BRECO [®] SFAT20 (M	ity (minimum number of teeth / minimum diameter)													
	Steel tension member			E tension member				Stainless steel tension member						
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	18 (20)	-	-	-	-	-	-	-	32	-	-	-
d _{min}	flexure	d _{min} [mm]	120	-	-	-	-	-	-	-	200	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	60	-	-	-
d _{min}	flexure	d _{min} [mm]	180	-	-	-	-	-	-	-	380	-	-	-

(Deviate values in brackets apply to joined timing belts.)



BRECO® ATK	5K6 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]
0	42,00	800	31,96	2000	26,05	5000	19,28
20	41,52	900	31,27	2200	25,38	5500	18,55
40	41,07	1000	30,63	2400	24,75	6000	17,88
60	40,64	1100	30,04	2600	24,18	6500	17,26
80	40,23	1200	29,49	2800	23,64	7000	16,68
100	39,85	1300	28,97	3000	23,13	7500	16,14
200	38,14	1400	28,48	3200	22,65	8000	15,63
300	36,73	1500	28,02	3400	22,20	8500	15,15
400	35,53	1600	27,59	3600	21,78	9000	14,70
500	34,48	1700	27,18	3800	21,37	9500	14,28
600	33,55	1800	26,78	4000	20,98	10000	13,87
700	32,72	1900	26,41	4500	20,09		

BRE	CO® ATK	5K6 (M/V) Admissik	ole tensio	on cord strength F _{Tadm} / Specific elastic	ity / Belt weight
Belt	t width		b [mm]	32	50
	E / Steel t	ension member	F _{Tadm} [N]	2240	3500
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	0,560·10 ⁶	0,875·10 ⁶
IVI			F _{Tadm} [N]	1460	2280
	Specific e	asticity (stainless steel tension member (E))	C _{spec} [N]	0,560·10 ⁶	0,875·10 ⁶
v	E / Steel t	ension member	F _{Tadm} [N]	1120	1750
V	Stainless	steel tension member (E)	F _{Tadm} [N]	730	1140
		Standard	[kg/m]	0,118	0,117
	DL		[kg/m]	-	-
Ве	lt weight	DR	[kg/m]	-	-
		Т	[kg/m]	-	-

BRECO [®] ATK5K6 (M	ity (minimum number of teeth / minimum diameter)													
			Steel tension member				E tension member				Stainless steel tension member (E)			
	Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т		
Z _{min}	Without contra-	Z _{min}	25	-	-	-	25	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	60	-	-	-	60	-	-	-	60	-	-	-
Z _{min}	With	Z _{min}	25	-	-	-	25	-	-	-	30	-	-	-
d _{min}	contra- flexure	d _{min} [mm]	60	-	-	-	60	-	-	-	60	-	-	-

103

Belt widths b [mm] (in-between belt widths on request) 32 50

ATK5K6 (M/V)	Available lengths and versions						
Standard delivery lengths (M)	rolls of 50 or 100 m						
Cut to lengths / lengths > 100 m	on request						
Minimum length joined (V)	1000 mm						
Standard material	TPUST11)						
Steel tension member (Standard)	x						
E tension member	0						
Stainless steel tension member (E)	0						
PAZ	Х						
PAR	Х						
PAZ-PAR	х						
DL / DL-PAZ	-						
DR / DR-PAZ	-						
T / T-PAZ	_						

x available

o minimum purchase amount on request

- not available

1) further materials on request



Belt widths b [mm] (further belt widths on request)	
50	

ATK10K6 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	1000 mm
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	0
PAZ	Х
PAR	Х
PAZ-PAR	х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	_

x available

o minimum purchase amount on request

- not available

1) further materials on request

BRECO [®] ATK	10K6 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]
0	87,50	800	62,15	2000	48,01	5000	32,08
20	86,22	900	60,47	2200	46,41	5500	30,36
40	85,01	1000	58,94	2400	44,94	6000	28,79
60	83,88	1100	57,51	2600	43,58	6500	27,33
80	82,81	1200	56,19	2800	42,30	7000	25,98
100	81,80	1300	54,95	3000	41,11	7500	24,72
200	77,43	1400	53,79	3200	39,99	8000	23,54
300	73,87	1500	52,70	3400	38,93	8500	22,43
400	70,88	1600	51,66	3600	37,93	9000	21,37
500	68,29	1700	50,68	3800	36,97	9500	20,38
600	66,02	1800	49,75	4000	36,06	10000	19,43
700	63,98	1900	48,86	4500	33,97		

BRE	ECO® ATK	10K6 (M/V) Admissik	ole tensio	on cord strength F _{Tadm} / Specific elasticity / Belt weight
Bel	t width		b [mm]	50
	E / Steel t	ension member	F _{Tadm} [N]	7500
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	1,87·10 ⁶
IVI	Stainless	steel tension member	F _{Tadm} [N]	5625
	Specific el	asticity (stainless steel tension member)	C _{spec} [N]	1,87·10 ⁶
v	E / Steel t	ension member	F _{Tadm} [N]	3750
V	Stainless	steel tension member	F _{Tadm} [N]	2815
		Standard	[kg/m]	0,302
	DL DL		[kg/m]	-
Ве			[kg/m]	-
		Т	[kg/m]	-

BRECO [®] ATK10K6 (M/V) Flexibilit			ity (minimum number of teeth / minimum diameter)											
			Steel tension member				E tension member				Stainless steel tension member			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	20	-	-	-	-	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	60	-	-	-	-	-	-	-	80	-	-	-
z _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	120	-	-	-	-	-	-	-	130	-	-	-







x available

o minimum purchase amount on request

- not available

1) further materials on request

Belt width (in-betwe	ns b [mm] en belt widt	hs on re	que	st)						
32	50	75		100	150					
ATK10	0K13 (M/V	')	Available lengths and versions							
Standard de	livery lengths	(M)		rolls of 50) m					
Cut to lengt	hs / lengths >	50 m		on reque	est					
Minimum le	ngth joined (\	/)	1000 mm							
Standard ma	aterial			TPUST1	1)					
Steel tensior (Standard)	n member		x							
E tension me	ember		-							
Stainless stee member	el tension			0						
PAZ				х						
PAR				х						
PAZ-PAR				х						
DL / DL-PAZ				-						
DR / DR-PAZ				-						
T / T-PAZ	b _{max} =100			0						

BRECO [®] ATK	10K13 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]
0	87,50	800	62,15	2000	48,01	5000	32,08
20	86,22	900	60,47	2200	46,41	5500	30,36
40	85,01	1000	58,94	2400	44,94	6000	28,79
60	83,88	1100	57,51	2600	43,58	6500	27,33
80	82,81	1200	56,19	2800	42,30	7000	25,98
100	81,80	1300	54,95	3000	41,11	7500	24,72
200	77,43	1400	53,79	3200	39,99	8000	23,54
300	73,87	1500	52,70	3400	38,93	8500	22,43
400	70,88	1600	51,66	3600	37,93	9000	21,37
500	68,29	1700	50,68	3800	36,97	9500	20,38
600	66,02	1800	49,75	4000	36,06	10000	19,43
700	63,98	1900	48,86	4500	33,97		<i>a</i> .

BRE	CO® ATK	10K13 (M/V) Admissi	ble tensio	on cord streng	gth F _{Tadm} / Spec	cific elasticity	/ Belt weight	
Belt	t width		b [mm]	32	50	75	100	150
	E / Steel tension member		F _{Tadm} [N]	4500	7500	10500	16000	22000
БЛ	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	1,20·10 ⁶	1,87·10 ⁶	2,80·10 ⁶	3,74·10 ⁶	5,61·10 ⁶
	Stainless	steel tension member	F _{Tadm} [N]	3375	5625	7875	12000	16500
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	1,20·10 ⁶	1,87·10 ⁶	2,80·10 ⁶	3,74·10 ⁶	5,61·10 ⁶
v	E / Steel tension member		F _{Tadm} [N]	2250	3750	5250	8000	11000
V	Stainless	E / Steel tension member Stainless steel tension member		1690	2815	3940	6000	8250
		Standard	[kg/m]	0,227	0,331	0,465	0,621	0,889
Del	14 .	DL	[kg/m]	-	-	-	-	-
Ве	lt weight	DR	[kg/m]	-	-	-	-	-
		т	[kg/m]	0,303	0,451	0,645	0,861	-

BRECO® ATK10K13	(M/V)	lity (minimum number of teeth / minimum diameter)												
			Steel tension member				E tension member				Stainless steel tension member			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	20	-	-	25	-	-	-	-	25	-	-	25
d _{min}	flexure	d _{min} [mm]	60	-	-	80	-	-	-	-	80	-	-	80
Z _{min}	With contra-	Z _{min}	25	-	-	25	-	-	-	-	40	-	-	40
d _{min}	flexure	d _{min} [mm]	120	-	-	120	-	-	-	-	130	-	-	130



BRECO® ATK	20K13 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]
0	175,00	800	113,05	2000	79,68	5000	42,44
20	171,73	900	109,08	2200	75,94	5500	38,44
40	168,69	1000	105,43	2400	72,49	6000	34,77
60	165,85	1100	102,07	2600	69,30	6500	31,38
80	163,17	1200	98,94	2800	66,32		
100	160,66	1300	96,02	3000	63,53		
200	149,85	1400	93,28	3200	60,90		
300	141,18	1500	90,70	3400	58,43		
400	133,94	1600	88,26	3600	56,08		
500	127,72	1700	85,96	3800	53,85]	
600	122,27	1800	83,76	4000	51,73	1	
700	117,42	1900	81,67	4500	46,84	1	

BRE	BRECO® ATK20K13 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight									
Belt	t width		b [mm]	75	100					
	E / Steel t	ension member	F _{Tadm} [N]	16800	22400					
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	4,20·10 ⁶	5,60·10 ⁶					
IVI	Stainless	steel tension member	F _{Tadm} [N]	13440	17920					
	Specific elasticity (stainless steel tension member)			4,20·10 ⁶	5,60·10 ⁶					
v	E / Steel t	ension member	F _{Tadm} [N]	8400	11200					
V	Stainless	steel tension member	F _{Tadm} [N]	6720	8960					
		Standard	[kg/m]	0,730	0,995					
De		DL	[kg/m]	-	-					
Ве	lt weight	DR	[kg/m]	-	-					
		Т	[kg/m]	-	-					

BRECO® ATK20K13	ity (minin	num r	umb	er of	teeth / m	inimu	m dia	meter	·)							
			Steel te	ension	memt	ber	E ter	nsion n	nembe	r	Stainless st	Stainless steel tension member				
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т		
Z _{min}	Without contra-	Z _{min}	20	-	-	-	-	-	-	-	32	-	-	-		
d _{min}	flexure	d _{min} [mm]	120	-	-	-	-	-	-	-	200	-	-	-		
Z _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	60	-	-	-		
d _{min}	flexure	d _{min} [mm]	180	-	-	-	-	-	-	-	380	-	-	-		

109

Belt widths b [mm] (in-between belt widths on	request)
75	100

ATK20K13 (M/V)	Available lengths and versions				
Standard delivery lengths (M)	rolls of 50 m				
Cut to lengths / lengths > 50 m	on request				
Minimum length joined (V)	1000 mm				
Standard material	TPUST1 ¹⁾				
Steel tension member (Standard)	x				
E tension member	-				
Stainless steel tension member	o				
PAZ	Х				
PAR	-				
PAZ-PAR	-				
DL / DL-PAZ	-				
DR / DR-PAZ	-				
T / T-PAZ	-				

x available

o minimum purchase amount on request

- not available

1) further materials on request



BRECO® TK5	K6 (M/V)	Specific	tooth force				R.p.m. F _{tspec} n [min ⁻¹] [N/cm] 5000 10,68			
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}			
n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min⁻¹]				
0	24,00	800	16,56	2000	13,69	5000	10,68			
20	23,40	900	16,20	2200	13,38	5500	10,36			
40	22,90	1000	15,88	2400	13,10	6000	10,07			
60	22,40	1100	15,58	2600	12,84	6500	9,81			
80	22,00	1200	15,31	2800	12,59	7000	9,56			
100	21,70	1300	15,06	3000	12,37	7500	9,33			
200	20,30	1400	14,83	3200	12,16	8000	9,11			
300	19,30	1500	14,61	3400	11,96	8500	8,91			
400	18,55	1600	14,40	3600	11,77	9000	8,72			
500	17,93	1700	14,21	3800	11,59	9500	8,54			
600	17,41	1800	14,03	4000	11,42	10000	8,37			
700	16,96	1900	13,85	4500	11,03		<i>a</i> .			

BRE	BRECO® TK5K6 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight										
Belt	t width		b [mm]	25	32	50					
	E / Steel t	ension member	F _{Tadm} [N]	840	1080	1680					
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	21,0·10 ⁴	27,0·10 ⁴	42,0·10 ⁴					
IVI	Stainless	Stainless steel tension member		640	820	1280					
	Specific elasticity (stainless steel tension member)		C _{spec} [N]	21,0·10 ⁴	27,0·10 ⁴	42,0·10 ⁴					
v	E / Steel t	ension member	F _{Tadm} [N]	420	540	840					
V	Stainless	steel tension member	F _{Tadm} [N]	320	410	640					
		Standard	[kg/m]	0,067	0,082	0,119					
		DL	[kg/m]	-	-	-					
Bei	Belt weight	DR	[kg/m]	-	-	-					
		Т	[kg/m]	-	-	-					

BRECO [®] TK5K6 (M/	ity (minim	num n	umb	er of	teeth / m	inimu	m dia	meter	·)							
			Steel te	ension	memt	ber	E ter	nsion m	nembe	r	Stainless st	eel ten	nsion member			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т		
Z _{min} Without contra-	Z _{min}	25	-	-	-	-	-	-	-	25	-	-	-			
d _{min}	flexure	d _{min} [mm]	60	-	-	-	-	-	-	-	60	-	-	-		
Z _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	36	-	-	-		
d _{min}	flexure	d _{min} [mm]	80	-	-	-	-	-	-	-	80	-	-	-		

Belt widths b [mm (in-between belt v	ı] widths on request)	
25	32	50

TK5K6 (M/V)	Available lengths and versions				
Standard delivery lengths (M)	rolls of 50 or 100 m				
Cut to lengths / lengths > 100 m	on request				
Minimum length joined (V)	1000 mm				
Standard material	TPUST1 ¹⁾				
Steel tension member (Standard)	x				
E tension member	-				
Stainless steel tension member	0				
PAZ	Х				
PAR	Х				
PAZ-PAR	х				
DL / DL-PAZ	-				
DR / DR-PAZ	-				
T / T-PAZ	-				

o minimum purchase amount on request

not available1) further materials on request





BRECO® TK10	DK6 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]
0	50,50	800	32,40	2000	25,40	5000	18,06
20	49,00	900	31,50	2200	24,60	5500	17,28
40	47,70	1000	30,70	2400	23,90	6000	16,58
60	46,60	1100	30,00	2600	23,30	6500	15,93
80	45,70	1200	29,30	2800	22,70	7000	15,33
100	44,80	1300	28,70	3000	22,20	7500	14,76
200	41,40	1400	28,20	3200	21,70	8000	14,24
300	39,10	1500	27,60	3400	21,20	8500	13,74
400	37,20	1600	27,10	3600	20,70	9000	13,28
500	35,70	1700	26,70	3800	20,30	9500	12,84
600	34,40	1800	26,20	4000	19,86	10000	12,42
700	33,30	1900	25,80	4500	18,91		-

BRE	BRECO [®] TK10K6 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight									
Bel	t width		b [mm]	25	50					
	E / Steel t	ension member	F _{Tadm} [N]	2400	4200					
м	Specific elasticity (E / Steel tension member)			5,5·10⁵	11,0·10 ^₅					
IVI	Stainless	steel tension member	F _{Tadm} [N]	1920	3360					
	Specific elasticity (stainless steel tension member)		C _{spec} [N]	5,5·10⁵	11,0·10 ^₅					
v	E / Steel t	ension member	F _{Tadm} [N]	1200	2100					
V	Stainless	steel tension member	F _{Tadm} [N]	960	1680					
		Standard	[kg/m]	0,129	0,239					
D		DL	[kg/m]	-	-					
ве	Belt weight	DR	[kg/m]	-	-					
		Т	[kg/m]	-	-					

BRECO [®] TK10K6 (M/V) Flexibilit			ity (minimum number of teeth / minimum diameter)											
			Steel te	Steel tension member			E tension member				Stainless steel tension member			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	20	-	-	-	-	-	-	-	25	-	-	-
d _{min}	flexure	d _{min} [mm]	60	-	-	-	-	-	-	-	80	-	-	-
Z _{min}	With contra-	Z _{min}	25	-	-	-	-	-	-	-	40	-	-	-
d _{min}	flexure	d _{min} [mm]	80	-	-	-	-	-	-	-	130	-	-	-

Belt widths b [mm] (in-between belt widths on request)						
25	50					

TK10K6 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	1000 mm
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	х
E tension member	-
Stainless steel tension member	0
PAZ	Х
PAR	Х
PAZ-PAR	х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	_

x available

o minimum purchase amount on request

- not available

1) further materials on request









x available

- o minimum purchase amount on request
- not available
- 1) further materials on request

Belt widths b [mm] (in-between belt widths on request)								
32	50	75	100					
TK10K1	3 (M/V)		engths and ions					
Standard delive	ry lengths (M)	rolls of 50	or 100 m					
Cut to lengths /	lengths > 100 m	on re	quest					
Minimum lengt	n joined (V)	1000 mm						
Standard materi	al	TPU	ST1 ¹⁾					
Steel tension me (Standard)	ember	x						
E tension memb	er	-						
Stainless steel te member	ension	C	þ					
PAZ		2	(
PAR			ĸ					
PAZ-PAR		х						
DL / DL-PAZ		· ·						
DR / DR-PAZ		-						
T / T-PAZ		0						

BRECO® TK1	0K13 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	50,50	800	32,40	2000	25,40	5000	18,06
20	49,00	900	31,50	2200	24,60	5500	17,28
40	47,70	1000	30,70	2400	23,90	6000	16,58
60	46,60	1100	30,00	2600	23,30	6500	15,93
80	45,70	1200	29,30	2800	22,70	7000	15,33
100	44,80	1300	28,70	3000	22,20	7500	14,76
200	41,40	1400	28,20	3200	21,70	8000	14,24
300	39,10	1500	27,60	3400	21,20	8500	13,74
400	37,20	1600	27,10	3600	20,70	9000	13,28
500	35,70	1700	26,70	3800	20,30	9500	12,84
600	34,40	1800	26,20	4000	19,86	10000	12,42
700	33,30	1900	25,80	4500	18,91		-

BRE	BRECO® TK10K13 (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight										
Beli	t width		b [mm]	32	50	75	100				
	E / Steel t	ension member	F _{Tadm} [N]	2600	4200	5200	8400				
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	7,0·10⁵	11,0·10⁵	16,5·10⁵	22,0·10⁵				
IVI	Stainless	steel tension member	F _{Tadm} [N]	2080	3360	4160	6720				
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	7,0⋅10⁵	11,0·10⁵	16,5·10⁵	22,0.10⁵				
v	E / Steel tension member		F _{Tadm} [N]	1300	2100	2600	3300				
V	Stainless	steel tension member	F _{Tadm} [N]	1040	1680	2080	3360				
		Standard	[kg/m]	0,282	0,407	0,569	0,735				
	Belt weight DL DR T		[kg/m]	-	-	-	-				
Be			[kg/m]	-	-	-	-				
			[kg/m]	-	-	-	-				

BRECO [®] TK10K13 (M/V) Flexibil		xibility (minimum number of teeth / minimum diameter)												
			Steel te	Steel tension member			E tension member				Stainless steel tension member			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without	Z _{min}	25	-	-	25	-	-	-	-	25	-	-	25
d _{min}	contra- flexure	d _{min} [mm]	80	-	-	80	-	-	-	-	80	-	-	80
Z _{min}	With contra-	Z _{min}	25	-	-	25	-	-	-	-	40	-	-	40
d _{min}	flexure	d _{min} [mm]	80	-	-	80	-	-	-	-	130	-	-	130







x available

o minimum purchase amount on request

- not available

1) further materials on request

Belt widths b (in-between b	[mm] pelt widths on i	request)				
38,1	50,8	76,2	101,6			
TK1/2"K	13 (M/V)	Available le vers	engths and ions			
Standard deliver	y lengths (M)	rolls of 50) or 100 m			
Cut to lengths / I	lengths > 100 m	on re	quest			
Minimum length	i joined (V)	1000 mm				
Standard materi	al	TPU	ST1 ¹⁾			
Steel tension me (Standard)	mber	х				
E tension memb	er	-				
Stainless steel te member	nsion	C	þ			
PAZ)	K			
PAR)	(
PAZ-PAR)	<			
DL / DL-PAZ		-				
DR / DR-PAZ		-				
T / T-PAZ		0				

BRECO® TK1/	2"K13 (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	44,00	800	28,20	2000	22,10	5000	15,74
20	42,70	900	27,50	2200	21,50	5500	15,07
40	41,60	1000	26,80	2400	20,90	6000	14,46
60	40,70	1100	26,20	2600	20,30	6500	13,89
80	39,80	1200	25,60	2800	19,81	7000	13,36
100	39,10	1300	25,10	3000	19,33	7500	12,87
200	36,10	1400	24,60	3200	18,88	8000	12,42
300	34,10	1500	24,10	3400	18,45	8500	11,99
400	32,50	1600	23,70	3600	18,05	9000	11,58
500	31,10	1700	23,20	3800	17,68	9500	11,19
600	30,00	1800	22,90	4000	17,32	10000	10,83
700	29,10	1900	22,50	4500	16,49		

BRE	BRECO® TK1/2"K13 (M/V) Admissible tension cord strength F _{radm} / Specific elasticity / Belt weight											
Bel	t width		b [mm]	38,1	50,8	76,2	101,6					
	E / Steel t	ension member	F _{Tadm} [N]	3200	4200	4800	6200					
м	Specific e	lasticity (E- / Steel tension member)	C _{spec} [N]	0,80·10 ⁶	1,10·10 ⁶	1,65·10 ⁶	2,20·10 ⁶					
IVI	Stainless	steel tension member	F _{Tadm} [N]	2560	3360	3840	4960					
	Specific el	lasticity (stainless steel tension member)	C _{spec} [N]	0,80·10 ⁶	1,10·10 ⁶	1,65·10 ⁶	2,20·10 ⁶					
v	E / Steel tension member		F _{Tadm} [N]	1600	2100	2400	3100					
V	Stainless	steel tension member	F _{Tadm} [N]	1280	1680	1920	2480					
		Standard	[kg/m]	0,222	0,275	0,368	0,469					
		DL	[kg/m]	-	-	-	-					
Ве	Belt weight DR T		[kg/m]	-	-	-	-					
			[kg/m]	0,253	0,338	0,507	0,676					

BRECO [®] TK1/2"K13 (M/V) Flexibilit			ity (minimum number of teeth / minimum diameter)											
	Steel tension member			E tension member				Stainless steel tension member						
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	18	-	-	20	-	-	-	-	22	-	-	22
d _{min}	flexure	d _{min} [mm]	80	-	-	80	-	-	-	-	80	-	-	80
Z _{min}	With contra-	Z _{min}	20	-	-	20	-	-	-	-	32	-	-	32
d _{min}	flexure	d _{min} [mm]	120	-	-	120	-	-	-	-	130	-	-	130



Belt widths b [mm (in-between belt v	n] widths on request)								
8 10 20									

T2,5 (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	350 mm
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	x
E tension member	-
Stainless steel tension member	-
PAZ	-
PAR	-
PAZ-PAR	-
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	_

x available

minimum purchase amount on request
not available

1) further materials on request

BRECO [®] T2,5	(M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]
0	9,03	800	5,97	2000	4,91	5000	4,09
20	8,72	900	5,83	2200	4,80	5500	3,95
40	8,48	1000	5,71	2400	4,70	6000	3,82
60	8,28	1100	5,61	2600	4,65	6500	3,71
80	8,10	1200	5,51	2800	4,60	7000	3,60
100	7,95	1300	5,41	3000	4,51	7500	3,51
200	7,39	1400	5,33	3200	4,48	8000	3,42
300	7,01	1500	5,25	3400	4,43	8500	3,33
400	6,71	1600	5,17	3600	4,36	9000	3,26
500	6,48	1700	5,10	3800	4,28	9500	3,18
600	6,28	1800	5,04	4000	4,22	10000	3,05
700	6,11	1900	4,97	4500	4,15		

BRE	CO® T2,5	(M/V) Admissib	ole tensio	on cord strength F _{Tadm} /	Specific elasticity / Bel	t weight
Belt	t width		b [mm]	8	10	20
	E / Steel t	ension member	F _{Tadm} [N]	77	98	196
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	1,93·10 ⁴	2,45·10 ⁴	4,90·10 ⁴
IVI	Stainless	steel tension member	F _{Tadm} [N]	-	-	-
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	-	-	-
v	E / Steel t	ension member	F _{Tadm} [N]	38	49	98
v	Stainless	steel tension member	F _{Tadm} [N]	-	-	-
		Standard	[kg/m]	0,010	0,015	0,030
Del	ltai abt	DL	[kg/m]	-	-	-
Bei	lt weight	DR	[kg/m]	-	-	-
		т	[kg/m]	-	-	-

BRECO® T2,5 (M/V)		Flexibil	ity (minin	num r	umb	er of	teeth / mi	inimu	m dia	meter	·)			
			Steel te	ension	memk	ber	E ter	nsion n	nembe	r	Stainless st	eel ten:	sion me	ember
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	15	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	15	-	-	-	-	-	-	-	-	-	-	-
Z _{min}	With contra-	Z _{min}	18	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	18	-	-	-	-	-	-	-	-	-	-	-









- o minimum purchase amount on request
- not available
- 1) further materials on request

	vidths b tween l		iths on	request	:)		
6*	10	16	25	32	50	75	100
*only M							

T5 (M/V))	Available lengths and versions
Standard delivery len	gths (M)	rolls of 50 or 100 m
Cut to lengths / length	ns > 100 m	on request
Minimum length	b _{min} =10	880 mm
joined (V)	DL	1000 mm
Standard material		TPUST1 ¹⁾
Steel tension member (Standard)		x
E tension member		0
Stainless steel tensior member		o
PAZ		Х
PAR		х
PAZ-PAR		Х
DL / DL-PAZ		0
DR / DR-PAZ		0
T / T-PAZ		0

BRECO® T5 (N	M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min ⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]
0	24,00	800	16,56	2000	13,69	5000	10,68
20	23,40	900	16,20	2200	13,38	5500	10,36
40	22,90	1000	15,88	2400	13,10	6000	10,07
60	22,40	1100	15,58	2600	12,84	6500	9,81
80	22,00	1200	15,31	2800	12,59	7000	9,56
100	21,70	1300	15,06	3000	12,37	7500	9,33
200	20,30	1400	14,83	3200	12,16	8000	9,11
300	19,30	1500	14,61	3400	11,96	8500	8,91
400	18,55	1600	14,40	3600	11,77	9000	8,72
500	17,93	1700	14,21	3800	11,59	9500	8,54
600	17,41	1800	14,03	4000	11,42	10000	8,37
700	16,96	1900	13,85	4500	11,03		-

BR	ECO® T5	(M/V) Admissib	ole tensic	on cord s	trength	F _{Tadm} / Sp	ecific ela	sticity / I	Belt wei	ght	
Be	lt width		b [mm]	6	10	16	25	32	50	75	100
	E / Steel	tension member	F _{Tadm} [N]	180	300	540	840	1080	1680	2520	3360
м	Specific	elasticity (E / Steel tension member)	C _{spec} [N]	4,5·10 ⁴	7,5·10 ⁴	13,5·10 ⁴	21,0·10 ⁴	27,0·10 ⁴	42,0·10 ⁴	63,0·10 ⁴	84,0·10 ⁴
	Stainles	s steel tension member	F _{Tadm} [N]	135	230	410	640	820	1280	1915	2580
	Specific	elasticity (stainless steel tension member)	C _{spec} [N]	4,5·10 ⁴	7,5·104	13,5·10 ⁴	21,0·10 ⁴	27,0·10 ⁴	42,0·10 ⁴	63,0·10 ⁴	84,0·10 ⁴
v	E / Steel	tension member	F _{Tadm} [N]	-	150	270	420	540	840	1260	1680
V	Stainles	s steel tension member	F _{Tadm} [N]	-	115	205	320	420	640	960	1290
		Standard	[kg/m]	0,013	0,021	0,034	0,053	0,068	0,106	0,160	0,233
	- + ! - - +	DL	[kg/m]	-	0,030	0,044	0,070	0,090	0,139	0,208	0,280
В	elt weight	DR	[kg/m]	-	0,039	0,063	0,098	0,126	0,196	0,294	0,378
		Т	[kg/m]	-	0,039	0,063	0,098	0,126	0,196	0,294	0,392

BRECO® T5 (M/V)		Flexibil	ity (minim	num n	umbe	er of	teeth / mi	inimu	m dia	meter	·)			
			Steel te	nsion	memt	ber	E ter	ision m	nembe	r	Stainless st	eel ten	sion me	ember
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	10	15	20	20	10	10	-	-	18	18	20	20
d _{min}	flexure	d _{min} [mm]	30	30	30	30	18	18	-	-	30	30	30	30
Z _{min}	With contra-	Z _{min}	15	15	20	20	12	12	-	-	36	36	36	36
d _{min}	flexure	d _{min} [mm]	30	30	60	60	18	18	-	-	60	60	60	60









- o minimum purchase amount on request
- not available
- 1) further materials on request

	idths b [r ween be	_	s on requ	iest)		
16	25	32	50	75	100	150

T10 (M/V	')	Available lengths and versions
Standard delivery leng	gths (M)	rolls of 50 or 100 m
Cut to lengths / lengtl	hs > 100 m	on request
Minimum longth	Standard	880 mm
Minimum length joined (V)	DL, DR, T, b=150	1000 mm
Standard material		TPUST1 ¹⁾
Steel tension member (Standard)		x
E tension member		0
Stainless steel tension member		o
PAZ		х
PAR		х
PAZ-PAR		х
DL / DL-PAZ b _{max} =	100	0
DR / DR-PAZ b _{max} =	100	0
T / T-PAZ b _{max} =	100	0

RECO® T10 ((M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	50,50	800	32,40	2000	25,40	5000	18,06
20	49,00	900	31,50	2200	24,60	5500	17,28
40	47,70	1000	30,70	2400	23,90	6000	16,58
60	46,60	1100	30,00	2600	23,30	6500	15,93
80	45,70	1200	29,30	2800	22,70	7000	15,33
100	44,80	1300	28,70	3000	22,20	7500	14,76
200	41,40	1400	28,20	3200	21,70	8000	14,24
300	39,10	1500	27,60	3400	21,20	8500	13,74
400	37,20	1600	27,10	3600	20,70	9000	13,28
500	35,70	1700	26,70	3800	20,30	9500	12,84
600	34,40	1800	26,20	4000	19,86	10000	12,42
700	33,30	1900	25,80	4500	18,91		-

BRE	CO® T10	(M/V) Admissil	ble tensio	on cord st	rength F _{Tac}	_{im} / Specif	ic elasticit	y / Belt w	eight	
Bel	t width		b [mm]	16	25	32	50	75	100	150
	E / Steel t	ension member	F _{Tadm} [N]	1400	2200	2800	4400	6600	8800	13200
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	3,5∙10⁵	5,5∙10⁵	7,0·10⁵	11,0 • 10⁵	16,5·10⁵	22,0·10⁵	33,0·10⁵
IVI	Stainless steel tension member		F _{Tadm} [N]	1120	1760	2240	3520	5280	7040	10560
	Specific e	lasticity (stainless steel tension member)	C _{spec} [N]	3,5∙10⁵	5,5∙10⁵	7,0∙10⁵	11,0.10⁵	16,5·10⁵	22,0.10⁵	33,0·10⁵
v	E / Steel t	ension member	F _{Tadm} [N]	700	1100	1400	2200	3300	4400	6600
V	Stainless	steel tension member	F _{Tadm} [N]	560	880	1120	1760	2640	3520	5280
		Standard	[kg/m]	0,073	0,114	0,145	0,227	0,341	0,454	0,681
De	ltaiabt	DL	[kg/m]	0,094	0,147	0,188	0,293	0,440	0,586	-
Бе	lt weight	DR	[kg/m]	0,109	0,171	0,218	0,341	0,512	0,682	-
		Т	[kg/m]	0,109	0,171	0,218	0,341	0,512	0,682	-

BRECO® T10 (M/V)	ty (minimum number of teeth / minimum diameter)													
				Steel tension member			E tension member				Stainless st	eel ten:	sion me	ember
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	12	20	20	20	10	10	20	20	25	25	25	25
d _{min}	flexure	d _{min} [mm]	60	60	60	60	50	50	60	60	80	80	80	80
Z _{min}	With contra-	Z _{min}	20	20	20	20	15	15	20	20	40	40	40	40
d _{min}	flexure	d _{min} [mm]	60	60	80	80	50	50	80	80	130	130	130	130







Version T
Т20-Т

minimum purchase amount on request
not available

1) further materials on request

	ths b [mm /een belt v	-	request)		
25	32	50	75	100	
25	52	50	75	100	

150

T20 (M/V)	Available lengths and versions
Standard delivery leng	gths (M)	rolls of 50 m
Cut to lengths / lengtl	ns > 50 m	on request
Minimum law ath	Standard	1000 mm
Minimum length joined (V)	DL, T, b=150	1200 mm
Standard material		TPUST11)
Steel tension member (Standard)		x
E tension member		0
Stainless steel tension member		0
PAZ		Х
PAR		Х
PAZ-PAR		х
DL / DL-PAZ b _{max} =	100	0
DR / DR-PAZ		-
T / T-PAZ b _{max} =	100	0

124

BRECO® T20	(M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]
0	101,50	800	60,90	2000	45,30	5000	28,90
20	98,10	900	59,00	2200	43,60	5500	27,20
40	95,30	1000	57,20	2400	42,10	6000	25,60
60	92,80	1100	55,60	2600	40,70	6500	24,20
80	90,70	1200	54,20	2800	39,40		
100	88,70	1300	52,80	3000	38,10		
200	81,20	1400	51,50	3200	37,00		
300	75,90	1500	50,30	3400	35,90		
400	71,80	1600	49,20	3600	34,90		
500	68,40	1700	48,20	3800	33,90		
600	65,60	1800	47,20	4000	33,00		
700	63,10	1900	46,20	4500	30,80		

BRE	CO® T20	(M/V) Admissib	ole tensio	on cord stre	ngth F _{Tadm} /	Specific ela	sticity / Bel	t weight	
Bel	t width		b [mm]	25	32	50	75	100	150
	E / Steel t	ension member	F _{Tadm} [N]	3500	4500	7000	10500	14000	20000
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	0,87·10 ⁶	1,13·10 ⁶	1,75·10 ⁶	2,63·10 ⁶	3,5·10 ⁶	5,0·10 ⁶
IVI	Stainless	steel tension member	F _{Tadm} [N]	2520	3240	5040	7560	10080	14400
	Specific el	lasticity (stainless steel tension member)	C _{spec} [N]	0,87·10 ⁶	1,13·10 ⁶	1,75·10 ⁶	2,63·10 ⁶	3,5·10 ⁶	5,0·10 ⁶
v	E / Steel t	ension member	F _{Tadm} [N]	1750	2250	3500	5250	7000	10000
V	Stainless	steel tension member	F _{Tadm} [N]	1260	1620	2520	3780	5040	7200
		Standard	[kg/m]	0,184	0,236	0,368	0,552	0,736	1,095
Do	DL		[kg/m]	0,247	0,316	0,493	0,793	0,986	-
Ве	lt weight	DR	[kg/m]	-	-	-	-	-	-
		т	[kg/m]	0,244	0,313	0,488	0,732	0,976	-

BRECO® T20 (M/V) Flexibility (minimum number of teeth / minimum diameter)														
			Steel te	Steel tension member			E tension member				Stainless steel tension member			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	15	25	-	25	12	25	-	25	20	30	-	30
d _{min}	flexure	d _{min} [mm]	120	150	-	120	100	150	-	120	130	150	-	150
Z _{min}	With contra-	Z _{min}	25	25	-	25	22	25	-	25	30	30	-	30
d _{min}	flexure	d _{min} [mm]	120	180	-	180	120	180	-	180	180	180	-	180



Belt widths b [mm] (in-between belt widths on request)											
6,35*	7,94	9,53	12,7	19,1	25,4						
*only M	*only M										

T1/5" (M/	V)	Available lengths and versions
Standard delivery leng	gths (M)	rolls of 50 or 100 m
Cut to lengths / length	hs > 100 m	on request
Minimum length joined (V)	b _{min} =7,94	880 mm
Standard material		TPUST1 ¹⁾
Steel tension member (Standard)		х
E tension member		-
Stainless steel tension member		-
PAZ		х
PAR		х
PAZ-PAR		х
DL / DL-PAZ		-
DR / DR-PAZ		-
T / T-PAZ		-

x available

o minimum purchase amount on request

- not available

1) further materials on request

BRECO [®] T1/5	5" (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]
0	24,40	800	16,83	2000	13,91	5000	10,86
20	23,80	900	16,47	2200	13,60	5500	10,54
40	23,20	1000	16,14	2400	13,31	6000	10,24
60	22,80	1100	15,84	2600	13,05	6500	9,97
80	22,40	1200	15,57	2800	12,80	7000	9,72
100	22,00	1300	15,31	3000	12,57	7500	9,49
200	20,60	1400	15,07	3200	12,36	8000	9,27
300	19,63	1500	14,85	3400	12,16	8500	9,06
400	18,86	1600	14,64	3600	11,96	9000	8,86
500	18,23	1700	14,45	3800	11,78	9500	8,68
600	17,70	1800	14,26	4000	11,61	10000	8,51
700	17,24	1900	14,08	4500	11,21		

BRE	CO® T1/5	" (M/V) Admissik	ole tensio	on cord stre	ngth F _{Tadm} /	Specific ela	sticity / Bel	t weight	
Bel	t width		b [mm]	6,35	7,94	9,53	12,7	19,1	25,4
	E / Steel t	ension member	F _{Tadm} [N]	210	240	330	390	660	840
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	5,25·10 ⁴	6,0·10 ⁴	8,25·10 ⁴	9,75·10 ⁴	16,5·10 ⁴	21,0·10 ⁴
IVI	Stainless	steel tension member	F _{Tadm} [N]	-	-	-	-	-	-
	Specific el	asticity (stainless steel tension member)	C _{spec} [N]	-	-	-	-	-	-
v	E / Steel t	ension member	F _{Tadm} [N]	-	120	165	195	330	420
V	Stainless	steel tension member	F _{Tadm} [N]	-	-	-	-	-	-
		Standard	[kg/m]	0,015	0,019	0,023	0,03	0,046	0,061
	1	DL	[kg/m]	-	-	-	-	-	-
Ве	lt weight	DR	[kg/m]	-	-	-	-	-	-
		т	[kg/m]	-	-	-	-	-	-

BRECO® T1/5" (M/V	ity (minin	num n	umbe	er of	teeth / m	inimu	m dia	meter	·)					
				Steel tension member E tens					nembe	r	Stainless steel tension member			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	10 (25)	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	30 (60)	-	-	-	-	-	-	-	-	-	-	-
Z _{min}	With contra-	Z _{min}	15 (25)	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	30 (60)	-	-	-	-	-	-	-	-	-	-	-



	idths b [r ween be		s on requ	iest)							
9,53 12,7 19,1 25,4 38,1 50,8 76,2											

T3/8" (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 or 100 m
Cut to lengths / lengths > 100 m	on request
Minimum length joined (V)	880 mm
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	x
E tension member	-
Stainless steel tension member	-
PAZ	х
PAR	х
PAZ-PAR	х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

x available

o minimum purchase amount on request

- not available

1) further materials on request

BRECO [®] T3/8	" (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]
0	37,40	800	24,00	2000	18,78	5000	13,36
20	36,30	900	23,30	2200	18,22	5500	12,79
40	35,50	1000	22,70	2400	17,71	6000	12,27
60	34,50	1100	22,20	2600	17,25	6500	11,79
80	33,80	1200	21,70	2800	16,81	7000	11,34
100	33,10	1300	21,30	3000	16,40	7500	10,93
200	30,70	1400	20,80	3200	16,02	8000	10,54
300	28,90	1500	20,40	3400	15,66	8500	10,17
400	27,50	1600	20,10	3600	15,32	9000	9,83
500	26,40	1700	19,72	3800	15,00	9500	9,50
600	25,50	1800	19,39	4000	14,69	10000	9,19
700	24,70	1900	19,08	4500	13,99		

BRE	CO® T3/8	" (M/V) Admissi	ble tensio	on cord st	rength F _{Tar}	_{am} / Specif	ic elasticit	y / Belt w	eight	
Bel	t width		b [mm]	9,53	12,7	19,1	25,4	38,1	50,8	76,2
	E / Steel tension member			630	840	1260	1680	2520	3500	5040
м	Specific elasticity (E / Steel tension member)			15,8·10 ⁴	21,0·10 ⁴	31,5·10 ⁴	42,0·10 ⁴	63,0·10 ⁴	87,0·10 ⁴	1,26∙10⁵
IVI	Stainless	steel tension member	F _{Tadm} [N]	-	-	-	-	-	-	-
	Specific elasticity (stainless steel tension member)			-	-	-	-	-	-	-
v	E / Steel t	ension member	F _{Tadm} [N]	315	420	630	840	1260	1750	2520
V	Stainless	steel tension member	F _{Tadm} [N]	-	-	-	-	-	-	-
		Standard	[kg/m]	0,033	0,044	0,066	0,08	0,133	0,178	0,266
	DL		[kg/m]	-	-	-	-	-	-	-
Бе	Belt weight DR T		[kg/m]	-	-	-	-	-	-	-
			[kg/m]	-	-	-	-	-	-	-

BRECO® T3/8" (M/V	Flexibil	ity (minimum number of teeth / minimum diameter)												
				ension	memk	ber	E ter	nsion n	nembe	r	Stainless st	eel ten	sion me	ember
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	15 (20)	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	60	-	-	-	-	-	-	-	-	-	-	-
Z _{min}	With contra-	Z _{min}	20 (25)	-	-	-	-	-	-	-	-	-	-	-
d _{min}	flexure	d _{min} [mm]	60 (80)	-	-	-	-	-	-	-	-	-	-	-



	vidths b tween		dths on	request	t)				
12,7	12,7 19,1 25,4 38,1 50,8 76,2 101,6 152,4								

T1/2" (M	/V)	Available lengths and versions
Standard delivery le	ngths (M)	rolls of 50 or 100 m
Cut to lengths / leng	ths > 100 m	on request
Minimum length	Standard	880 mm
joined (V)	b=152,4	1000 mm
Standard material		TPUST1 ¹⁾
Steel tension member (Standard)	er	x
E tension member		-
Stainless steel tensic member	n	0
PAZ		х
PAR		х
PAZ-PAR		х
DL / DL-PAZ		-
DR / DR-PAZ		-
T / T-PAZ	b _{max} =101,6	0

x available

minimum purchase amount on request
not available

1) further materials on request

BRECO® T1/2	" (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}	R.p.m.	F _{tspec}
n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]	n [min ⁻¹]	[N/cm]	n [min⁻¹]	[N/cm]
0	44,00	800	28,20	2000	22,10	5000	15,74
20	42,70	900	27,50	2200	21,50	5500	15,07
40	41,60	1000	26,80	2400	20,90	6000	14,46
60	40,70	1100	26,20	2600	20,30	6500	13,89
80	39,80	1200	25,60	2800	19,81	7000	13,36
100	39,10	1300	25,10	3000	19,33	7500	12,87
200	36,10	1400	24,60	3200	18,88	8000	12,42
300	34,10	1500	24,10	3400	18,45	8500	11,99
400	32,50	1600	23,70	3600	18,05	9000	11,58
500	31,10	1700	23,20	3800	17,68	9500	11,19
600	30,00	1800	22,90	4000	17,32	10000	10,83
700	29,10	1900	22,50	4500	16,49		a

BRE	BRECO® T1/2" (M/V) Admissible tension cord strength F _{Tadm} / Specific elasticity / Belt weight										
Bel	t width		b [mm]	12,7	19,1	25,4	38,1	50,8	76,2	101,6	152,4
	E / Steel tension member			1000	1600	2200	3200	4400	6600	8800	13200
м	Specific elasticity (E / Steel tension member)			0,25·10 ⁶	0,4·10 ⁶	0,55·10 ⁶	0,80·10 ⁶	1,1·10 ⁶	1,65·10 ⁶	2,2·10 ⁶	3,3·10 ⁶
	Stainless	steel tension member	F _{Tadm} [N]	800	1280	1760	2560	3520	5280	7040	10560
	Specific elasticity (stainless steel tension member)		C _{spec} [N]	0,25·10 ⁶	0,4·10 ⁶	0,55·10 ⁶	0,80·10 ⁶	1,1·10 ⁶	1,65·10 ⁶	2,2·10 ⁶	3,3·10 ⁶
v	E / Steel t	ension member	F _{Tadm} [N]	500	800	1100	1600	2200	3300	4400	6600
v	Stainless	steel tension member	F _{Tadm} [N]	400	640	880	1280	1760	2640	3520	5280
	Standard		[kg/m]	0,053	0,081	0,108	0,161	0,216	0,324	0,432	0,648
De	DL		[kg/m]	-	-	-	-	-	-	-	-
ве	lt weight	DR	[kg/m]	-	-	-	-	-	-	-	-
	т		[kg/m]	0,084	0,127	0,169	0,253	0,338	0,507	0,676	-

BRECO® T1/2" (M/V	Flexibil	ity (minin	num n	umbe	er of	teeth / m	inimu	m dia	meter	·)				
				Steel tension member E ten					nembe	r	Stainless steel tension member			
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т
Z _{min}	Without contra-	Z _{min}	14	-	-	20	-	-	-	-	25	-	-	25
d _{min}	flexure	d _{min} [mm]	60	-	-	80	-	-	-	-	100	-	-	100
z _{min}	With contra-	Z _{min}	20	-	-	20	-	-	-	-	40	-	-	40
d _{min}	flexure	d _{min} [mm]	80	-	-	80	-	-	-	-	160	-	-	160



	Belt widths b [mm] (in-between belt widths on request)								
50,8 76,2 101,6									

T7/8" (M/V)	Available lengths and versions
Standard delivery lengths (M)	rolls of 50 m
Cut to lengths / lengths > 50 m	on request
Minimum length joined (V)	880 mm
Standard material	TPUST1 ¹⁾
Steel tension member (Standard)	x
E tension member	-
Stainless steel tension member	-
PAZ	х
PAR	х
PAZ-PAR	х
DL / DL-PAZ	-
DR / DR-PAZ	-
T / T-PAZ	-

x available

o minimum purchase amount on request

- not available

1) further materials on request

BRECO® T7/8	8" (M/V)	Specific	tooth force				
R.p.m.	F _{tspec}						
n [min ⁻¹]	[N/cm]						
0	91,35	800	54,81	2000	40,77	5000	26,01
20	88,29	900	53,10	2200	39,24	5500	24,48
40	85,77	1000	51,48	2400	37,89	6000	23,04
60	83,52	1100	50,04	2600	36,63	6500	21,78
80	81,63	1200	48,78	2800	35,46		
100	79,83	1300	47,52	3000	34,29]	
200	73,08	1400	46,35	3200	33,30]	
300	68,31	1500	45,27	3400	32,31]	
400	64,62	1600	44,28	3600	31,41		
500	61,56	1700	43,38	3800	30,51]	
600	59,04	1800	42,48	4000	29,70]	
700	56,79	1900	41,58	4500	27,72]	

BRE	CO® T7/8	" (M/V) Admissik	ole tensic	on cord strength F _{Tadm} /	Specific elasticity / Bel	t weight
Belt	t width		b [mm]	50,8	76,2	101,6
	E / Steel t	ension member	F _{Tadm} [N]	7000	10500	14000
м	Specific e	lasticity (E / Steel tension member)	C _{spec} [N]	1,75·10 ⁶	2,63·10 ⁶	3,5·10 ⁶
	Stainless	steel tension member	F _{Tadm} [N]	-	-	-
	Specific el	lasticity (stainless steel tension member)	C _{spec} [N]	-	-	-
v	E / Steel t	ension member	F _{Tadm} [N]	3500	5250	7000
v	Stainless	steel tension member	F _{Tadm} [N]	-	-	-
		Standard	[kg/m]	0,530	0,795	1,059
Dol	ltai alat	DL	[kg/m]	-	-	-
Бе	lt weight	DR	[kg/m]	-	-	-
		Т	[kg/m]	-	-	-

BRECO® T7/8" (M/V	()	Flexibil	ity (minin	num n	umbe	er of	teeth / mi	inimu	m dia	meter)						
					memt	ber	E ter	nsion n	nembe	r	Stainless steel tension membe						
			Standard	DL	DR	Т	Standard	DL	DR	Т	Standard	DL	DR	Т			
Z _{min}	Without contra-	Z _{min}	18	-	-	-	-	-	-	-	-	-	-	-			
d _{min}	flexure	d _{min} [mm]	150	-	-	-	-	-	-	-	-	-	-	-			
Z _{min}	With contra-	Z _{min}	20 (25)	-	-	-	-	-	-	-	-	-	-	-			
d _{min}	flexure	d _{min} [mm]	180	-	-	-	-	-	-	-	-	-	-	-			



Timing belt lock for BRECO[®] timing belt

The BRECO[®] timing belt lock for the timing belt types AT10 DC and T10 DC is mainly used for low load drives but extensive assembly work. The lock offers substantial savings in work and costs where, for design purposes, the timing belt can only be joint to an endless belt after being inserted in the machine. It can also be used as an "Emergency belt" to bridge downtimes as a result of malfunctions and belt failures. When using the lock for timing belts with flighted profiles, take a minimum profile spacing of 100 mm into account.

Technical data

134

Material of lock elements	Carbon fiber reinforced polyamide
Length of the lock (tooth center to tooth center)	90 mm
Number of connecting elements	10
Width of connecting plates	8 mm
Thickness of the timing belt (version DC)	5,5 mm
Minimum number of teeth of the pulley (use only normal gap)	25

Ordering information

The lock elements on the belt rear are countersunk so that the elements are flush with the belt top edge. For this reason, the timing belt usedmust be thicker than the standard BRECO® AT10 or T10 timing belt. Ensure that you specify the version as "DC" when ordering an "AT10" or "T10" belt.

Ordering examples

Ordering example for timing belts prepared for belt lock (belt-lock isn't assembled) 75 AT10 / 8400 DC oder 100 T10 / 6000 DC

Ordering example for timing belt lock 75 AT10 DC oder 100 T10 DC

Ordering example for timing belt with lock (belt lock is preassembled) 50 AT10 / 5400 DC assembled 50 AT10 DC assembled

Annotation:

Specify the two respective designations when ordering the timing belt and the lock. If only the timing belt designation is specified, only the timing belt will be supplied with the respective preparation for the lock.











Appendix



Appendix

Belt guidance, tooth gap shapes
Angular drives
Safty factors
Tolerances
Pre-tension force
Bases of calculation
List of formulae
Calculation example power transmission
Calculation example transport technology
Information about linear technology
Construction and properties
Construction features
Coars design
List of formulae, definitions
Ordering information
Calculation online
Index

151 152 153 160 161																																				P	'a	g	e			
150 151 152 153 160 161		· · ·		· · ·	- - - -	· · · ·		· · · ·	· · ·	•	· · ·	•	· · · ·	· · · ·		 •		39 40 47 47 47 47 47	9 0 1 2 4 5 5																							
																	Ĩ																			-						
	· · ·		•		•																											•			•	 •	1 1 1 1	5 5 5 6 6	1 2 3 0 1			

Timing belt guidance by flanges

Tooth gap shapes

Timing belts must be guiding to eliminate the lateral wandering-off effect. This is normally done by flanges.

Minimum lateral forces and low frictional losses can be resulted by the optimum arrangement of the belt guidance.

For this purpose, the following possibilities are available:

- Timing belt guidance downstream of a large free span length (infeed length (a) should not remain under 5 times belt width)
- Guidance at the drive pulley (to prefer for two shaft drives with short axis distance)
- Guidance of the pulleys with low power transmission (to prefer for multi shaft drives)
- Guidance on the tension rollers
 - Tension roller arrangement in the slack span side
 - With arrangement on the flush belt side: consider minimum diameter with contraflexure
 - With arrangement on the meshed belt side: Length of angle of wrap, min. 3 teeth
 - With changing rotational direction preferable in the span length centre
 - Condition: Minimum span length (a) between tension roller and pulley should not remain under 5 times belt width
- Ensure high axis parallelity and flush alignment of all pulleys to achieve optimum guiding features.
- For cost reasons it is possible to fit flanges also to the smaller pulley taking the functional reliability into consideration.



The utilisation of BRECO[®] and BRECOFLEX[®] timing belts with bifilar tension member arrangements is the ideal prerequisite for an optimal belt guide.

Timing belts are positive fitted drive elements. They work slippage-free with the respective synchronising pulleys. BRECO[®] and BRECOFLEX[®] timing belt drives can be optimised additionally for a movement transmission with a low flank backlash.

For some profiles and pitches, the SE or zero gap can be used for especially high requirements on the precision of the movement transmission.

Please contact us for technical advice.

- Prerequisites for the application: Pitch matching between timing belts and pulley.
- Influencing factors of the pitch matching:
 - Pre-tension force

138

- Meshing distance (z)
- Load rate (rotational speed, dynamic behaviour...)
- Manufacturing tolerances



BRECOFLEX® timing belts can be applied as angular drives. Take into consideration that the timing belt can only be crossed (twisted). Eliminate the wandering-off effect.









With crossed timing belt applications the outer tension members suffer a higher elongation as the inner ones. Due to the larger elongation in the edge zone the permitted proportional circumferencial force for the belt in the tension members is reduced.

No power reductions or constructive special means are necessary at a ratio of IT / b \geq 20.

At a required ratio of IT / b < 20 please contact our technical department for advise.

Safety factors

The width of a timing belt is correct when the permissible values for tooth shear strength, tension cord strength and flexibility are not exceeded under unfavourable operating conditions. In our catalog, load limits are stated which have been reliably proven and confirmed by bench tests and results obtained in practice. A safety factor is only required for drives with transmission into higher speed.

It is important, that the unfavourable load types occuring in the drive are known resp. correctly estimated by the engineer. With a positive fit transmission, even short-period overloads act via the timing belt being the drive member. Some instructions to this issue:

Rated operation

Design timing belts for the operating condition of the rated load. The rated load is the operating condition at which the drive should transmit the torque or the power at rated speeds under normal conditions.

Start-up characteristics

- a) Drive side: The max. torque of the drive machine under start-up conditions is to be taken into consideration. The start-up torque, e.g. for three-phase squirrel cage motors amounts to 2 to 2.5 times the rated value.
- b) On the drive side: If necessary, "initial torques" affective to the drive part timing belt are to be taken into consideration under start-up characteristics.

Check load case a) or b) with rotational speed n=0.

Brakes

It might have to be defined whether braking leads to loads which fully act via the timing belt and possibly exceed the type of load produced by the rated operation or the start-up characteristics. In the braking operation the torque reversal is to be taken into consideration.

Unevennesses (variations, impact shocks)

In addition to the rated load, superimposed vibration and impact shocks could act on the timing belt as the transmission member. For the illustrated example, increase the calculated belt width by the factor of 1.3.



Moments of inertia

Moments of inertia and/or centrifugal masses in the drives generally create a uniform running behaviour. Depending on the acceleration and deceleration characteristic it has to be differentiated and checked whether the moments of inertia create an additional load on the timing belt.

Step-up transmission

The following safety factors are to be applied for step-up transmissions:



In the braking operation may occur a torque reversal and the reduction can change into a step-up transmission.

140

Length tolerances for BRECOFLEX[®] timing belts Stated dimensions in mm, referred to the belt length

Belt length [mm]	Length tolerance [mm]	Belt length [mm]
300	± 0,41	3550
500	± 0,53	3750
700	± 0,64	4000
900	± 0,75	4250
1100	± 0,85	4500
1300	± 0,95	4750
1500	± 1,04	5000
1900	± 1,13	5300
2120	± 1,22	5600
2240	± 1,31	6000
2360	± 1,36	6300
2500	± 1,44	6700
2650	± 1,49	7100
2800	± 1,57	7500
3000	± 1,61	8000
3150	± 1,74	9000
3350	± 1,82	

Length tolerances for BRECO [®] *except for ATL timing b		± C
Width tolerance for BRECO [®]	and BRECOFLE	X® timing belts N
Belt type Pitch	Tolerance	Belt typ Pitch

Width tolerance for BRECO [®] and BRECOFLEX [®] timing belts M/V									
Belt type Pitch	Tolerance	Belt type Pitch	Tolerance						
T2,5	± 0,5	ATS15 / SFAT15 / BAT15 / BATK15	± 1,0						
Т5 / ТК5	± 0,5	AT20 / ATK20 / ATL20 / ATN20 / SFAT20	± 1,0						
T10 / TK10	± 0,5	ATP10	± 0,5						
T20	± 1,0	ATP15	± 1,0						
AT3	± 0,5	XL	± 0,5						
AT5 / ATK5 / ATL5	± 0,5	L	± 0,5						
AT10 / ATK10 / ATL10 / ATN10 / SFAT10 / BAT10 / BATK10	± 0,5	н	± 0,5						
ATN12,7	± 0,5	ХН	± 1,0						

141

Length tolerance [mm]
± 1,91
± 2,03
± 2,11
± 2,24
± 2,32
± 2,40
± 2,52
± 2,64
± 2,72
± 2,92
± 3,04
± 3,19
± 3,35
± 3,51
± 3,70
± 4,09

0,8 mm/m

Pre-tension force

Pre-tension is intended to guarantee a minimum tensioning force at the slack span side to ensure smooth tooth meshing into the driven pulley.

Generally, the pre-tension should only be set as high as necessary. The necessary pretension force of the spans F_v depends on the max. circumferencial force F_u , the belt length L_B (number of teeth z_B) and the drive configuration.





Drive configuration		Pre-tension force of each individual span
Two-shaft drive	Z _B < 60 60 ≤ Z _B < 150 Z _B > 150	$F_v = 1/3 F_u$ $F_v = 1/2 F_u$ $F_v = 2/3$
Multiple-shaft drive	$ _{Load span} \le _{Slack span}$ $ _{Load span} > _{Slack span}$	$F_{v} = F_{u}$ $F_{v} > F_{u}$
Linear drive		$F_v \ge F_u$

In every case, the tension cord strength is the top limit of the span load. Take into consideration that especially with multiple-shaft and linear drives, an addition of the pretension force and the circumferencial force in relation to the load span force is to be expected.

Influence variables

Stiffness of the belt

Friction forces created by the interaction of the tooth mesh (especially at the slack span) intensify the span forces, which in turn increase the degree of elongation. This influence may lead to the slack span tooth mesh butting against the driven pulley, thereby causing the belt to jump.

Elongation being directly depending on the belt stiffness, the high stiffness of the steel cord tension members permits a comparably low pre-tension.

Circumferential force

The circumferential force acts in proportion to the elongation of the load span, i.e. excessive slackening of the slack span can be counteracted by a pre-tension matched to the circumferential force.

Belt length

Belt elongation resulting from the effect of the circumferential force and the friction forces is also approximately in proportion to the belt length. Therefore, the tendency of running up or jumping is considerably influenced by the belt length. Even under high circumferential forces with the resulting friction forces, a very short timing belt will elongate to only a small degree, so that even when subject to low pre-tension forces there will be no danger of running up or jumping of teeth. On the contrary, with short timing belts circumferential deviations of the pulleys could cause heavy pre-tension fluctuations and, as a result, extreme peak values.

Proportion of the span lengths

Especially with multiple-shaft drives the load span is often markedly longer than the slack span side. For this reason, a slight elongation of the load span results in a very unfavourable slack on the span side. Therefore, the pre-tension force of spans of such gearings should be higher than the circumferencial force.

Precise transmission of movement

142

There is a high transmission accuracy possible in the reverse operation with BRECO[®] and BRECOFLEX[®] timing belts, when the span pre-tension forces are selected in the same size of the circumferencial force.

Consequences of faulty pre-tension setting:

Too low pre-tension

- The teeth of the slack span side run up on or override the teeth of the driven pulley
- Wear on the faces caused by the friction force during meshing
- Forced breakage by excessive elongation due to full overriding

Excessive pre-tension

- High bearing load of the shafts
- Reduction of the transmissionable power
- Wear and tear at the belt tooth

General information

Design

- In the transmission configuration, design at least one adjustable axis, plan one adjustable tension roller (not spring-loaded) for fix centre distances
- The bearing has to be absolutely rigid
- Note the importance of a parallel run and flush alignment of the synchronising pulleys

Transport/storing

- Upon receipt, unpack the timing belt immediately and store in circular position in a dry place at room temperature
- Do not bend

Measuring with frequency measuring meter

The intrinsic frequency of a vibrating belt span can be measured by means of various Mulco belt tension measuring meters. The pre-tension force of the span can be calculated from the measured intrinsic frequency:

$$F_v = 4 \cdot m \cdot l_T^2 \cdot f^2$$

The corresponding intrinsic frequency can be calculated, if the pre-tension is preset:

$$f = \sqrt{\frac{F_v}{4 \cdot m \cdot l_r^2}}$$

f: Frequency of the variations in hertz:

m: Mass of the belt per meter length in kg/m

I: Drum span length subject to vibration in m

FV: Span force in N

Please contact our distribution partner for the various measuring meters. (e.g. BRECO® TSM alpha 1)

Mounting

- Fit timing belts on the pulleys when slack without exerting any force
- Exert no force when fitting with fix centre distances if necessary, fit together with synchronising pulleys
- Apply pre-tensioning force according to the chapter "Pre-tension"
- Secure adjustable axis against sliding
- Do not clamp the timing belt between the flanges

Operation

- Protect the drives against dust, dirt, hot surrounding media as well as acids and lyes
- Take into consideration the ambient temperatures (see characteristics of polyurethane timing belts)


Providing the following conditions of tooth strength (1st), tension member tensile strength (2nd) and flexibility (3rd) are met, then a maintenance-free timing belt operation can be expected.

1. Tooth shear strength Specific tooth shear strength

The specific tooth shear strength depends on the rotational speed. The maximum specific tooth shear strength is the limit load the belt tooth can bear in continuous operation. The values are stated in tables for each timing belt type. The timing belt drive is correctly designed, when not exceeding the admissible tooth shear strength. Generally, a special safety surplus is not necessary, see chapter "Safety factors".

The high specific tooth shear strength of the ATP profile, for example, is achieved by the optimised force and load distribution. The effective force is distributed to two tooth faces.

The working loads can be distributed the more effective the more belt teeth are meshing in the pulley. Maximum number of teeth in mesh (BRECOFLEX[®] timing belts): z_{emax} =12

Due to the high pitch accuracy of BRECOFLEX[®] timing belts generally, it can be calculated with 12 belt teeth in mesh, should the number of teeth in mesh be respectively high enough.

- Fadment of the strength
- 2. Tension cord tensile strenght Admissible tensile load on belt cross section

The timing belt is designed correctly, when the maximum admissible tensile load in the steel cord tension members is not exceeded under operation conditions. The table values for F_{adm} refer to the constant loading.

3. Flexibility

144

Minimum number of teeth, minimum pulley diameter

The recommended minimum number of teeth and/or the minimum diameter for a malfunction-free operation depends on the selected belt type. Take especially into consideration that the minimum number of teeth and/or the minimum diameter is higher when using a belt arrangement "with contraflexure" (e.g. due to a tension roller).





Drive layout with

contraflexure

Drive layout without contraflexure

The selection of the minimum number of teeth and/or minimum diameter of the pulleys as well as tension and return rollers is based on a large number of different parameters. In the applications of the belt is to taken into consideration the belt versions and the flexibility of the tension members. Terms, definitions



Circumferential force	Fu
specific tooth force	F
admissible tensile load	
Pre-tension force	F
Shaft force	F
Torque	M
Acceleration torque	M
specific torque	M
Power	Р
specific power	Ps
Load bearing torque	ן ן
Load	m
Density	ρ
Speed	v
Rotational speed	n
Angular speed	ω
Frequency	f

[N]
[N/cm]
[N]
[N]
[N]
[Nm]
[Nm]
[Ncm/cm]
[kW]
[W/cm]
[kgm²]
[kg]
[kg/dm³]
[m/s]
[min ⁻¹]
[s⁻¹]
[s⁻¹]



145

Centre distance	а	[mm]
Belt length	L _B	[mm]
Belt width	b	[mm]
Pulley width	В	[mm]
Bore, pulley	d	[mm]
Pitch circle diameter	d。	[mm]
Crown diameter	dĸ	[mm]
Span length	Ļ	[mm]
Pitch	ť	[mm]
Number of belt teeth	Z _B	
Number of teeth with $i = 1$	z	
Number of teeth in mesh	Z _e	
No. of teeth, small pulley	Z ₁	
No. of teeth, large pulley	z_2	
Transmission	i	
Acceleration time	t _B	[s]





Apply all equations with the dimensions mentioned here.

How to proceed

Belt length: Profile preselection: AT10. Calculation of the belt length with formula:



Calculation of the 1. Tooth shear strength

belt width: In the calculation it will be used $z_a = 12$ (see basis of calculation). Calculation of the belt width with the nominal speed of the power equations.



Calculation of the belt width under start-up torque when rotational speed n = 0.

b = -	$\frac{100 \cdot M}{z_1 \cdot z_e \cdot M_{spec}}$
= -	100 · 300 25 · 12 · 11,70
=	8,54 cm = <u>85,4 mm</u>

The belt width is to be determined from the least favourable load conditions. Selected: the next larger standard belt width b = 100 mm.

2. Tension cord strength

The corresponding circumferencial force can be calculated from the general data supplied:

F ₀ =	$2 \cdot 10^3 \cdot M$
'' -	d _o
_	$2 \cdot 10^3 \cdot M$
-	79,58
=	<u>7539 N < 16000 N</u>

The tabular value F_{adm} for AT 10 with 100 mm belt width is 16000 N. Thus, there is a sufficient tension member safety factor.

3. Flexibility

to the table is adhered to.

147

operation can be expected. Ordering code: BRECOFLEX® timing belt 100 AT 10 / 1500

Task: A roll table drive must be designed for heavy conveying duties. Under start-up conditions the 2.5 times the running torque is exerted on the timing belt.

Calculation power transmission

The application conditions are:

Given:	Power	Ρ	=	10 kW
	Nominal speed	n	=	800 min ⁻¹
	Start-up torque	Μ	=	300 Nm
	Transmission, number of teeth	i	=	1, $z = z_1 = z_2 = 25$
	Centre distance	а	=	625 mm
	Transmission, number of teeth	i	=	1, $z = z_1 = z_2 = 25$

Required: The timing belt pitch is to be determined and the belt width is to be designed.

146

Formulae: 100 · M 1000 · P M[Nm] P[kW] $\overline{Z_1 \cdot Z_e \cdot P_{spec}}$ $z_1 \cdot z_e \cdot M_{spe}$ $2\cdot 10^3\cdot M$ z·t F_u [N] $d_0 =$ [mm] π $L = 2 \cdot a + z \cdot t \quad [mm]$

The design is a drive "without contraflexure". The minimum number of teeth according

Result: The drive is correctly designed with a belt width of 100 mm. A maintenance-free

BRECO® and **BRECOFLEX®** timing belts used for transportation

Transport timing belts are to be designed preferably as head drive. The goods to be transported can consist of one or more individual loads. A lot of individual loads can be seen as line load.



From the overall transport load, the required haul-off force or the circumferential force F_{μ} circumferencial force F₁₁ for the drive pulley assemblies can be derived: $F_{\mu} = 9,81 \cdot m \cdot \mu$ Circumferential force in the drive pulley station F_υ [N] Mass of the items to be transported m [kg]

As friction factor μ (slide friction), the following values can be assumed:

148

Friction factor of the timing belt in relation to the bed plate μ

Steel/PUR 92 Shore A 0,6 - 0,7 Steel/PAZ 0,2 - 0,4 0,3 - 0,4 PE/PUR

Calculation of the

In general, friction factors show large ranges. Trials should be carried out, if necessary. Information without obligation.



Information on the force/

149

Calculation example transport technology

The grid surface in the picture shows the force/elongation behaviour in the timing belt under operating conditions. The individual spacing between the transported products increase

We recommend to set the pre-tension force in the transport timing belt such that a residual pre-tension force is always maintained on the slack span side under operating conditions.

Maximum number of teeth in mesh for endless joined

Surrounding structure

Low friction and low dead weight is to be aspired for all assembly modules assuming part of the movement. The surrounding structure is to design dimensionally stable. Generally, BRECO® AT and ATL timing belts as open length are to be clamped on the moving linear technology using clamp plates. BRECO® AT and ATL timing belts permit a rotational to linear translation of movement with continous accuracy. Due to the high pitch accuracy between belt and pulley meshing the load distribution is distributed equally to the tooth faces in mesh on the drive assembly pulley and that produces a high performance and accuracy. The choice of materials for the belt and pulley is especially suitable for bi-directional drives. The distance of travel per pulley revolution is defined with the selection of the pitch and the number of teeth of the drive assembly pulley. For the linear drives are three design versions available. (Please note chapter "Belt guidance")

A dimensionally stable surrounding structure is to consider.

151

Construction and properties

The most common output movement of electro-mechanical drives is the rotational movement. For the technical designer is the timing belt an ideal link in the kinematics. The timing belt transmits reliable, fast and directly rotational movements into linear motions. Travel speeds up to 10 m/s and any centre distances are possible. Within linear motions low position deviations are often required, e.g. in the handling technology (high precision of repeatability). We recommend our product range of BRECO® timing belts with the profiles AT and ATL. These polyurethane timing belts are designed and optimised for linear drives. They stand out for dimensionally stable teeth and stiffness of the belt spans.

Under extreme load and after a short run-in time, the pre-tension of the belts might slightly reduce by the tension members settling, making a once-only re-tensioning of the timing belt unavoidable. No post-elongation of the tension members is to be expected in continuous operation.

The timing belts are temperature resistant with ambient temperatures from -30°C to +80°C. Applications close to the limit temperatures (<-10°C and >50°C), however, might require adapted dimensioning. In this case please contact your distribution partner.

This catalog has been compiled to especially meet designers requirements. In this catalog you will find both the delivery range and all technical data required for the dimensioning linear drives.

Take into consideration corrections to the admissible load values, in case of deviations from the standard.

Construction

BRECO® timing belts are constructed of wear resistant polyurethane and high tensile steel cord tension members. Both materials combined form the basis for dimensionally stable and reliable BRECO® timing belts. An additional nylon tooth facing results in a low-friction timing belt with high performance.

The BRECO® timing belts is manufactured without length limitation. The steel cord tension members are arranged with parallel edges. The preferred delivery form is in rolls of 50 m or 100 m.

Properties

- Positive fit, synchronous run
- High loadability, length stable
- High degree of efficiency, max. 98 %
- Wear resistant in continous operation
- Precision of repeatability of positioning in the linear system
- · Pitch accuracy in the rotational to linear translation of movement
- Low mass, suitable for stepper drives
- Hydrolysis resistant, resistant against ozone and sun light
- Temperature resistant from -30° to + 80°C, temporarily higher
- Resistant to petrol, simple fats and oils

Information about linear technology

Construction features





Coarse design

Determination of belt type and belt width



Example for the coarse design:

Recommendation:

152

Mass of linear slide $m_{L} = 50 \text{ kg}$ Max. acceleration (w/o delay) $a = 20 \text{ m/s}^{2}$

In the graph intersection point can be read:

BRECO [®] timing belt:	AT 10 / ATL 10, 50 mm wide
Alternatively:	AT 20 / ATL 20, 32 mm wide

The corresponding pulley of the drive pulley assembly should have 20 teeth (ATL =25) or more. With a pulley with less than 20 teeth (AT), select the next larger belt width.









154

e.g. from the stand still to the limit speed v. (2.) The lifting force F_{μ} is necessary with a movement direction opposite to the acceleration

- due to gravity. With horizontal linear movement is $F_{\mu} = 0$.
- (3.) A friction force is required when opposite to the moving direction a force is taking effect, e.g. friction force. Can the frictional drags be neglected is $F_{p} = 0$.

[kg] m, m_B [kg] [kg] m_{zred}

Berechnung

Reduced mass of the tension roller(s) m_{sred} [kg] $m = m_L + m_B + m_{Zred} + m_{Sred}$

Reduced mass of the pulley(s)

The mass of a pulley and/or tension roller is calculated in relation

Mass of the linear slide to be moved

m _z =	$\frac{(d_{K}^{\ 2} - d^2) \cdot \pi \cdot B \cdot \rho}{4 \cdot 10^6}$	$m_{s} = \frac{(d_{s}^{2} - d^{2}) \cdot \pi \cdot B \cdot \rho}{4 \cdot 10^{6}}$

The reduced mass m_{zred} of a pulley and/or tension roller is an eq load bearing to the effective line of the timing belt, the same a the rotational axis.

|--|

A linear drive is pre-tensioned correctly, when under maximum F_{tmax} (from acceleration and braking) the slack span side of the mum pre-tension force is to be considered:

$F_{TV} \ge F_{t}$

The highest span forces F_{Tmax} are to be expected within the tight pre-tension force F_{TV} (static) and tangential force F_{+} (dynamic) a

 $F_{Tmax} = F_{TV} + F_{t}$

The admissible tensile load ${\rm F}_{_{\rm Tadm}}$ has to show always safety factor span force F_{Tmax} in the timing belt.

(F_{Tadm} see Technical Data)

 $F_{Tadm} \ge F_{Tmax}$

The static centre/axis load F_{Asta} act within the stand still or under no-load conditions. F_{Adyn} is a value depending on the effective circumferencial force.



(formula 4)

Information about linear technology

List of formulae, terms, definitions

Calculation value Mass to be moved m [kg]

Mass of the timing belt (belt weight, see technical data)

	(formula 5)
on to:	Mass of the pulley m_{z} [kg]
	Mass of the tension roller m _s [kg]
uivalent mass with equal is the rotational solid to	Reduced mass of the pulley m _{zred} [kg] Reduced Mass of the tension roller m _{sred} [kg]
	(formula 6)
effective tangential force belt stays tight. A mini-	Pre-tension force F_{TV} [N]
	(formula 7)
t span side, when both cting together.	Maximum span force in the belt F _{Tmax} [N]
	(formula 8)
ors to the max. occurring	Admissible span force F _{Tadm} [N]
	(formula 9)
r no-load conditions.	Centre force [N]

(formula 10)

List of formulae, terms, definitions





The tensioning station can be mounted at any position on the timing belt. Values for correction Elasticity c [N/mm] see technical data.

 $L_{B} = L_{1} + L_{2}$



Linear systems show a variable elasticity. The elasticity behaviour of the linear slide and/or linear bed depends on the length proportion L, and L₂. That means: Each individual position of the linear bed has its own elasticity. The elasticity shows a minimum c_{min} , when L₁ and L₂ are equal in length. For this case the following relation is valid:

$$c_{min} = \frac{4 \cdot c_{spec}}{L_B}$$
 bei $L_1 = L_2$

Is an external force acting on a linear slide a positioning deviation s results Δs from the relation:

$$\Delta s = \frac{F}{c}$$

Under the effect of a triggered force, a mass connected to the timing belt (elasticity/mass system) assumes a damped natural vibration.



If necessary, check linear drives with regard to the occurrence of excitation frequencies f_0 in the drive pulley assembly which are close to the natural frequency f. For technical structures, avoid compatibility of $f_a = f_a$ (resonance). Note: In linear drives, the natural frequency f is in general considerably higher than the excitation frequency f_0 of the drive, in which case no resonance is to be expected. We recommend a special examination, if necessary, where stepping motors are used. Measures in the event of resonance: Increase the stiffness of the timing belt by choosing a larger belt width.

How to proceed	The above mentioned equations car drives. The type of the individual ex technical support from our sales out
General kinematics	If the movement sequence of the lir in accordance with the linear moven
Coarse design according to mass and acceleration	Generally, the mass of the linear sl values for the design of linear drives be determined, based on mass and a In conjunction with the coarse des (as a provisional measure). Note the per
The drive station	The required tangential force F_t in t ding to equation (4). By provisionally attendant drive torque M according far the calculated torque M can be depends on the type and selection depends on the desired servo and po upon, the actual torque sequence of further precise design of the timing

Excitation frequency

Positioning deviation

Inherent frequency

∆s [mm]

f [s⁻¹]

f₀ [s⁻¹]

Calculation value

∆l [mm]

Pre-tension distance

(formula 11)

(formula 12)

(formula 13)

(formula 14)



List of formulae, terms, definitions

n be used to comprehensively compute BRECO[®] linear caminations depends on the task. If necessary, request lets.

near drive has to be timed, we recommend to proceed nent values of the equations (3).

lide m, and the acceleration a represent the decisive S. On page 152 the belt type and timing belt width can acceleration after the selection diagram.

ign, we recommend to adopt the pulley dimensions missible minimum number of teeth or minimum diameters.

the drive pulley assembly has to be determined accory assuming the pulley size, it is possible to calculate the to equation (2) for the drive pulley assembly. In how harmonised with the torque sequence of the motor, of the drive motor. The selection of the motor also sitioning tasks. Once the drive motor has been decided f the motor has to be taken into consideration for the belt.

List of formulae, definitions

Belt width calculation Precise design to tooth shear strength For the calculation of the belt width the actual torque characteristic of the drive motor - from drive or brake - is to be used. At first the maximum motor torque according to formula (2) is to be converted to the respective circumferencial force F_{u} . From the calculated tangential force the minimum width of the timing belt, according to formula (1) can be calculated.



	The result of the calculated belt width (b in cm) is the required belt width for transmit the tangential force F _t via the meshing teeth from the pulley to the belt (or reverse). The calculated belt width is to be rounded-up to the next larger standard belt width.
Check of tensile load	Check the tensile loads for the calculated belt width, which become effective due to the pre-tension force F_{TV} according to formula (7) and the overlapping tangential force F_t according to formula (8). The max. permitted tensile loads according to formula (9) must not be exceeded. If necessary, select the next larger belt width.
Safety factors	Special additional safety factors are not necessary for the BRECO [®] timing belt. When, however, in addition to the maximum tangential force F_{tmax} are to be expected unevennesses, variations or impact shocks, which are not yet cosidered in the design, any additional safety factors can be added to the belt width.
Accuracy in the rotational to linear translation of movement	The BRECO [®] timing belt transmits rotational movements into the corresponding linear motions via the pulley of the drive station. The procedure can be repeated as often as required and is a continous operation with BRECO [®] timing belts. Deviation from the linear line can occur due to different forces and tolerances. The following is a description of causes and measures to be taken.
1. Precision of repeatability	The term repeatability of a linear drive implies the capability of regaining a position once accessed under the same conditions. In linear systems, repeatabilities of notably less than +/- 0.1 mm per metre of path travelled can be achieved with BRECO® AT timing belts. Prerequisite for a consistent repeatability is the retaining of the minimum pre-tension force according to the equation (7).
2. Positioning precision	The term positioning precision of a linear drive is the capability to convert the turning angle of the pulley into the attendant setpoint linear path via the timing belt. The achievable actual linear path depends on the active forces and of the tolerances of all assembly groups involved in the sequence of movement. Measures: Individual measures according to the following points 3 - 8 are to be applied, depending on the dominating values.
3. Stiffness / force- extension behaviour	If varying forces act on the linear unit, a correspondingly different elongation becomes effective. The corresponding "specific elasticities" are indicated in the Technical Data for steel cord tension members. Measures: Plan a wider timing belt to keep the elongation small. The positioning deviation resulting from the elongation behaviour can be calculated with the equations (12) and (13). A dimensionally stable surrounding structure is to consider.

158

4. Inverse fault	When a linear position is moved to in relation to the desired position inverse, an inverse fault could occu Measures: Design linear guides and the pulley of the drive pulley assem Normal requirements with regard to tooth gap. For the use of special to
5. Length tolerance Pitch deviation	A length tolerance in the timing l remain identical in relation to each o pitch deviation depends on the pre available in pre-defined ranges, du Measures: Use BRECO [®] timing belt setpoint dimension once installed.
6. Pitch faults	The term pitch faults defines irreg cumulative effect within one belt s Measures: Design the pulley of the the number of teeth meshing in th
7. Eccentricity fault Centre offset	The eccentricity fault and/or centre can lead to an irregular movement when sinusoidal movements occur Measures: Check the concentric pre Reduce the tolerance range, if nece
8. Ambient temperature Elongation under heat	The linear elongation under heat of shows the same values as the linear No change of the pre-tension force aluminium structure and a rise of the can be expected. The attendant lin under heat of the surrounding strue Measures: The influence of elongation are minor. Temperature influences
User information	Part of the offered formulae conta E.g. calculation of the positioning of gation behaviour of the tension me angle of wrap. However, the elastic E.g. the vibration behaviour accord Only the vibrating mass m of the I of the timing belt, the pulleys as we structure have not been taken into For this reason, we point out that co on the drive geometry selected.

159

List of formulae, definitions

d to from a different direction, an inverse fault could occur ion. In other words: If the forces acting on the linear unit occur.

and the entire system such that low friction occurs. Design sembly with a narrower tooth gap or with a "0" tooth gap. rd to the positioning precision are reached with the standard al tooth gaps, please ask for our technical support.

ng belt leads to a pitch deviation. In this case, all pitches ach other. Once installed, amongst others, a length tolerance/ pre-tension applied. The length tolerance/pitch deviation is , due to the production method.

belts in the minus tolerance range, and pre-tension to the ed. Ask for our specialist support.

rregularities of neighbouring pitches. Pitch faults have no elt section.

f the drive pulley assembly as large as possible. The larger n the pulley, the more efficient pitch errors are suppressed.

ntre offset of at least one pulley or tension roller involved ent in the linear system. This type of fault should be assumed cur in the linear movement sequence.

precision and the centre offset.

necessary.

at of the BRECO[®] timing belt with steel cord tension members hear elongation under heat of a surrounding steel structure. force is then to be expected. In the case of a surrounding f the ambient temperature, a slight increase of the pre-tension t linear path changes with the linear elongation behaviour structure.

ation under heat in the belt and also in the surrounding structure ces only need to be taken into account in exceptional cases.

ontain simplified assumptions.

ng deviation according to equations (12) and (13): The elonn member is also taken into account in the area of the pulley asticity of the belt tooth has been neglected.

cording to equation (14):

he linear slide m_L is taken into account. The vibrating mass is well as the retroaction of the elasticity to the surrounding into consideration.

at corresponding deviations have to be expected, depending .

Information

Available worldwide around the clock.

Ordering a standard size by way of a code guarantees the delivery of a product meeting the ensured properties.

All information contained in our product range refers to the standard types.

Please contact your competent distribution partner for further information regarding technical data, tolerances, calculations and special purpose belts.

Ordering examples	
BRECOFLEX [®] timing belt 50 BAT10 / 2000 Width in mm Type / Pitch Length in mm	BRECOFLEX® timing belt 110 XL 037 PAZ Length code
BRECOFLEX® timing belt 50 AT10 / 8000 V - PAZ Width in mm	BRECO® timing belt 50 AT10 / 50000 - M Belt width in mm Type / Pitch Length in mm Open length

160

Quality products, first-class advice and individual service are part of the standard package for all members of Mulco Europe EWIV. This standard is constantly being upgraded and adapted to the needs of the customers.

The "belt pilot" is an online tool which allows design engineers all over the world to work round the clock on design solutions for timing belt drives. They can carry out geometric calculations to configure the belt drive, decide on the number of teeth, plan the belt width or calculate the pulley diameter, save the configured drive or open calculations already saved, or use the performance calculation to check the possibility of using the selected timing belt with the load data - the "belt pilot" has the versatility and wide range of calculation options to help them find the right solution quickly.

The CAD download facility enables users to transfer timing belts and components to their own CAD system as CAD drawings. 2D or 3D CAD drawings in a wide and diverse range of file formats are user-definable and can be copied directly into CAD programs.

To find the "belt pilot" visit www.mulco.de





Angular drives AT10. AT10 DC. AT20. AT3. AT5. ATK. ATK 10K6 ATN ATN with V-groove. ATP10. ATP 15.	6 139 10, 11, 13, 14, 18, 24, 25, 78, 79, 134, 135, 141, 147, 152, 160, 168 134 10, 19, 28, 29, 82, 83, 141, 152 11, 13, 18, 20, 21, 74, 75, 141 10, 11, 13, 18, 22, 23, 76, 77, 141 9 10, 18, 50, 51, 104, 105 8 8 13, 18, 30, 31, 32, 141 18, 32, 33, 141
ATP 15	
ATS15	

B

Bases of calculation . BAT . BAT10 BAT15 BATK . BATK10 BATK10 BATK10 BATK15 Belt-pilot . Bifilar winding . Bifilar winding . Brakes .	7, 14 14, 18, 34, 35, 90, 91, 141, 160 18, 36, 37, 92, 93, 96, 141 7, 14 14, 18, 38, 39, 94, 95, 141 18, 40, 41, 96, 97, 141 161 144
BRECO®	
AT10	
AT10-T	
AT20	
АТ20-Т	
AT3	
AT5	
ATK10K13	
ATK10K13-T	
ATK10K6	
ATK20K13	
ATK5K6	
ATL10	
ATL20	
ATL5	
ATS15	
BAT10	
BAT15	
BATK10	
ВАТК15	
SFAT10	
SFAT20	
T1/2"	
T1/2"-T	
T1/5"	
T10	
T10-DL	
T10-DR	
Т10-Т	

162

Т2,5
T20
T20-DL
Т20-БЕ
T3/8"
Т5
T5-DL
T5-DR
Т5-Т
T7/8"
TK1/2"K13
TK10K13
ТК10К13-Т
ТК10К6
ТК5К6
BRECO [®] , BRECOFLEX [®] timing belts
Construction
Properties
BRECO [®] manufacturing process
BRECO [®] timing belt
BRECOFLEX®
AT10
AT10-DL
AT10-DR
AT10-T
AT20
AT20-DL
AT20-DR
AT20-T
AT3
AT5
AT5-DL
AT5-DR
ATK10K6
ATK10K6-DL
ATK10K6-DR
ATK5K6
ATP10
ATP10-DL
ATP15
ATP15-DL
ATS15
ATS15-DL
BAT10
BAT15
BATK10
BATK15
Н
H-DL
H-DR
Н-Т
L
SFAT10
SFAT15
SFAT20
T10
T10-DL
T10-DR
T10-T
T20
T20-DL

																																				118	
																																				124	
																																				124	
																																				124	
																																				128	
																																				120	
																																				120	
																																				120	
																																				120	
																																				132	
																																				116	
																																				114	
																																				114	
																																				112	
																																				110	
																																				6	
•	•	•	•	•	•	•	•	•	• •	•	•	•	•	•	• •	•	•	•	•	• •	• •	·	•	• •	·	•	• •	•	• •	• •	·	•	•	• •	• •	. 6	
•		•	•	•	•	•	•	•	• •	•	•	•	•	•	• •	•	•	•	•	• •	• •	·	•	• •	·	•	•••	•	• •	• •	·	•	•	• •	• •		
•	•	•	•	•	•	•	•	•	• •	•	•	•	•	•	• •	•	•	•	•	• •	•	•	•	• •	•	•	• •	•	• •	•••	•	•	•	• •	•••	73 73	
•	•	•	•	•	•	•	•	•	• •	•	•	•	•	•	• •	•	•	•	•	• •	• •	•	•	• •	•	•	• •	•	• •	•••	•		•		•••	/3	
																																				24	
																																				24	
																																				24	
																																				24	
																																				28	
																																				28	
																																				28	
																																				28	
																																				20	
																																				22	
																																				22	
																																				22	
																																				50	
																																				50	
																																				50	
																																				48	
																																				30	
																																				30	
																																				32	
																																				32	
																																				26	
																																				26	
																																				34	
																																				36	
																																				38	
																																				40	
																																				68	
																																				68	
																																				68	
																																				68	
																																				66	
																																				42	
																																				44	
																																				46	
																																				60	
																																				60	
																																				60	
-		-	-	-	-	-	-				-	-	-	-		-	-	-	-			-	-		-			-			-		-			60	
																																				62	
																																				62	
_		-	-	-	-				-	-	-				_	-	_	-		_	-	-		_		_	-		-	-	-	_	_	_	-		

T20-DR
Т20-Т
T5
T5-DL
T5-DR
TK10K13
TK10K6
TK5K6
XH
XL
BRECOFLEX [®] manufacturing process 17
BRECOFLEX® timing belt
BRECO Antriebstechnik Breher GmbH & Co. KG 3
BRECO M
BRECO V

C

CAD-Download	161
Calculation example	
Power transmission	146
Transport technology	148
Centrifugal masses.	140
Circumferential force	142
Curved teeth	4, 15
Curved teeth timing belt	. 14

D		
	Double-sided	10
E		
	E tension member	13
F		
	Flexibility 14 Force distribution 14 Frequency measuring meter 14	44
Н		

н				
High flexible tension inserts	 	• • •	 • • • •	 . 13

Imperial profile 9

_	
	L
	Linear technology
	Construction and properties.150List of formulae, definitions.155Coarse design.152Length tolerance.159

159 158 159 159 159 150 151 152 13 144 143 135, 160 143 144 144 142 7 140 141 15, 46, 47, 100, 101, 141 16, 44, 45, 47, 141 19, 46, 47, 100, 101, 141 140 12 12 <
$ \begin{array}{c} 12\\ 12\\ 12\\ 12\\ 12\\ 12\\ 12\\ 12\\ 12\\ 12\\$
$ \begin{array}{c} 12\\ 12\\ 12\\ 12\\ 12\\ 12\\ 12\\ 12\\ 12\\ 12\\$
11 11 11 11 11 11 11 11 11 11 11 11 11 143 135, 160 18 142 7 140 140 140 18, 42, 43, 98, 99, 141 18, 44, 45, 47, 141 19, 46, 47, 100, 101, 141 19, 46, 47, 100, 101, 141 10, 11 11 11 11 11 11 11 11 11 11 11 11 11 11 11 11 11 12
11 11 11 11 11 11 11 11 11 11 11 11 11 143 135, 160 18 142 7 140 140 140 18, 42, 43, 98, 99, 141 18, 44, 45, 47, 141 19, 46, 47, 100, 101, 141 19, 46, 47, 100, 101, 141 10, 11 11 11 11 11 11 11 11 11 11 11 11 11 11 11 11 11 12
143 135, 160 18 142 142 7 140 18, 42, 43, 98, 99, 141 18, 42, 43, 98, 99, 141 18, 42, 43, 98, 99, 141 19, 46, 47, 100, 101, 141 19, 46, 47, 100, 101, 141 10, 11 17 9 112
142 7 140 140 140 140 18, 42, 43, 98, 99, 141 18, 42, 43, 98, 99, 141 18, 44, 45, 47, 141 19, 46, 47, 100, 101, 141 10, 11 11, 11 12 12
142 7 140 140 140 140 18, 42, 43, 98, 99, 141 18, 42, 43, 98, 99, 141 18, 44, 45, 47, 141 19, 46, 47, 100, 101, 141 10, 11 11, 11 12 12
18, 42, 43, 98, 99, 141 18, 44, 45, 47, 141 19, 46, 47, 100, 101, 141 10, 11 10, 11 11 12

T10
T10 DC
T20
Τ5
Table of contents .
Tension cord streng
Terms, definitions.
Timing belt lock AT
Timing belt version

	10, 11, 13, 19, 60, 61, 122, 123, 134, 135, 138, 141, 168
	10, 11, 13, 19, 62, 63, 124, 125, 141
т5	10, 11, 13, 19, 58, 59, 120, 121, 141
Table of contents	
Tension cord strength	
Terms, definitions	
Timing belt lock AT10 DC / T10 DC	
5	
5 5	
5 51	
Tolerances	
Tooth gap shapes	138
Tooth shear strength	
TPUAS1	
TPUAU1	
TPUFD1	
TPUST1	
TPUST2	
TPUST3	
TPUWB1	
Transport coating	
Transport/storing	143

U

Version PAR..... 11

ХН	
XL	9, 19, 64, 65, 141, 160



166

_

Anton Klocke Antriebstechnik GmbH Senner Straße 151 D-33659 Bielefeld phone: +49 521 950 05-01 fax: +49 521 950 05-11 www.klocke-antrieb.de info@klocke-antrieb.de	REIFF Technische Produkte GmbH Tübinger Straße 2-6 D-72762 Reutlingen phone: +49 712 132 3-0 fax: +49 712 132 3-318 www.reiff-tp.de zahnriemen@reiff-gmbh.de	Wilhelm Herm. Müller GmbH & Co. KG Heinrich-Nordhoff-Ring 14 D-30826 Garbsen phone: +49 513 145 22-0 fax: +49 513 145 22-110 www.whm.net info@whm.net	W. H. MÜLLER s.r.o. Pražákova 39 CZ-61900 Brno phone: +420 543 211 008 phone: +420 543 212 343 fax: +420 541 217 468 www.whm.cz whm@whm.cz	Wilhelm Herm. Müller Polska Sp. z o.o. ul. Solna 20 PL-85-862 Bydgoszcz phone: +48 523 490 7 fax: +48 523 490 0 www.whm.pl whm@whm.pl
Germany Walter Rothermundt GmbH & Co. KG Am Tannenbaum 2	Stork im Service Technische Predukte Roth GmbH & Co. KG Andernacher Straße 14	WILHELM HERM. MÜLLER Germany GARATTON AB Smidesvägen 4-8	Czech Republic	Movetec Oy Hannuksentie 1
D-41066 Mönchengladbach phone: +49 216 169 462-0 fax: +49 216 166 446 9 www.rothermundt.de info@rothermundt.de	D-90411 Nürnberg phone: +49 911 995 21-0 fax: +49 911 995 21-70 www.roth-ing.de info@roth-ing.de	SE-17141 Solna phone: +46 840 416 00 fax: +46 898 428 1 www.aratron.se info@aratron.se	N-1204 Oslo phone: +47 231 916 60 fax: +47 231 916 61 www.aratron.no firmapost@aratron.no	FIN-02270 Espoo phone: +35 895 259 2 fax: +35 895 259 2 www.movetec.fi info@movetec.fi
Hilger u. Kern GmbH Antriebstechnik Käfertaler Straße 253 D-68167 Mannheim	Haberkorn GmbH Modecenterstraße 7 A-1030 Wien phone: +43 174 074-0	Dinámica Distribuciones S.A. Ctra. No. II, km 592,6 E-08740 S. Andreu de la Barca phone: +34 936 533 500	BRECOflex Co., L.L.C. 222 Industrial Way West USA-Eatontown, NJ 07724 phone: +1 732 460-9 500	MOVETEL
phone: +49 621 370 5-0 fax: +49 621 370 5-403 www.hilger-kern.com antriebstechnik@hilger-kern.de	fax: +43 174 074-0 fax: +43 174 074-99 www.haberkorn.com info.wien@haberkorn.com	fax: +34 936 533 500 fax: +34 936 533 508 www.dinamica.net dinamica@dinamica.net	fax: +1 732 542-6 725 www.brecoflex.com info@brecoflex.com	
THE POWER OF A WELL-MESHED GROUP	Binder Magnetic 1, Allee des Barbanniers F-92632 Gennevilliers-Cedex phone: +33 146 138 080 fax: +33 146 138 099 www.binder-magnetic.com info@binder-magnetic.fr	Transmission Developments Co. (G.B.) LTD Dawkins Road, Hamworthy GB-Poole Dorset BH15 4HF phone: +44 120 267 555 5 fax: +44 120 267 746 6 www.transdev.co.uk sales@transdev.co.uk	BRECO insists on high quality not only everything to do with polyurethane t themselves offer first-class customer se BRECO is a member of Mulco Europe I are considered pioneers in the field of and the intensive cooperation have be mechanical engineering in general.	iming belt technology. Our ervice. EWIV, a European Economic f polyurethane timing belt t
Distribution partner	BINDER France / Belgium	Great Britain	BRECO [®] and BRECOFLEX [®] timing b	oelts - staying safely on t

168

169





ocesses but also in the standard of its advice and service in our distribution partners are all specialists in this field who

nic Interest Grouping (EEIG). All the members of this group It technology. The trust which has evolved over many years be the basis for innovative power transmission solutions in

n the move.

Available product catalogues - for every application the right product

170

BRECO® and **BRECOFLEX®** timing belts

- General information (application and calculation notes)
- Endless timing belts (BRECOFLEX®)
- Open length timing belts (BRECO[®] M)
- Endless joined timing belts (BRECO® V)
- Timing belt lock for AT10, T10

ATN-System - BRECO® timing belts for transport technology

- ATN timing belts
- ATN timing belt lock
- ATN standard profile connection
- ATN profiles
- ATN components
- Application and calculation notes

BRECO® and BRECOFLEX® flat belts

- General information
- Endless flat belts (BRECOFLEX®)
- Open length flat belts (BRECO[®] M)
- Endless joined flat belts (BRECO® V)

Finishing of timing belts

- Coatings for polyurethane timing belts
- Mechanical rework of coatings
- Mechanical rework of timing belts
- High strength profile connection
- Welded-on profiles

BRECO® und BRECOFLEX® Components

- General information
- Timing Pulleys
- Synchronizing shafts
- Synchronous pulleys with tensioners
- Tension rollers
- BRECO® fix-clamping elements

Warranty

All information was compiled with utmost care according current knowledge. We wish to stress that the technical data is subject to tolerances and not intended to be understood as a delivery specification. We further emphasise the fact that the section 'Calculations' and their application implies development risks. No claims can be derived from possible errors or false application interpretation. All rights for technical modifications are withheld.



BRECO® and BRECOFLEX® are registered trademarks of BRECO Antriebstechnik Breher GmbH & Co. KG.

© 2010 BRECO Antriebstechnik Breher GmbH & Co. KG

All rights withheld. No parts of this catalogue may be reproduced. Printed in Germany, Engl. Version 47/2010/5000



Keeping things moving!



This company positioning confronts BRECO Antriebstechnik Breher GmbH & Co. KG, manufacturer of BRECO[®] and BRECOFLEX[®] timing belts, with new great challenges, which are accepted with pleasure.

BRECO Antriebstechnik Breher GmbH & Co. KG Kleiststr. 53 | D-32457 Porta Westfalica phone: +49 5731 / 7670-0 | fax: +49 5731 / 7670-16 www.breco.de | info@breco.de

> Find your responsible sales partner on www.breco.de or www.mulco.de.

